

Author Index

- Abad-Santos F, see Gálvez-Múgica MA
 Abate JJ, see Abouleish AE
 Abdullah RS. Restoration of circulation after cessation of positive pressure ventilation in a case of "Lazarus syndrome" (letter), 93:241
 Abel MD, see Nuttall GA
 Abouleish AE, Prough DS, Zornow MH, Hughes J, Whitten CW, Conlay LA, Abate JJ, Horn TE. The impact of longer-than-average anesthesia times on the billing of academic anesthesiology departments, 93:1537
 Abouleish AE, Prough DS, Zornow MH, Lockhart A, Abate JJ, Hughes J. Designing meaningful industry metrics for clinical productivity for anesthesiology departments, 93:309
 Abramson DC, see Pivalizza EG
 Achleitner U, see Krismer AC
 Ackerman WE, see Zhang J-M
 Adachi Y, see Higuchi H
 Adair TM, see Chaney JD
 Adàlia R, see Agustí M
 Adan RAH, see Vrinten DH
 Adriaensen HA, see Vercauteren MP
 Agustí M, Elizalde JL, Adàlia R, Martínez-Pallí G, García-Valdecasas JC, Piqué JM, Taurà P. The effects of vasoactive drugs on hepatic blood flow changes induced by CO₂ laparoscopy: an animal study, 93:1121
 Akamatsu H, see Nishina K
 Akça O, Sessler DI. Postoperative nausea and vomiting in female patients (letter, reply), 93:519
 Albertin A, see Casati A; di Benedetto P
 Albrecht DM, see Hübner M
 Aldrete JA, see Couto da Silva JM
 Allaouchiche B, Debon R, Goudable J, Chassard D, Duflo F. Oxidative stress status during exposure to propofol, sevoflurane and desflurane, 93:981
 Allen HW, see Kopacz DJ
 Almström C, see Hausel J
 Alston RP. Cerebral oxygenation and cognitive decline (letter), 93:1628
 see Robson MJA
 Amann A, see Krismer AC
 Amann A, Rieder J, Fleischer M, Niedermüller P, Hoffmann G, Amberger A, Marth C, Nigrovic V, Pühringer F. The influence of atracurium, cisatracurium, and mivacurium on the proliferation of two human cell lines *in vitro*, 93:690
 Amata AO. Blindness associated with severe preeclampsia/eclampsia (letter), 93:1081
 Amberger A, see Amann A
 Ambesh SP, Singh DK, Bose N. Use of a bougie to prevent accidental dislodgment of endotracheal tube during bedside percutaneous dilatational tracheostomy (letter), 93:1364
 Anastakis DG, see Chan VWS
 Andel D, Andel H, Hörauf K, Felfernig D, Millesi W, Zimpfer M. The influence of deliberate hypotension on splanchnic perfusion balance with use of either isoflurane or esmolol and nitroglycerin, 93:1116
 Andel H, see Andel D
 Anderson B. Acetaminophen analgesia in infants (letter), 93:1626
 Andrews PJD, see Robson MJA
 Andropoulos DB, Bent ST, Skjonsby B, Stayer SA. The optimal length of insertion of central venous catheters for pediatric patients, 93:883
 Angst MS, see Li X
 Anthony DG, see Waters JH
 Aoyama Y, see Nishio I
 Apostolidou I, see Despotis GJ
 Arakawa K, Takahashi H, Nakagawa S, Ogawa S. The effects of lidocaine on superoxide production and p47 phox translocation in opsonized zymosan-activated neutrophils, 93:1501
 Archer DP, Samanani N, Roth SH. Small-dose pentobarbital enhances synaptic transmission in rat hippocampus, 93:1521
 Arimura S, see Higuchi H
 Aronson S, Thys DM. Training and certification in perioperative transesophageal echocardiography: a historical perspective, 93:1422
 Arria AM, see Panchal S
 Artru A, see Kharasch ED
 Arya VK, see Kathirvel S
 Asano S, see Nishio I
 Assmann G, see Berendes E
 Aubert M, see Bendahan D
 Auble SA, see Davidson AJ
 Auble SG, see McCann ME
 Auden SM. This little piggy went to MRI: the tale of the toe test, 93:241
 Avram MJ, see De Wolf AM
 Awad AA, Ghobashy MAM, Stout RG, Silverman DG, Shelley KH. How does the plethysmogram derived from the pulse oximeter relate to arterial blood pressure in coronary artery bypass graft patients?, 93:1466
 Azevedo MI, see Hord AH
 Baba H, see Hayatsu K
 Baba Y, see Inomata S
 Babatasi G, see Hanouz J-L
 Babu V, see Kathirvel S
 Bader AM, see Hepner DL
 Badner NH, see Beattie WS
 Badner NH, Freeman D, Spence JD. Preoperative oral B vitamins prevent nitrous oxide-induced postoperative plasma homocysteine increases, 93:1507
 Baer GA. What to prefer during jet ventilation for endolaryngeal procedures, risk of barotrauma or of aspiration of contaminating material? (letter), 93:1625
 Bailey JM, see Michelsen LG
 Baillard C, see Mouren S
 Bairaktari A, Raitsiou B, Kokolaki M, Mitselou M, Dritsas G, Dahabre G, Vafiadou M. Respiratory failure after pneumonectomy in a patient with unknown hyperlipidemia, 93:292
 Bakhshandeh M, see Greif R
 Bakoshi S, see Minami T
 Bankier AA, see Oschatz E
 Barker SJ. Lord or vassal? academic anesthesiology finances in 2000, 93:294
 see Weinger MB
 Barker SJ, Polson JS. Fire in the operating room: a case report and laboratory study, 93:960
 Barragry T, see Heres EK
 Barrowman NJ, see Neilipovitz DT
 Bartkowski R, see Larijani GE
 Barzilai B, see Skubas NJ
 Bauer R, see Schwarzkopf K
 Baum D, see Desjardins PJ
 Baumert JH, see de Rossi LW
 Beattie WS, Badner NH, Choi P. Epidural analgesia reduces postoperative myocardial infarction: a meta-analysis, 93:853
 Beccaria P, see Casati A
 Bech K, see Callesen T

- Belani KG, see Loushin MK
- Bell SD. Preoperative Assessment (book review), 93:1083
- Bendahan D, Kozak-Ribbens G, Confort-Gouny S, Ghattas B, Figarella-Branger D, Aubert M, Cozzone PJ. A noninvasive investigation of muscle energetics supports similarities between exertional heat stroke and malignant hyperthermia, 93:683
- Ben-David B, DeMeo PJ, Lucyk C, Solosko D. A comparison of minidose lidocaine-fentanyl spinal anesthesia and local anesthesia/propofol infusion for outpatient knee arthroscopy, 93:319
- Benditt D, see Lurie KG
- Benedek G, see Horvath G
- Bennett J, see Prielipp RC
- Bennett-Guerrero E, see Manspeizer HE; Sukernik MR
- Bent ST, see Andropoulos DB
- Benzer A, see Jeske H-C
- Berde CB, see McCann ME
- Berendes E, Van Aken H, Raufhake C, Schmidt C, Assmann G, Walter M. Differential secretion of atrial and brain natriuretic peptide in critically ill patients, 93:676
- Berggren L, see Gupta A
- Bergmann P, Huber S, Mächler H, Liebl E, Hinghofer-Szalikay H, Rehak P, Rigler B. The influence of medical information on the perioperative course of stress in cardiac surgery patients, 93:1093
- Berkenbosch JW, Lam J, Burd RS, Tobias JD. About the origin of the $\text{Paco}_2/\text{ETCo}_2$ ratio... (letter), 93:1626
- Bernards CM, see Bethune CR
- Berning S, see Hönemann CW
- Bertini L, see di Benedetto P
- Bertrand M, see Medel J; Mouren S
- Bethune CR, Bernards CM, Bui-Nguyen T, Shen DD, Ho RYJ. The role of drug-lipid interactions on the disposition of liposome-formulated opioid analgesics *in vitro* and *in vivo*, 93:928
- Bharti N, see Madan R
- Bhavani-Shankar K, see Steinbrook RA
- Bhukal I, see Kathirvel S
- Bickler PE, see Eilers H
- Bigham M, see Despotis GJ
- Bikhazi G, see Larijani GE
- Bilfinger TV, see Chen EH
- Bilotta F, Pietropaoli P, Rosa G. Nefopam for refractory postoperative hiccups, 93:1358
- Bina S, Karan SM, Lojeski EW, Mongan PD, Muldoon SM. Prolonging viability of swine muscle biopsy specimens in malignant hyperthermia testing, 93:781
- Binje B, see Iskandar H
- Birmingham B. TEE diagnosis of mechanical AVR dysfunction associated with biological glue (letter), 93:1627
- Birnback DJ, see Hawkins JL
- Birnback DJ, Matut J, Stein DJ, Campagnuolo J, Drimbarean C, Grunebaum A, Kuroda MM, Thys DM. The effect of intrathecal analgesia on the success of external cephalic version, 93:410
- Bischoff A, see Krombach J
- Bjerke RJ, see Paiste J
- Bjorksten AR, see Greif R; Mokhtarani M
- Bliss SP, see Moon PF
- Blum RH, see Davis PJ; see Galinkin J
- Boccara G, see Medel J; Pouzeratte Y
- Bodin L, see Gupta A
- Boehler M, see Brimacombe J; Keller C
- Boisson C, see Cuvillon P
- Bojanowski MW, see Nguyen A
- Boldt J, see Lang K
- Bone HG, see Jahn UR
- Booke M, see Jahn UR
- Borgeat A, Ekotodramis G, Dumont C. An evaluation of the infraclavicular block via a modified approach of the Raj technique, 93:436
- Borghi B, see di Benedetto P
- Borromeo CJ, see Stix MS
- Bosco RR, see Holman SJ
- Bose N, see Ambesh SP
- Bosert C, see Hemmerling TM
- Boudreault D, see Choinière A; Nguyen A; Roy J-S
- Bouthillier A, see Nguyen A
- Bowdle TA, see Pavlin DJ
- Bower JO, see Pavlin DJ
- Brandom BW, see Fine GF
- Bremerich DH, Neidhart G. Acetaminophen analgesia in infants (letter, reply), 93:1627
- Bressem M, see Kulka PJ
- Bricard H, see Hancouz J-L
- Brillu C, see Vialle R
- Brimacombe J, see Keller C
- Brimacombe J, Keller C, Boehler M, Pühringer F. Positive pressure ventilation with the ProSeal versus classic laryngeal mask airway: a randomized, crossover study of healthy female patients, 93:1351
- Broka SM. About the origin of the $\text{Paco}_2/\text{ETCo}_2$ ratio... (letter), 93:1625
- Broka SM, Dubois PE, Joucken KL. Pediatric thoracic anesthesia and high-frequency jet ventilation (letter), 93:1361
- Brook MW, see Pollard JB
- Broughton R, see Heres EK
- Brown AR, Parker GC. The use of a "reverse" axis (Axillary-Interscalene) block in a patient presenting with fractures of the left shoulder and elbow, 93:1618
- Brown R, see Talke PO
- Brull SJ, see Zhang J-M
- Brunat G, see Pouzeratte Y
- Bryant SC, see Horlocker TT
- Bryson GL, see Neilipovitz DT
- Buderus S, see Stamer M
- Buerkle H, see Gottschalk A
- Buggy DJ, see Kirkbride DA
- Bui-Nguyen T, see Bethune CR
- Burd RS, see Berkenbosch JW
- Bush DJ, see Janzen PRM
- Butterworth J, see Prielipp RC
- Buzello W, see Krombach J
- Calcroft R, see Wajon P
- Callesen T, Bech K, Kehlet H. One-thousand consecutive inguinal hernia repairs under unmonitored local anesthesia, 93:1373
- Calmejan C, see Paut O
- Camboulives J, see Paut O
- Cameron EM, see Stix MS
- Campagnuolo J, see Birnback DJ
- Campbell DC, Riben CM, Rooney ME, Crone L-AL, Yip RW. Intrathecal morphine for postpartum tubal ligation postoperative analgesia, 93:1006
- Cannon MA, see Prielipp RC
- Caron J-L, see Nguyen A
- Carré P, see Kiffer F
- Casati A, see di Benedetto P
- Casati A, Fanelli G, Beccaria P, Magistris L, Albertin A, Torri G. The effects of single or multiple injections on the volume of 0.5% ropivacaine required for femoral nerve blockade, 93:183
- Cathelineau G, see Estebe J-P
- Caton D, see Frölich MA
- Cerf C, see Dhonneur G
- Chado HN. Current perception thresholds do not vary significantly (letter), 93:1079
- Chalfoun AG, see Hord AH
- Chan C-C. Carbon monoxide rebreathing during low flow anesthesia (letter,

- reply), 93:516
- Chan MS, see Cheung ATW
- Chan VWS, Peng PWH, Kaszas Z, Middleton WJ, Muni R, Anastakis DG, Graham BA. A comparative study of general anesthesia, intravenous regional anesthesia, and axillary block for outpatient hand surgery: clinical outcome and cost analysis, 93:1181
- Chaney JD, Adair TM, Lell WA, McGiffin DC, Nielsen VG. Hemostatic analysis of a patient with hereditary angioedema undergoing coronary artery bypass grafting, 93:1480
- Chang C-I, see Tsai S-K
- Chang Y-C, see Hsu M-M
- Chari P, see Kathirvel S
- Charuluxananan S, Kyokong O, Somboonviboon W, Lertmaharit S, Ngamprasertwong P, Nimcharoendee K. Nalbuphine versus propofol for treatment of intrathecal morphine-induced pruritus after cesarean delivery, 93:162
- Chassard D, see Allaouchiche B
- Chauvin M, see Menigaux C
- Chavan S, see Kathirvel S
- Chelly JE. How can we possibly prevent complications related to peripheral nerve blocks? (letter), 93:1080
- Chen EH, Logman ZM, Glass PSA, Billfinger TV. A case of tracheal injury after emergent endotracheal intubation: a review of the literature and causalities, 93:1270
- Chen L, see Nemirovsky A
- Chen S-J, see Tsai S-K
- Chen X, Tang J, White PF, Wender RH, Quon R, Sloninsky A, Naruse R, Kariger R, Webb T, Norel E. The effect of timing of dolasetron administration on its efficacy as a prophylactic antiemetic in the ambulatory setting, 93:906
- Chen X, Zhao M, White PF, Li S, Tang J, Wender RH, Sloninsky A, Naruse R, Kariger R, Webb T, Norel E. The recovery of cognitive function after general anesthesia in elderly patients: a comparison of desflurane and sevoflurane, 93:1489
- Chen Y-S, see Tsai S-K
- Cheung ATW, Jahr JS, Driessen B, Duong PL, Chan MS, Lurie F, Golkaryeh MS, Kullar RK, Gunther RA. The effects of hemoglobin glutamer-200 (bovine) on the microcirculation in a canine hypovolemia model: a noninvasive computer-assisted intravital microscopy study, 93:832
- Chevanne F, see Estebe J-P
- Chin Y-J, see Chung C-J
- Chiu I-S, see Tsai S-K
- Chiu WKY, see Lee MPL
- Choi I-C, see Hwang J-H
- Choi P, see Beattie WS
- Choi S-R, see Chung C-J
- Choinière A, Girard F, Boudreault D, Ruel M, Girard DC. Voluntary hyperventilation before a rapid-sequence induction of anesthesia does not decrease postintubation $Paco_2$, 93:1277
- Chou T-C, see Hsu M-M
- Chou Y-Y, see Hsu M-M
- Chu K-S, see Tsai Y-C
- Chung C-J, Choi S-R, Yeo K-H, Park H-S, Lee S-I, Chin Y-J. Hyperbaric spinal ropivacaine for cesarean delivery: a comparison to hyperbaric bupivacaine, 93:157
- Cipparrone NE, see Muangmingsuk V
- Cittanova M-L, Zubicki A, Savu C, Montalvan C, Nefaa N, Zaier K, Riou B, Coriat P. The chronic inhibition of angiotensin-converting enzyme impairs postoperative renal function, 93:1111
- Clark JD, see Li X
- Coddens J, see Hendrickx JFA
- Cohen IT, Hannallah RS, Goodale DB. The clinical and biochemical effects of propofol infusion with and without EDTA for maintenance anesthesia in healthy children undergoing ambulatory surgery, 93:106
- Cohen IT, Hannallah RS, Hummer KA. The incidence of emergence agitation associated with desflurane anesthesia in children is reduced by fentanyl, 93:88
- Cohen J, Loewinger J, Hutin K, Sulkes J, Zelikovski A, Singer P. The safety of immediate extubation after abdominal aortic surgery: a prospective, randomized trial, 93:1546
- Collins MA, see Cox RF
- Coloma M, see White PF
- Coloma M, Zhou T, White PF, Markowitz SD, Forestner JE. Fast-tracking after outpatient laparoscopy: reasons for failure after propofol, sevoflurane, and desflurane anesthesia, 93:112
- Colson P, see Pouzeratte Y
- Conaway MR, see Mathes DD
- Confort-Gouny S, see Bendahan D
- Conlay LA, see Abouleish AE
- Connelly NR, Parker RK, Lucas T, El-Mansouri M, Komanduri V, Nayak P, Gutta S, Gibson C, Dunn SM. The influence of a bupivacaine and fentanyl epidural infusion after epidural fentanyl in patients allowed to ambulate in early labor, 93:1001
- Conti A, see Ortolani O
- Cooper J. Cardiac arrest during spinal anesthesia (letter), 93:245
- Corbett T, see Hess PE
- Coriat P, see Cittanova M-L; Godet G; Medel J; Mouren S
- Correia MLG, see de Moura RS
- Cousins MJ. Pain medicine and anesthesiologists: a new section of the journal, 93:526
- Couto da Silva JM, Couto da Silva JM Jr, Aldrete JA. Body temperature and diaphoresis disturbances in a patient with arachnoiditis, 93:1578
- Couto da Silva JM Jr, see Couto da Silva JM
- Cox RF, Collins MA. The effects of benzodiazepines on human opioid receptor binding and function, 93:354
- Cozzone PJ, see Bendahan D
- Craig SD, see Marino T
- Creighton RE, see Schily M
- Crone L-AL, see Campbell DC
- Cronier P, see Vialle R
- Cuvillon P, Ripart J, Lalourcyer L, Veyrat E, L'Hermite J, Boisson C, Thouabta E, Eledjam JJ. The continuous femoral nerve block catheter for postoperative analgesia: bacterial colonization, infectious rate and adverse effects, 93:1045
- Dae M, see Mokhtarani M
- Dahabre G, see Baoraltaro A
- Dahan A, see Sarton E
- Dalmay A, Sabaté A, Koo M, Rafecas A, Figueras J, Jaurieta E. Prophylactic use of tranexamic acid and incidence of arterial thrombosis in liver transplantation (letter), 93:516
- D'Angelo R, Dean LS, Meister GC, Nelson KE. Neostigmine combined with bupivacaine, clonidine, and sufentanil for spinal labor analgesia, 93:1560
- Das AK, see Robins B
- Daskalopoulos R, Korcok J, Farhangkhoei P, Karmazyn M, Gelb AW, Wilson JX. Propofol

- protection of sodium-hydrogen exchange activity sustains glutamate uptake during oxidative stress, 93:1199
- Davidson AJ, McCann ME, Devavaram P, Auble SA, Sullivan LJ, Gillis JM, Laussen PC. The differences in the bispectral index between infants and children during emergence from anesthesia after circumcision surgery, 93:326
- Davies SR, see O'Connor CJ Jr
- Davis PJ, see Galinkin J; Ross AK
- Davis PJ, Galinkin J, McGowan FX, Lynn AM, Yaster M, Rabb MF, Krane EJ, Kurth CD, Blum RH, Maxwell L, Orr R, Szmuk P, Hechtman D, Edwards S, Henson LG. A randomized multicenter study of remifentanyl compared with halothane in neonates and infants undergoing pyloromyotomy. I. Emergence and recovery profiles, 93:1380
- De Cooman S, see Hendrickx JFA
- De Decker K, see Vercauteren MP
- de La Coussaye JE, see Lefrant J-Y
- de Lemos Neto M, see de Moura RS
- de Moura RS, Rios AAS, de Oliveira LF, Resende AC, de Lemos Neto M, Santos EJA, Correia MLG, Tano T. The effects of nitric oxide synthase inhibitors on the sedative effect of clonidine, 93:1217
- De Negri P, Ivani G, Visconti C, De Vivo P, Lonnqvist P-A. The dose-response relationship for clonidine added to a postoperative continuous epidural infusion of ropivacaine in children, 93:71
- de Oliveira LF, see de Moura RS
- de Rossi LW, Horn NA, Baumert JH, Gutensohn K, Hutschenreuter G, Rossaint R. Xenon does not affect human platelet function *in vitro*, 93:635
- De Vivo P, see De Negri P
- De Winter G, see Mourén S
- De Wolf AM, see Hendrickx JFA
- De Wolf AM, Fragen RJ, Avram MJ, Fitzgerald PC, Rahimi-Danesh F. The pharmacokinetics of dexmedetomidine in volunteers with severe renal impairment, 93:1205
- de Wolf J, see Hendriks HGD
- Dean LS, see D'Angelo R
- Dearani JA, see Nuttall GA
- Deary IJ, see Robson MJA
- Debon R, see Allaouchiche B
- DeGagné R, see Lepage C
- Dekutoski MB, see Horlocker TT
- deL. Dear G, see Ross AK
- Delay JM, see Pouzeratte Y
- DeLeo JA, see Procopio MA
- Della Valle AG, Salonia-Ruzo P, Peterson MGE, Salvati EA, Sharrock NE. Inflatable pillows as axillary support devices during surgery performed in the lateral decubitus position under epidural anesthesia, 93:1338
- Deloof T, see Hendrickx JFA
- Delorme J, see Paut O
- DeMeo PJ, see Ben-David B
- Deng X-M, Xiao W-J, Luo M-P, Tang G-Z, Xu K-L. The use of midazolam and small-dose ketamine for sedation and analgesia during local anesthesia, 93:1174
- Denson DD, see Hord AH
- Desjardins PJ, Grossman EH, Kuss ME, Talwalker S, Dhadda S, Baum D, Hubbard RC. The injectable cyclooxygenase-2-specific inhibitor parecoxib sodium has analgesic efficacy when administered preoperatively, 93:721
- Desmots J-M, see Juvin P
- Despotis GJ, Hogue CW, Saleem R, Bigham M, Skubas N, Apostolidou I, Qayum A, Joist JH. The relationship between hirudin and activated clotting time: implications for patients with heparin-induced thrombocytopenia undergoing cardiac surgery, 93:28
- Deusch E, see Sator-Katzenschlager S
- Devavaram P, see Davidson AJ
- Dexter F, see Macario A
- Dhadda S, see Desjardins PJ
- Dhingra N. Myocardial ischemia in cataract surgery patients (letter), 93:518
- Dhonneur G, Cerf C, Lagneau F, Mantz J, Gillotin C, Duvaldestin P. The pharmacokinetics of cisatracurium in patients with acute respiratory distress syndrome, 93:400
- di Benedetto P, Bertini L, Casati A, Borghi B, Albertin A, Fanelli G. A new posterior approach to the sciatic nerve block: a prospective, randomized comparison with the classic posterior approach, 93:1040
- Diaz JH. Carpal tunnel syndrome in female nurse anesthetists versus operating room nurses: prevalence, laterality, and impact of handedness, 93:975
- Dietrich KJ, see Holman SJ
- Dimaculangan DP. Difficult intubation and difficult airway (letter, reply), 93:T56
- Diouf E, see Ortolani O
- Diwan R, see Raghavendran S
- Dixmérias F, see Iskandar H
- Do S-H, Kamatchi GL, Durieux ME. The effects of isoflurane on native and chimeric muscarinic acetylcholine receptors: the role of protein kinase C, 93:375
- Dobos I, see Horvath G
- Doenicke AW, see Rau J
- Dohi S, see Iida H; Ohata H; Oshima T
- Dojo M, see Kinoshita H
- Donati F, see Hemmerling TM; Larijani GE
- Donegan E, see Keltner JR
- Dörge V, see Wenzel V
- Doufas AG, see Greif R; Mokhtarani M
- Drenger B, see Gozal Y
- Dreyfuss D, see Ricard J-D
- Driessen B, see Cheung ATW
- Drimbarean C, see Birnbach DJ
- Dritsas G, see Baoraltaro A
- Drolet P, see Lepage C
- Du Plessis L, see Estebe J-P
- Dubey PK. Venous double cannulation: avoiding complications (letter), 93:1080
- Dubois PE, see Broka SM
- Ducouret P, see Hanouz J-L
- Duflo F, see Allaouchiche B
- Dumont C, see Borgeat A
- Dunn SM, see Connelly NR
- Dünser MW, Mayr AJ, Ulmer H, Ritsch N, Knotzer H, Pajk W, Luckner G, Mutz NJ, Hasibeder WR. The effects of vasopressin on systemic hemodynamics in catecholamine-resistant septic and postcardiotomy shock: a retrospective analysis, 93:7
- Duong PL, see Cheung ATW
- Dupont X, see Menigaux C
- Durieux ME, see Do S-H; Lo B
- Dutta A, see Malhotra SK
- Dutton R, see Zhang Y
- Duvaldestin P, see Dhonneur G
- Dzankic S, see Leung JM
- Dzankic S, Pastor Darwin Gonzalez C, Leung JM. The prevalence and predictive value of abnormal preoperative laboratory tests in elderly surgical patients, 93:301
- Ecoffey C, see Estebe J-P; Kiffer F
- Edelman G, see Hoffman WE
- Edwards S, see Davis PJ; Galinkin J

- Eftestol T, see Strohmenger H-U
- Eger EI II. Age, minimum alveolar anesthetic concentration, and minimum alveolar anesthetic concentration-awake, 93:947
see Zhang Y
- Eger EI II, Halsey MJ, Koblin DD, Laster MJ, Ionescu P, Königsberger K, Fan R, Nguyen BV, Hudlicky T. The convulsant and anesthetic properties of *Cis-Trans* isomers of 1,2-dichlorohexafluorocyclobutane and 1,2-dichloroethylene, 93:922
- Eilers H, Philip LA, Bickler PE, McKay WR, Schumacher MA. The reversal of fentanyl-induced tolerance by administration of "small-dose" ketamine, 93:213
- Eisenburger P, see Oschatz E
- Ekatodramis G, see Borgeat A
- El Kettani C, see Godet G
- Eledjam JJ, see Cuvillon P; see Lefrant J-Y
- Elgjo GI, see Tølløfsrud S
- Elizalde JL, see Agustí M
- Ellison N. Careers in Anesthesiology, *Autobiographical Memoirs, Volume 4* (book review), 93:520
- El-Mansouri M, see Connelly NR
- El-Orbany M, Wafai Y. Grading intubation conditions: how and by whom? (letter), 93:804
- Engoren M, Luther G, Fenn-Buderer N. A comparison of fentanyl, sufentanil, and remifentanyl for fast-track cardiac anesthesia, 93:859
- Entner T, see Kirchmair L
- Entwistle L, see Tsui BCH
- Erb HN, see Moon PF
- Erel VK, see Kurt I
- Errett L, see Joo HS
- Estebe J-P, Le Corre P, Du Piessis L, Chevanne F, Cathelineau G, Le Verge R, Ecoffey C. The pharmacokinetics and pharmacodynamics of bupivacaine-loaded microspheres on a brachial plexus block model in sheep, 93:447
- Eustratiades C, see Hanouz J-L
- Ezri T, Warters RD, Szmuk P, Saad-Eddin H, Geva D, Katz J, Hagberg C. The incidence of class "zero" airway and the impact of Mallampati score, age, sex, and body mass index on prediction of laryngoscopy grade, 93:1073
- Fabre JM, see Pouzeratte Y
- Fahey FH, see Prielipp RC
- Fan R, see Eger EI II
- Fanelli G, see Casati A; di Benedetto P
- Farhangkhgoee P, see Daskalopoulos R
- Fasolo J, see Szeto HH
- Feiner JR, Miller RD, Hickey RF. Productivity versus availability as a measure of faculty clinical responsibility, 93:313
- Feit A, Sladen RN. PACU and Anesthesia Management, Volume 12, Number 3 of *Problems in Anesthesia*, 93:247
- Felfernig D, see Andel D
- Felleiter P, see Lierz P
- Fenn-Buderer N, see Engoren M
- Ferraro P, see Roy J-S
- Fèvre G, see Juvin P
- Figarella-Branger D, see Bendahan D
- Figueras J, see Dalmau A
- Fine GF, Brandom BW, Yellon RF. Unmasked residual neuromuscular block after administration of vecuronium for days, 93:345
- Finestone SC. Careers in Anesthesiology, *An Autobiographical Memoir, Volume V* (book review), 93:805
- Fisher JA, see Sasano H
- Fitzgerald PC, see De Wolf AM
- Fleischer M, see Amann A
- Fleisher LA. Routine laboratory testing in the elderly: is it indicated? (editorial), 93:249
- Fletcher D, see Menigaux C
- Fletcher H, see Reeves M
- Forestner JE, see Coloma M
- Forman SA. Molecular Bases of Anesthesia (book review), 93:806
- Fournier R, see Weber A
- Fräßdorf J, see Müllenheim J
- Fragen RJ, see De Wolf AM
- Fredman B, see Zohar E
- Fredman B, Zohar E, Jedeikin R. A randomized controlled trial on local anesthetics in the wound: what do the numbers mean? (letter, reply), 93:514
- Freeman D, see Badner NJ
- Freund PR, see Pavlin DJ
- Frink EJ Jr, see Kharasch ED
- Frölich M, Giannotti A, Modell JH. Opioid overdose in a patient using a fentanyl patch during treatment with a warming blanket, 93:647
- Frölich MA, Caton D. Pioneers in epidural needle design, 93:215
- Frumento RJ, see Manspeizer HE
- Fugère F, see Nguyen A
- Fujihara H, see Hayatsu K
- Fujii Y, Uemura A, Toyooka H. The dose-range effects of propofol on the contractility of fatigued diaphragm in dogs, 93:1194
- Fujita S, see Nakae Y
- Fujiwara H, see Iida H
- Fukuda T, Nishimoto C, Miyabe M, Toyooka H. The residual effects of hemorrhagic shock on pain reaction and c-fos expression in rats, 93:424
- Furuya H, see Yoshitani K
- Gaber O, see Keller C
- Galiano A, see Gálvez-Múgica MA
- Galinkin J, see Davis PJ
- Galinkin J, Davis PJ, McGowan FX, Lynn AM, Rabb MF, Yaster M, Henson LG, Blum R, Hechtman D, Maxwell L, Szmuk P, Orr R, Krane EJ, Edwards S, Kurth CD. A randomized multicenter study of remifentanyl compared with halothane in neonates and infants undergoing pyloromyotomy. II. Perioperative breathing patterns in neonates and infants with pyloric stenosis, 93:1387
- Gálvez-Múgica MA, Santos-Ampuero MA, Novalbos J, Sandín SG, Galiano A, Gilsanz F, García AG, Abad-Santos F. Ulner nerve block induced by the new local anesthetic IQB-9302 in healthy volunteers: a comparison with bupivacaine, 93:1316
- Gamulin Z, see Weber A
- Gan TJ, Lubarsky DA. Whose value is it anyway? (letter, reply), 93:515
- García AG, see Gálvez-Múgica MA
- García-Valdecasas JC, see Agustí M
- Gardiner J, see Harmon D
- Gare M, Parail A, Milosavljevic D, Kersten JR, Warltier DC, Pagel PS. Conscious sedation with midazolam or propofol does not alter left ventricular diastolic performance in patients with preexisting diastolic dysfunction: a transmitral and tissue Doppler transthoracic echocardiography study, 93:865
- Garrity JA, see Nuttall GA; Warner ME
- Garzón JC, see Sastre JA
- Gaser E, see Schwarzkopf K
- Gear ARL, see Lo B
- Gelb AW, see Daskalopoulos R
- Georgieff M, see Lattermann R
- Gérard J-L, see Hanouz J-L
- Gerig HJ, Heidegger T, Ulrich B, Grossenbacher R, Krienbuehl G. Fiberoptically-guided insertion of transtracheal catheters, 93:663
- Geva D, see Ezri T
- Ghattas B, see Bendahan D
- Ghobashy MAM, see Awad AA
- Giannotti A, see Frölich M

- Gibson B. Difficult intubation and difficult airway (letter), 93:1624
- Gibson C, see Connelly NR
- Gibson J, see Wajon P
- Gilbert TB. Cardiac arrest from inadvertent overdose of lidocaine hydrochloride through an arterial pressure line flush apparatus, 93:1534
- Gillis JM, see Davidson AJ
- Gillotin C, see Dhonneur G
- Gilly H, see Knolle E
- Gilsanz F, see Gálvez-Múgica MA
- Ginsberg B, see Ross AK
- Girard DC, see Choinière A; Nguyen A
- Girard F, see Choinière A; Nguyen A; Roy J-S
- Girard M, see Lepage C
- Girling K. Video imaging of the larynx needs careful evaluation (letter, reply), 93:243
- Girling KJ, see Tibble RK
- Gispén WH, see Vrinten DH
- Glantz L, see Gozal Y
- Glass PSA, see Chen EH
- Godet G, see Medel J
- Godet G, Watremez C, El Kettani C, Soriano C, Coriat P. A comparison of sevoflurane, target-controlled infusion propofol, and propofol/isoflurane anesthesia in patients undergoing carotid surgery: a quality of anesthesia and recovery profile, 93:560
- Goertz A, see Lattermann R
- Goldberg ME, see Larijani GE
- Golkaryeh MS, see Cheung ATW
- Gong D, see Zhang Y
- Gonzalez C, see Dzankic S
- Goobie SM, Soriano SG, Zurakowski D, McGowan FX, Rockoff MA. Hemostatic changes in pediatric neurosurgical patients as evaluated by thrombelastograph, 93:887
- Goodale DB, see Cohen IT
- Goodarzi M, Narasimhan RR. The effect of large-dose intrathecal opioids on the autonomic nervous system, 93:456
- Gordon EA, see Leonovitz BM
- Gottlieb A, see Waters JH
- Gottschalk A, Schroeder F, Ufer M, Oncü A, Buerkle H, Standl T. Amantadine, a N-methyl-D-aspartate receptor antagonist, does not enhance postoperative analgesia in women undergoing abdominal hysterectomy, 93:192
- Goudable J, see Allaouchiche B
- Goudas LC, see Marino T
- Gozal Y, Drenger B, Glantz L. Myocardial ischemia in cataract surgery patients (letter, reply), 93:518
- Graham BA, see Chan VWS
- Gravlee GP, see Heres EK
- Gray AT. Excessive voltage output? (letter), 93:515
- Greeley WJ. *A Practice of Anesthesia for Infants and Children, 3rd Edition* (book review), 93:1629
- Greengrass RA, see Klein SM
- Greif R, Laciny S, Rajek AM, Larson MD, Bjorksten AR, Doufas AG, Bakhshandeh M, Mokhtarani M, Sessler DI. Neither nalbuphine nor atropine possess special antishivering activity, 93:620
- Greim CA, see Zimmermann P
- Grenier Y, see Lepage C
- Griethe W, see Redlin M
- Griffin MJ, Rinder HM, Smith BR, Tracey JB, Kriz NS, Li CK, Rinder CS. The effects of heparin, protamine, and heparin/protamine reversal on platelet function under conditions of arterial shear stress, 93:20
- Groban L, see Prielipp RC
- Groen GJ, see Vrinten DH
- Grossenbacher R, see Gerig HJ
- Grossman EH, see Desjardins PJ
- Grunebaum A, see Birnbach DJ
- Guerrero SP, see Mourén S
- Guesne G, see Hanouz J-L
- Guignard B, see Menigaux C
- Guillaume E, see Iskandar H
- Gunther RA, see Cheung ATW
- Gupta A, Bodin L, Holmström B, Berggren L. A systematic review of the peripheral analgesic effects of intraarticular morphine, 93:761
- Gurel A, see Kurt I
- Gursoy F, see Kurt I
- Gustorff B, see Lierz P
- Gutensohn K, see de Rossi LW
- Gutta S, see Connelly NR
- Habazettl H, see Redlin M
- Haber GW, Litman RS. Generalized tonic-clonic activity after remifentanyl administration, 93:1532
- Habre W, see Scalfaro P
- Hadžić A, Vloka JD. Excessive voltage output? (letter, reply), 93:515
- Hagberg C, see Ezri T
- Hagihira S, Takashina M, Mori T, Mashimo T, Yoshiya I. Practical issues in bispectral analysis of electroencephalographic signals, 93:966
- Hahnenkamp K, see Hönemann CW
- Haisch G, see Lang K
- Hall L, see Neilipovitz DT
- Hall SR, see Milne B
- Halsey MJ, see Eger EI II
- Hamdu O. Peripheral Nerve Block: A Color Atlas (book review), 93:1084
- Hammarqvist F, see Hausel J
- Hammer GB. Pediatric thoracic anesthesia and high-frequency jet ventilation (letter, reply), 93:1362
- Selective bronchial blockade in small infants (letter), 93:1624
- Han S-M, see Hwang J-H
- Hanaoka K, see Nishiyama T
- Hannallah RS, see Cohen IT
- Hannallah RS, Vorghese ST. Manual of Pediatric Anesthesia, 5th edition (book review), 93:1084
- Hanouz J-L, Yvon A, Guesne G, Eustratiades C, Babatasi G, Rouet R, Ducouret P, Khayat A, Bricard H, Gérard J-L. The *in vitro* effects of remifentanyl, sufentanyl, fentanyl, and alfentanil on isolated human right atria, 93:543
- Hans G, see Vercauteren MP
- Haraldsson Å, Kieler-Jensen N, Ricksten S-E. The additive pulmonary vasodilatory effects of inhaled prostacyclin and inhaled milrinone in postcardiac surgical patients with pulmonary hypertension, 93:1439
- Harkness BA, see Prielipp RC
- Harmon D, Gardiner J. Postoperative nausea and vomiting in female patients (letter), 93:518
- Harris RA, see Zhang Y
- Hasegawa R, see Takahashi M
- Hashimoto H, see Hirota K; Kotani N
- Hashimoto Y, see Takahashi M
- Hasibeder WR, see Dünser MW
- Hasinoff IK, see Loushin MK
- Hatano Y, see Kinoshita H
- Haugen R, see Tsui BCH
- Hausel J, Nygren J, Lagerkranser M, Hellström PM, Hammarqvist F, Almström C, Lindh A, Thorell A, Ljungqvist O. A carbohydrate-rich drink reduces preoperative discomfort in elective surgery patients, 93:1344
- Hawkins JL, Birnbach DJ. Maternal mortality in the United States: where are we going and how will we get there? (editorial), 93:1
- Hayatsu K, Tomita M, Fujihara H, Baba H, Yamakura T, Taga K, Shimoji K. The placement of the epidural catheter at the predicted site by electrical stimulation test, 1035

- He Y-L, Seno H, Tsujimoto S, Tashiro C.
The effects of uterine and umbilical blood flows on the transfer of propofol across the human placenta during *in vitro* perfusion, 93:151
- Hebl JR, Horlocker TT, Sorenson EJ, Schroeder DR. Regional anesthesia does not increase the risk of postoperative neuropathy in patients undergoing ulnar nerve transposition, 93:1606
- Hechtman D, see Davis PJ; Galinkin J
- Heidegger T, see Gerig HJ
- Heinze G, see Knolle E
- Helfaer MA. Advanced Pediatric Life Support, the Practical Approach, 3rd Edition (book review), 93:520
- Hellström PM, see Hausel J
- Helman JD, see Kopacz DJ
- Hemmerling TM, Donati F. Video imaging of the larynx needs careful evaluation (letter), 93:243
- Hemmerling TM, Schmidt J, Bosert C, Jacobi KE, Klein P. Intraoperative monitoring of the recurrent laryngeal nerve in 151 consecutive patients undergoing thyroid surgery, 93:396
- Hemmerling TM, Schmidt J, Bosert C, Klein P. Systemic air embolism during wedge resection of the lung, 93:1135
- Henderson JJ. The implications of different failed endotracheal intubation rates (letter), 93:241
- Hendrickx JFA, De Cooman S, Deloof T, Vandepuut D, Coddens J, De Wolf AM. The ADU vaporizing unit: a new vaporizer, 93:391
- Hendriks HGD, van der Maaten JMAA, de Wolf J, Waterbolk TW, Slooff MJH, van der Meer J. An effective treatment of severe intractable bleeding after valve repair by one single dose of activated recombinant factor VII, 93:287
- Henson LG, see Davis PJ; Galinkin J; Ross AK
- Hepner DL, Bader AM. The perioperative physician and professionalism: the two must go together! (editorial), 93:1088
- Heres EK, Horrow JC, Gravlee GP, Tardiff BE, Luber J Jr, Schneider J, Barragry T, Broughton R. A dose-determining trial of heparinase-I (Neutralase) for heparin neutralization in coronary artery surgery, 93:1446
- Hess PE, Pratt SD, Lucas TP, Miller CG, Corbett T, Oriol N, Sarna MC. Predictors of breakthrough pain during labor epidural analgesia, 93:414
- Heyse TJ, see Hönemann CW
- Hickey RF, see Feiner JR
- Higuchi H, Adachi Y, Arimura S, Kanno M, Satoh T. Early pregnancy does not reduce the C_{50} of propofol for loss of consciousness, 93:1565
- The carbon dioxide absorption capacity of Amsorb is half that of soda lime, 93:221
- Hildebrandt L, see Procopio MA
- Hildebrandt U, see Richter S
- Hinder F, see Hönemann CW; Jahn UR
- Hinghofer-Szalkay H, see Bergmann P
- Hirota K, Hashimoto H, Kabara S, Tsubo T, Sato Y, Ishihara H, Matsuki A. The relationship between pneumatic tourniquet time and the amount of pulmonary emboli in patients undergoing knee arthroscopic surgeries, 93:776
- Hirota K, Yoshioka H, Kabara S, Kudo T, Ishihara H, Matsuki A. A comparison of the relaxant effects of olprinone and aminophylline on methacholine-induced bronchoconstriction in dogs, 93:230
- Ho RJY, see Bethune CR
- Hoffman WE, Edelman G, Ripper R, Koenig HM. Sodium nitroprusside compared with isoflurane-induced hypotension: the effects on brain oxygenation and arteriovenous shunting, 93:166
- Hoffmann G, see Amann A
- Hoffmann-Menzel H, see Krombach J
- Hogan QH, see Krismer AC
- Hogue CW, see Despotis GJ
- Hogue CW Jr, see Skubas NJ
- Hoke JF, see Michelsen LG
- Holford NHG, see Michelsen LG
- Hollmann MW, see Lo B
- Holman SJ, Bosco RR, Kao T-C, Mazzilli MA, Dietrich KJ, Rolain RA, Stevens RA. What constitutes an effective but safe initial dose of lidocaine to test a thoracic epidural catheter?, 93:749
- Holmström B, see Gupta A
- Holzer M, see Oschatz E
- Homma Y, see Zhang J-M
- Hönemann CW, see Lo B
- Hönemann CW, Heyse TJ, Möllhoff T, Hahnenkamp K, Berning S, Hinder F, Linck B, Schmitz W, van Aken H. The inhibitory effect of bupivacaine on prostaglandin E_2 (EP_1) receptor functioning: mechanism of action, 93:628
- Honey RJ, see Joo HS
- Hong JY, see Pavlin DJ
- Honkanen E, see Laisalmi M
- Hope T, see McCann ME
- Hopkins PM, see Janzen PRM
- Hörauf K, see Andel D
- Hord AH, Chalfoun AG, Denson DD, Azevedo MI. Systemic tizanidine hydrochloride (Zanaflex) relieves thermal hyperalgesia in rats with an experimental mononeuropathy, 93:1310
- Hord AH, Denson DD, Azevedo MI. Systemic tizanidine hydrochloride (Zanaflex) partially decreases experimental portoperative pain in rats, 93:1307
- Horlocker TT, see Hebl JR
- Horlocker TT, Nuttall GA, Dekutoski MB, Bryant SC. The accuracy of coagulation tests during spinal fusion and instrumentation, 93:33
- Hörmann C, see Stallinger A
- Horn NA, see de Rossi LW
- Horn TE, see Abouleish AE
- Horowitz M, see Mychaskiw G II
- Horrow JC, see Heres EK
- Horvath G, Joo G, Dobos I, Klimscha W, Toth G, Benedek G. The synergistic antinociceptive interactions of endomorphin-1 with dexmedetomidine and/or S(+)-ketamine in rats, 93:1018
- Hsiang JNK, see Kopacz DJ
- Hsu M-M, Chou Y-Y, Chang Y-C, Chou T-C, Wong C-S. An analysis of excitatory amino acids, nitric oxide, and prostaglandin E_2 in the cerebrospinal fluid of pregnant women: the effect on labor pain, 93:1293
- Hubbard RC, see Desjardins PJ
- Huber S, see Bergmann P
- Hübner M, Litz RJ, Albrecht DM. Esmolol is not an alternative to remifentanyl for fast-track outpatient gynecologic laparoscopic surgery (letter), 93:241
- Hudlicky T, see Eger EI II
- Huffman C, see Ross AK
- Hug CC, see Michelsen LG
- Hughes C, see Wajon P
- Hughes J, see Abouleish AE
- Hummer KA, see Cohen IT
- Hunt JO, see Reeves M
- Hunzelmann N, see Krombach J

- Huraux C, see Tsuda A
 Hutin K, see Cohen J
 Hutschenreuter G, see de Rossi LW
 Hwang J-H, Hwang K-S, Kim J-U, Choi I-C, Park P-H, Han S-M. The interaction between intrathecal neostigmine and GABA receptor agonists in rats with nerve ligation injury, 93:1297
 Hwang K-S, see Hwang J-H
 Hynson JM, see Keltner JR
 Idris AH, see Stallinger A; Wenzel V
 Ignatowski TA, see Nader ND
 Iida H, see Ohata H
 Iida H, Iida M, Takenaka M, Oda A, Uchida M, Fujiwara H, Dohi S. The effects of alpha-human atrial natriuretic peptide and milrinone on pial vessels during blood-brain barrier disruption in rabbits, 93:177
 Iida H, Ohata H, Iida M, Nagase K, Uchida M, Dohi S. The differential effects of stereoisomers of ropivacaine and bupivacaine on cerebral pial arterioles in dogs, 93:1552
 Iida M, see Iida H
 Ikeda T, Kazama T, Sessler DI, Toriyama S, Niwa K, Shimada C, Sato S. Induction of anesthesia with ketamine reduces the magnitude of redistribution hypothermia, 93:934
 Imai M, see Manspeizer HE
 Imaki J, see Kawahara H
 Imamachi N, see Sakura S
 Innerhofer P, Wiedermann FJ, Tiefenthaler W, Schobersberger W, Klingler A, Velik-Salchner C, Oswald E, Salner E, Irschick E, Kühbacher G. Are leukocytes in salvaged washed autologous blood harmful for the recipient? the results of a pilot study, 93:566
 Inomata S, Tanaka E, Miyabe M, Kakiuchi Y, Nagashima A, Yamasaki Y, Nakayama S, Baba Y, Toyooka H, Okuyama K, Kohda Y. Plasma lidocaine concentrations during continuous thoracic epidural anesthesia after clonidine premedication in children, 93:1147
 Ionescu P, see Eger EI II
 Iranami H, see Kinoshita H
 Irschick E, see Innerhofer P
 Isaac LA, see Splinter WM
 Iscoe S, see Sasano H
 Ishihara H, see Hirota K
 Ishikawa O, see Nakagawa M
 Iskandar H, Guillaume E, Dixmérias F, Binje B, Rakotondriamihary S, Thiebaut R, Maurette P. The enhancement of sensory blockade by clonidine selectively added to mepivacaine after midhumeral block, 93:771
 Isobe T, see Nakayama S
 Ito S, see Minami T
 Ivani G, see De Negri P
 Izumi H, see Nakayama S
 Jaber S, see Pouzeratte Y
 Jacobi KE, see Hemmerling TM
 Jahn UR, Waurick R, Van Aken H, Hinder F, Booke M, Bone HG, Schmidt C, Meyer J. Thoracic, but not lumbar, epidural anesthesia improves cardiopulmonary function in ovine pulmonary embolism, 93:1460
 Jahr JS, see Cheung ATW
 James RL, see Prielipp RC
 Janata K, see Oschatz E
 Janzen PRM, Vipond AJ, Bush DJ, Hopkins PM. A comparison of 1% prilocaine with 0.5% ropivacaine for outpatient-based surgery under axillary brachial plexus block, 93:187
 Jaurrieta E, see Dalmau A
 Jedeikin R, see Fredman B; Zohar E
 Jellish WS, Nolan T, Kleinman B. Hypercapnia related to a faulty adult co-axial breathing circuit, 93:973
 Jeske H-C, Lederer W, Lorenz I, Kolbitsch C, Margreiter J, Kinz J, Benzer A. The impact of business cards on physician recognition after general anesthesia, 93:1262
 Joh S, see Kuji A
 Johansen JW. Esmolol promotes electroencephalographic burst suppression during propofol/alfentanil anesthesia, 93:1526
 Johnson G, Tobias JD. Central venous access in morbidly obese patients (letter), 93:1363
 Joist JH, see Despotis GJ
 Jokela RM, see Valanne JV
 Joly A, see Kiffer F
 Joo G, see Horvath G
 Joo HS, Perks WJ, Kataoka MT, Errett L, Pace K, Honey RJ. A comparison of patient-controlled sedation using either remifentanyl or remifentanyl-propofol for shock wave lithotripsy, 93:1227
 Joucken KL, see Broka SM
 Jurna I, see Nemirovsky A
 Juvin P, Fèvre G, Merouche M, Vallot T, Desmonts J-M. Gastric residue is not more copious in obese patients, 93:1621
 Kabara S, see Hirota K
 Kain ZN, see McCann ME; Wang S-M
 Kakiuchi Y, see Inomata S
 Kamachi GL, see Do S-H
 Kampe S. Extended femoral nerve sheath block after total hip arthroplasty (letter), 93:804
 Kanaya J, see Kanaya N
 Kanaya N, Nakayama M, Kanaya J, Namiki A. Atropine for the treatment of hiccup after laryngeal mask insertion, 93:791
 Kane O, see Ortolani O
 Kanno M, see Higuchi H
 Kao T-C, see Holman SJ
 Kapral S, see Kirchmair L
 Karamichali EA, see Mentzelopoulos SD
 Karan SM, see Bina S
 Kariger R, see Chen X
 Karmazyn M, see Daskalopoulos R
 Karzai W, see Schwarzkopf K
 Kasuya Y, see Oshima T
 Kaszas Z, see Chan VWS
 Kataoka MT, see Joo HS
 Kathirvel S, Chavan S, Arya VK, Rehman I, Babu V, Malhotra N, Bhukal I, Chari P. Anesthetic management of patients with Takayasu's arteritis: a case series and review, 93:60
 Katz J, see Ezri T
 Kaul B, Vallejo M, Ramanathan S, Mandell G. Epidural labor analgesia and neonatal sepsis evaluation rate: a quality improvement study, 93:986
 Kaul HL, see Madan R
 Kawada M, see Ohmura S
 Kawaguchi M, see Yoshitani K
 Kawahara H, Sakamoto A, Takeda S, Onodera H, Imaki J, Ogawa R. A prostaglandin E₂ receptor subtype EP₁ receptor antagonist (ONO-8711) reduces hyperalgesia, allodynia, and C-fos gene expression in rats with chronic nerve constriction, 93:1012
 Kazama T, see Ikeda T
 Kearney R, see Tsui BCH
 Kehlet H, see Callesen T
 Kehlet H, White PF. Optimizing anesthesia for inguinal herniorrhaphy: general, regional, or local anesthesia?, 93:1367
 Keller C, see Brimacombe J
 Keller C, Brimacombe J. Resting esophageal sphincter pressures and deglutition frequency in awake subjects after oropharyngeal topical

- anesthesia and laryngeal mask device insertion, 93:226
- Keller C, Künzel KH, Gaber O, Boehler M, Pühringer F. Experimental cervical spine injury and airway management methods (letter, reply), 93:800
- Keltner JR, Donegan E, Hynson JM, Shapiro WA. Acute renal failure after radiofrequency liver ablation of metastatic carcinoid tumor, 93:587
- Kenaan CA, see Larijani GE
- Kern F. Fourteenth Annual Meeting of the Society for Pediatric Anesthesia, San Francisco, California, October 13, 2000, 93:793
- Kersten JR, see Gare M
- Kessel G, see Stewart GM
- Khan NA, see Kopman AF
- Kharasch ED, Frink EJ Jr, Artru A, Michalowski P, Rooke GA, Nogami W. Long-duration low-flow sevoflurane and isoflurane effects on postoperative renal and hepatic function, 93:1511
- Khaw KS, see Ngan Kee WD
- Khayat A, see Hanouz J-L
- Khokhar SK, see Madan R
- Kieffer BL, see Sarton E
- Kieler-Jensen N, see Haraldsson Å
- Kiffer F, Joly A, Wodey E, Carré P, Ecoffey C. The effect of preoperative epidural morphine on postoperative analgesia in children, 93:598
- Kikuchi K, see Kuji A
- Kil HY, see Kim DW
- Kim DW, Kil HY, White PF. The effect of noise on the bispectral index during propofol sedation, 93:1170
- Kim J-U, see Hwang J-H
- Kimoto Y, see Kinoshita H
- Kimura T, see Tanaka M
- Kinoshita H, Iranami H, Kimoto Y, Dojo M, Hatano Y. Cibenzoline has an inhibitory effect on vasorelaxation mediated by adenosine triphosphate-sensitive K^+ channels in the rat carotid artery, 93:282
- Kinzi J, see Jeske H-C
- Kirschmair L, Entner T, Wissel J, Moriggl B, Kapral S, Mitterschiffthaler G. A study of the paravertebral anatomy for ultrasound-guided posterior lumbar plexus block, 93:477
- Kirkbride DA, Parker JL, Williams GD, Buggy DJ. Induction of anesthesia in the elderly ambulatory patient: a double-blinded comparison of propofol and sevoflurane, 93:1185
- Kirvelä OA, see Mildt LH
- Kishi Y, see Nakagawa M
- Kitajima T, see Yamamuro M
- Kiyoshima T, see Oka S
- Klaastad Ø, Smedby Ö. The supraclavicular lateral paravascular approach for brachial plexus regional anesthesia: a simulation study using magnetic resonance imaging, 93:442
- Klein P, see Hemmerling TM
- Klein SM, Nielsen KC, Martin A, White W, Warner DS, Steele SM, Speer KP, Greengrass RA. Interscalene brachial plexus block with continuous intraarticular infusion of ropivacaine, 93:601
- Klein U, see Schwarzkopf K
- Kleinman B, see Jellish WS
- Klewica MM, see Kopman AF
- Klimscha W, see Horvath G
- Klingler A, see Innerhofer P
- Knab JH, Wallace MS, Wagner RL, Tsoukatos J, Weinger MB. The use of a computer-based decision support system facilitates primary care physicians' management of chronic pain, 93:712
- Knapp RM. Whose value is it anyway? (letter), 93:514
- Knight PR, see Nader ND
- Knolle E, Heinze G, Gilly H. Carbon monoxide formation in dry soda lime is prolonged at low gas flow, 93:488
- Knotzer H, see Dünser MW
- Kobayashi T, see Ohmura S
- Koblin DD, see Eger EI II
- Kodali B-S. www.capnography.com: an animated website (letter), 93:1364
- Koenig HM, see Hoffman WE
- Koerschgen ME, see Pavlin DJ
- Kofler J, see Oschatz E
- Kohda Y, see Inomata S
- Kohrs R, see Lo B
- Koivusalo A-M, see Laisalmi M
- Kokolaki M, see Baoraltaro A
- Kokotsakis JN, see Mentzelopoulos SD
- Kolbitsch C, see Jeske H-C
- Koller J, see Tsui BCH
- Komanduri V, see Connelly NR
- Königsberger K, see Eger EI II
- Koo M, see Dalmau A
- Kopacz DJ, Helman JD, Nussbaum CE, Hsiang JNK, Nora PC, Allen HW. A comparison of epidural levobupivacaine 0.5% with or without epinephrine for lumbar spine surgery, 93:755
- Kopman AF, Khan NA, Neuman GG. Precurarization and priming: a theoretical analysis of safety and timing, 93:1253
- Kopman AF, Klewicka MM, Neuman GG. Reexamined: the recommended endotracheal intubating dose for nondepolarizing neuromuscular blockers of rapid onset, 93:954
- Korcok J, see Daskalopoulos R
- Korhonen A-M, see Valanne JV
- Korttilä KK, see Valanne JV
- Korttilä KT, see Nelskylä KA
- Köster F, see Krombach J
- Kotani N, Kushikata T, Hashimoto H, Muraoka M, Tonosaki M, Matsuki A. Rebound perioperative hyperkalemia in six patients after cessation of ritodrine for premature labor, 93:709
- Koumoukelis H, see Schily M
- Kozak-Ribbens G, see Bendahan D
- Kramer GC, see Tølløfsrud S
- Krane EJ, see Davis PJ; Galinkin J
- Kreienbuehl G, see Gerig HJ
- Kress HG, see Sator-Katzenschlager S
- Krismer AC, Hogan QH, Wenzel V, Lindner KH, Achleitner U, Oroszy S, Rainer B, Wilhaidi A, Mayr VD, Spencker P, Amann A. The efficacy of epinephrine or vasopressin for resuscitation during epidural anesthesia, 93:734
- Kriz NS, see Griffin MJ
- Krombach J, Hunzelmann N, Köster F, Bischoff A, Hoffmann-Menzel H, Buzello W. Anaphylactoid reactions after cisatracurium administration in six patients, 93:1257
- Kua JSW, see Lee MPL
- Kudo T, see Hirota K
- Kühbacher G, see Innerhofer P
- Kuji A, Satoh Y, Kikuchi K, Satoh K-i, Joh S. The anesthetic management of a patient with hemoglobin M_{Iwater} , 93:1192
- Kulka PJ, Bressem M, Tryba M. Clonidine prevents sevoflurane-induced agitation in children, 93:335
- Kullar RK, see Cheung ATW
- Kumar D, see Malhotra SK
- Künzel KH, see Keller C
- Kuppe H, see Redlin M
- Kurek CJ, see Nader ND
- Kuroda MM, see Birnbach DJ
- Kurokawa Y, see Takahashi M
- Kurt I, Kurt NM, Erel VK, Gursöy F, Gurel A. A simple and inexpensive nasal

- cannula to prevent rebreathing for spontaneously breathing patients under surgical drapes, 93:667
- Kurt NM, see Kurt I
- Kurth CD, see Davis PJ; Galinkin J
- Kurumatani N, see Yoshitani K
- Kushikata T, see Kotani N
- Kuss ME, see Desjardins PJ
- Kyokong O, see Charuluxananan S
- Labhsetwar SA, see Panchal S
- Laciny S, see Greif R
- Lacroix F, see Paut O
- Lagerkranser M, see Hausel J
- Laggner AN, see Oschatz E
- Lagneau F, see Dhonneur G
- Laisalmi M, Teppo A-M, Koivusalo A-M, Honkanen E, Valta P, Lindgren L. The effect of ketorolac and sevoflurane anesthesia on renal glomerular and tubular function, 93:1210
- Lal AB, see Scott NB
- Lalourcey L, see Cuvillon P; Lefrant J-Y
- Lam AM, see Vavilala MS
- Lam J, see Berkenbosch JW
- Lang K, Boldt J, Suttner S, Haisch G. Colloids versus crystalloids and tissue oxygen tension in patients undergoing major abdominal surgery, 93:405
- Lappin JA, see Pivalizza EG
- Larijani GE, Donati F, Bikhazi G, Bartkowski R, Kanaan CA, Plaud B, Goldberg ME. A multicenter evaluation of the time-course of action of two doses of rapacuronium after early and late reversal with neostigmine, 93:370
- Larsen RF, see Nielsen HB
- Larson MD, see Greif R
- Laster MJ, see Eger EI II
- Lattermann R, Schricker T, Wachter U, Georgieff M, Goertz A. Understanding the mechanisms by which isoflurane modifies the hyperglycemic response to surgery, 93:121
- Laussen PC, see Davidson AJ
- Le Corre P, see Estebe J-P
- Le Verge R, see Estebe J-P
- Lederer W, see Jeske H-C
- Lee, S-I, see Chung C-J
- Lee BB, see Ngan Kee WD
- Lee MPL, Kua JSW, Chiu WKY. The use of remifentanyl to facilitate the insertion of the laryngeal mask airway, 93:359
- Lefrant J-Y, de La Coussaye JE, Ripart J, Muller L, Lalourcey L, Peray PA, Mazoit X, Sassine A, Eledjam J-J. The comparative electrophysiologic and hemodynamic effects of a large dose of ropivacaine and bupivacaine in anesthetized and ventilated piglets, 93:1598
- Lell WA, see Chaney JD
- Lentze MJ, see Stamer M.
- Leonovicz BM, Gordon EA, Wass CT. Paraneoplastic syndromes associated with lung cancer: a unique case of concomitant subacute cerebellar degeneration and Lambert-Eaton myasthenic syndrome, 93:1557
- Lepage C, Drolet P, Girard M, Grenier Y, DeGagné R. Music decreases sedative requirements during spinal anesthesia, 93:912
- Lerman J, see Schily M
- Lertmaharit S, see Charuluxananan S
- Leung JM, see Dzankic S
- Leung JM, Dzankic S, Manku K, Yuan S. The prevalence and predictors of the use of alternative medicine in presurgical patients in five California hospitals, 93:1062
- Leviton RM. Comparing the articulating laryngoscope and external laryngeal manipulation (letter, reply), 93:1078
- Levron J-C, see Menigaux C
- Levy JH, see Tsuda A
- L'Hermite J, see Cuvillon P
- Li CK, see Griffin MJ
- Li S, see Chen X
- Li X, Angst MS, Clark JD. Opioid-induced hyperalgesia and incisional pain, 93:204
- Liebl E, see Bergmann P
- Lierz P, Gustorff B, Felleiter P. Pain therapy with interscalene local anesthetic (letter), 93:1624
- Linck B, see Hönemann CW
- Lindahl SGE. Not only towards enhanced preoperative comfort (editorial), 93:1091
- Lindgren L, see Laisalmi M
- Lindh A, see Hausel J
- Lindholm DE, see Reeves M
- Lindner KH, see Krismer AC; Lurie KG; Stallinger A; Strohmenger H-U; Wenzel V
- Lindstrom P, see Lurie KG
- Litman RS, see Haber GW; Lucas S
- Litz RJ, see Hübler M
- Liu J, see Zhou J-X
- Liu N. Double-blinded, single-blinded, or just blind? (letter, reply), 93:1361
- Ljungqvist O, see Hausel J
- Lo B, Hönemann CW, Kohrs R, Hollmann MW, Polanowska-Grabowska RK, Gear ARL, Durieux ME. Local anesthetic actions on thromboxane-induced platelet aggregation, 93:1240
- Lobo EP, see Talke PO
- Lockhart A, see Abouleish AE
- Loewinger J, see Cohen J
- Logman ZM, see Chen EH
- Lojeski EW, see Bina S
- Lonnqvist P-A, see De Negri P
- Loomis C, see Milne B
- Lorenz I, see Jeske H-C
- Loushin MK, Hasinoff IK, Belani KG. A delayed cardiopulmonary reaction to an intravenous immunosuppressant thymoglobulin after pancreas transplant, 93:1260
- Lu W, see Michelsen LG
- Lubarsky DA, see Gan TJ
- Luber J Jr, see Heres EK
- Lucas S, Litman RS. Percutaneous Central Venous and Arterial Catheterization, 3rd edition (book review), 93:1083
- Lucas T, see Connelly NR
- Lucas TP, see Hess PE
- Luckner G, see Dünser MW
- Lucyk C, see Ben-David B
- Lue H-C, see Tsai S-K
- Luo M-P, see Deng X-M
- Lurie F, see Cheung ATW
- Lurie KG, Voelckel WG, Zielinski T, McKnite S, Lindstrom P, Peterson C, Wenzel V, Lindner KH, Samniah N, Benditt D. Improving standard cardiopulmonary resuscitation with an inspiratory impedance threshold valve in a porcine model of cardiac arrest, 93:649
- Luther G, see Engoren M
- Lynn AM, see Davis PJ; Galinkin J
- Macario A, Dexter F, Traub RD. Hospital profitability per hour of operating room time can vary among surgeons, 93:669
- Mächler H, see Bergmann P
- MacKenzie RA, see Warner ME
- Madan R, Bharti N, Shende D, Khokhar SK, Kaul HL. A dose response study of clonidine with local anesthetic mixture for peribulbar block: a comparison of three doses, 93:1593
- Madsen PL. Cerebral oximetry and hyperbilirubinemia (letter, reply), 93:246
- Magistris L, see Casati A

- Mahajan RP, see Tibble RK
 Mahgoub AN, see Mokhtarani M
 Maier P, see Sator-Katzenschlager S
 Mair M, see Strohmenger H-U
 Malhotra N, see Kathirvel S
 Malhotra SK, Dutta A. Pediatric endotracheal tubes: the advantage of outer diameter (letter), 93:801
 Malhotra SK, Dutta A, Kumar D. Play stickers: pediatric mask induction made easy (letter), 93:1623
 Mallett SV, see Wilkes NJ
 Mandell G, see Kaul B
 Manku K, see Leung JM
 Mann C, see Pouzeratte Y
 Manninen PH, Tan TK, Sarjeant RM. Somatosensory evoked potential monitoring during carotid endarterectomy in patients with a stroke, 93:39
 Manspeizer HE, Imai M, Frumento RJ, Parides MK, Mets B, Bennett-Guerrero E. Arterial and venous Thrombelastograph variables differ during cardiac surgery, 93:277
 Mantz J, see Dhonneur G
 Margreiter J, see Jeske H-C
 Marhofer P. Rectal S(+)-ketamine for pediatric premedication (letter, reply), 93:1363
 Marino T, Goudas LC, Steinbok V, Craig SD, Yarnell RW. The anesthetic management of triplet cesarean delivery: a retrospective case series of maternal outcomes, 93:991
 Markowitz SD, see Coloma M
 Marth C, see Amann A
 Martin A, see Klein SM
 Martin TW, see Robinson DL
 Martínez-Palli G, see Agustí M
 Mashimo T, see Hagihira S
 Masoodifar M, see Saghaei M
 Mathes DD, Conaway MR, Ross WT. Ambulatory surgery: room air versus nasal cannula oxygen during transport after general anesthesia, 93:917
 Mathew DJ, see Merry AF
 Matsuki A, see Hirota K; Kotani N
 Matsumoto M, see Oka S
 Matsumura J. Considerations in the use of COX-2 inhibitors in spinal fusion surgery (letter), 93:803
 Matthes HWD, see Sarton E
 Matut J, see Birnbach DJ
 Murette P, see Iskandar H
 Maxwell L, see Davis PJ; Galinkin J
 Mayhew JF, see Robinson DL
 Mayr AJ, see Dünser MW
 Mayr VD, see Krismer AC; Stallinger A
 Mazoit J-X, see McCann ME
 Mazoit X, see Lefrant J-Y
 Mazzilli MA, see Holman SJ
 McCann ME, see Davidson AJ
 McCann ME, Kain ZN. The management of preoperative anxiety in children: an update, 93:98
 McCann ME, Sethna NF, Mazoit J-X, Sakamoto M, Rifai N, Hope T, Sullivan L, Auble SG, Berde CB. The pharmacokinetics of epidural ropivacaine in infants and young children, 93:893
 McConnell BK, see Sprung J
 McGiffin DC, see Chaney JD
 McGowan FX, see Davis PJ; Galinkin J; Goobie SM; Ross AK
 McKay WR, see Eilers H
 McKnite S, see Lurie KG
 Medel J, Boccara G, Van de Steen E, Bertrand M, Godet G, Coriat P. Terlipressin for treating intraoperative hypotension: can it unmask myocardial ischemia?, 93:53
 Meister GC, see D'Angelo R
 Menger MD, see Richter S
 Menigaux C, Guignard B, Fletcher D, Sessler DI, Dupont X, Chauvin M. Intraoperative small-dose ketamine enhances analgesia after outpatient knee arthroscopy, 93:606
 Menigaux C, Guignard B, Fletcher D, Sessler DI, Levron J-C, Chauvin M. More epidural than intravenous sufentanil is required to provide comparable postoperative pain relief, 93:472
 Mentzelopoulos SD, Kokotsakis JN, Romana CN, Karamichali EA. Intracoronary thrombolysis and intraaortic balloon counterpulsation for the emergency treatment of probable coronary embolism after repair of an acute ascending aortic dissection, 93:56
 Mercier P, see Vialle R
 Merouche M, see Juvin P
 Merry AF, Webster CS, Mathew DJ. A new, safety-oriented, integrated drug administration and automated anesthesia record system, 93:385
 Mets B, see Manspeizer HE; Sukernik MR
 Meyer J, see Jahn UR
 Michalowski P, see Kharasch ED
 Michelsen LG, Holford NHG, Lu W, Hoke JF, Hug CC, Bailey JM. The pharmacokinetics of remifentanyl in patients undergoing coronary artery bypass grafting with cardiopulmonary bypass, 93:1100
 Middleton WJ, see Chan VWS
 Mihic SJ, see Zhang Y
 Mikawa K, see Nishina K
 Mildh LH, Scheinin H, Kirvelä OA. The concentration-effect relationship of the respiratory depressant effects of alfentanil and fentanyl, 93:939
 Miller CG, see Hess PE
 Miller RD, see Feiner JR
 Millesi W, see Anel D
 Milne B, Hall SR, Sullivan ME, Loomis C. The release of spinal prostaglandin E2 and the effect of nitric oxide synthetase inhibition during strychnine-induced allodynia, 93:728
 Milosavljevic D, see Gare M
 Minami K, see Ogata J
 Minami T, Bakoshi S, Nakano H, Mine O, Muratani T, Mori H, Ito S. The effects of capsaicin cream on prostaglandin-induced allodynia, 419
 Mine O, see Minami T
 Minzter B. Childbirth and Pain Relief (book review), 93:805
 Miranda HF, Sierralta F, Pinardi G. An isobolographic analysis of the adrenergic modulation of diclofenac antinociception, 93:430
 Mitselou M, see Baoraltaro A
 Mitterschiffthaler G, see Kirchmair L
 Miyabe M, see Fukuda T; Inomata S
 Modell JH, see Frölich M
 Mokhtarani M, see Greif R
 Mokhtarani M, Mahgoub AN, Morioka N, Doufas AG, Dae M, Shaughnessy TE, Bjorksten AR, Sessler DI. Buspirone and meperidine synergistically reduce the shivering threshold, 93:1233
 Möllhoff T, see Höllhoff T
 Mongan PD, see Bina S
 Montalvan C, see Cittanova M-L
 Moon PF, Bliss SP, Posner LP, ERb HN, Nathanielsz PW. Fetal oxygen content is restored after maternal hemorrhage and fluid replacement with polymerized bovine hemoglobin, but not with hetastarch, in pregnant sheep, 93:142
 Moore AE, see Vavilala MS
 Moravec CS, see Sprung J
 Mori H, see Minami T
 Mori T, see Hagihira S
 Moriggl B, see Kirchmair L
 Morioka N, see Mokhtarani M

- Moumdjian R, see Nguyen A
- Mouren S, De Winter G, Guerrero SP, Baillard C, Bertrand M, Coriat P. The continuous recording of blood pressure in patients undergoing carotid surgery under remifentanyl versus sufentanil analgesia, 93:1402
- Muangmingsuk S, see Muangmingsuk V
- Muangmingsuk V, Tremback TF, Muangmingsuk S, Roberson DA, Cipparrone NE. The effect on the hemodynamic stability of varying calcium chloride administration during protamine infusion in pediatric open-heart patients, 93:92
- Muir KT, see Ross AK
- Muldoon SM, see Bina S
- Mullany CJ, see Nuttall GA
- Müllenheim J, Rulands R, Wietschorke T, Fräbendorf J, Preckel B, Schlack W. Late preconditioning is blocked by racemic ketamine, but not by S(+)-ketamine, 93:265
- Muller L, see Lefrant J-Y
- Muni R, see Chan VWS
- Muramatsu I, see Shimokawa A
- Muraoka M, see Kotani N
- Muratani T, see Minami T
- Muriel C, see Sastre JA
- Murto K, see Neilipovitz DT
- Mutch M, see Wilkes NJ
- Mutz NJ, see Dünser MW
- Mychaskiw G II, Horowitz M. False negative BIS? Maybe, maybe not! (letter, reply), 93:798
- Myles PS, see Reeves M
- Mythen MG, see Wilkes NJ
- Nader ND, Ignatowski TA, Kurek CJ, Knight PR, Spengler RN. Clonidine suppresses plasma and cerebrospinal fluid concentrations of TNF- α during the perioperative period, 93:363
- Nagasaki G, Tanaka M, Nishikawa T. The recovery profile of baroreflex control of heart rate after isoflurane or sevoflurane anesthesia in humans, 93:1127
- Nagase K, see Iida H; Ohata H; Oshima T
- Nagashima A, see Inomata S
- Nagels WJB, see Scott NB
- Nagy GE, see Paiste J
- Nakae Y, Fujita S, Namiki A. Isoproterenol enhances myofilament Ca^{2+} sensitivity during hypothermia in isolated guinea pig beating hearts, 93:846
- Nakagawa M, Sasakuma F, Kishi Y, Ishikawa O. A successful monitoring for intraoperative calcium stimulation test in complete resection of pancreatic insulinoma, 93:239
- Nakagawa S, see Arakawa K
- Nakaho T, see Yamamuro M
- Nakakimura K, see Oka S
- Nakano H, see Minami T
- Nakano K, see Ogata J
- Nakayama M, see Kanaya N
- Nakayama S, see Inomata S
- Nakayama S, Yamashita M, Osaka Y, Isobe T, Izumi H. Right internal jugular vein venography in infants and children, 93:331
- Namiki A, see Kanaya N; Nakae Y
- Narasimhan RR, see Goodarzi M
- Naruse R, see Chen X
- Nathanielsz PW, see Moon PF
- Nayak P, see Connelly NR
- Nefaa N, see Cittanova M-L
- Neidhart G, see Bremerich DH
- Neilipovitz DT, Bryson GL, Nichol G. The effect of perioperative aspirin therapy in peripheral vascular surgery: a decision analysis, 93:573
- Neilipovitz DT, Murto K, Hall L, Barrowman NJ, Splinter WM. A randomized trial of tranexamic acid to reduce blood transfusion for scoliosis surgery, 93:82
- Nelskylä KA, Yli-Hankala AM, Puro PH, Korttilä KT. Sevoflurane titration using bispectral index decreases postoperative vomiting in phase II recovery after ambulatory surgery, 93:1165
- Nelson DR, see Waters JH
- Nelson KE, see D'Angelo R
- Nemirovsky A, Chen L, Zelman V, Jurna I. The antinociceptive effect of the combination of spinal morphine with systemic morphine or buprenorphine, 93:197
- Neuman GG, see Kopman AF
- Newell DW, see Vavilala MS
- Ng A, Smith G. Gastroesophageal reflux and aspiration of gastric contents in anesthetic practice, 93:494
- Ng FF, see Ngan Kee WD
- Ngamprasertwong P, see Charuluxananan S
- Ngan Kee WD, Khaw KS, Lee BB, Wong MMS, Ng FF. Metaraminol infusion for maintenance of arterial blood pressure during spinal anesthesia for cesarean delivery: the effect of a crystalloid bolus, 93:703
- Nguyen A, Girard F, Boudreault D, Fugère F, Ruel M, Moumdjian R, Bouthillier A, Caron J-L, Bojanowski MW, Girard DC. Scalp nerve blocks decrease the severity of pain after craniotomy, 93:1272
- Nguyen BV, see Eger EI II
- Nichol G, see Neilipovitz DT
- Niedermüller P, see Amann A
- Nielsen HB, Larsen FS. Cerebral oximetry and hyperbilirubinemia (letter), 93:245
- Nielsen KC, see Klein SM
- Nielsen VG. Resuscitation with Hextend decreases endogenous circulating heparin activity and accelerates clot initiation after hemorrhage in the rabbit, 93:1106
- see Chaney JD
- Nieuwenhuijs D, see Sarton E
- Nigrovic V, see Amann A
- Nimcharoendee K, see Charuluxananan S
- Nishikawa T, see Nagasaki G; Tanaka M
- Nishimoto C, see Fukuda T
- Nishina K, Akamatsu H, Mikawa K, Shiga M, Obara H, Niwa Y. A comparison of atenolol, labetalol, esmolol, and landiolol for altering human neutrophil functions, 93:641
- Nishio I, Sekiguchi M, Aoyama Y, Asano S, Ono A. Decreased tensile strength of an epidural catheter during its removal by grasping with a hemostat, 93:210
- Nishiyama T, Hanaoka K. Propofol-induced bronchoconstriction: two case reports, 93:645
- The synergistic interaction between midazolam and clonidine in spinally-mediated analgesia in two different pain models of rats, 93:1025
- Niwa K, see Ikeda T
- Niwa Y, see Nishina K
- Nogami W, see Kharasch ED
- Nolan T, see Jellish WS
- Nora PC, see Kopacz DJ
- Norel E, see Chen X
- Norrie J, see Scott NB
- Norris EJ. Double-blinded, single-blinded, or just blind? (letter), 93:1361
- Novalbos J, see Gálvez-Múgica MA
- Novelli GP, see Ortolani O
- Nussbaum CE, see Kopacz DJ
- Nuttall GA, see Horlocker TT
- Nuttall GA, Garrity JA, Dearani JA, Abel MD, Schroeder DR, Mullany CJ. Risk factors for ischemic optic neuropathy after cardiopulmonary bypass: a matched case/control

- study, 93:1410
- Nygren J, see Hausel J
- Nzewi O, see Scott NB
- Obara H, see Nishina K
- O'Connor CJ, Tuman KJ. Epidural anesthesia and analgesia for coronary artery bypass graft surgery: still forbidden territory? (editorial), 93:523
- O'Connor CJ Jr, see Stix MS
- O'Connor CJ Jr, Davies SR, Stix MS. "Soap bubbles" and "gauze thread" drain tube tests (letter), 93:1082
- O'Connor MF, see Rau J
- O'Connor MF, Roizen MF. Lactate versus chloride: which is better? (editorial), 93:809
- Oda A, see Iida H
- Ogata J, Minami K, Oishi M, Tamura H, Shigematsu A. The influence of the laryngeal mask airway on the shape of the submandibular gland, 93:1069
- Ogata J, Nakano K, Sakamoto K, Minami K. Preoperative use of colforsin daropate hydrochloride in a patient with severe cardiac function scheduled for Y-graft replacement (letter), 93:1079
- Ogawa R, see Kawahara H
- Ogawa S, see Arakawa K
- Ogletree-Hughes ML, see Sprung J
- Ohata H, see Iida H
- Ohata H, Iida H, Nagase K, Dohi S. The effects of topical and intravenous ketamine on cerebral arterioles in dogs receiving pentobarbital or isoflurane anesthesia, 93:697
- Ohkubo Y, see Oka T
- Ohmura S, Kawada M, Ohta T, Yamamoto K, Kobayashi T. Systemic toxicity and resuscitation in bupivacaine-, levobupivacaine-, or ropivacaine-infused rats, 93:743
- Ohta T, see Ohmura S
- Ohtake K, see Oka S
- Oishi M, see Ogata J
- Oka S, Matsumoto M, Ohtake K, Kiyoshima T, Nakakimura K, Sakabe T. The addition of epinephrine to tetracaine injected intrathecally sustains an increase in glutamate concentrations in the cerebrospinal fluid and worsens neuronal injury, 93:1050
- Oka T, Ozawa Y, Ohkubo Y. Thoracic epidural bupivacaine attenuates supraventricular tachyarrhythmias after pulmonary resection, 93:253
- Okuda Y, see Yamamuro M
- Okuyama K, see Inomata S
- Olivier C, see Sarton E
- Olinger A, see Richter S
- Oncü A, see Gottschalk A
- Ono A, see Nishio I
- Onodera H, see Kawahara H
- Oriol N, see Hess PE
- Oroszy S, see Krismer AC; Stallinger A
- Orr R, see Davis PJ; Galinkin J
- Ortolani O, Conti A, Sall/Ka B, Salleras JP, Diouf E, Kane O, Roberts SJ, Novelli GP. The recovery of Senegalese African Blacks from intravenous anesthesia with propofol and remifentanyl is slower than that of caucasians, 93:1222
- Osaka Y, see Nakayama S
- Oschatz E, Wunderbaldinger P, Sterz F, Holzer M, Kofler J, Slatin H, Janata K, Eisenburger P, Bankier AA, Lagner AN. Cardiopulmonary resuscitation performed by bystanders does not increase adverse effects as assessed by chest radiography, 93:128
- Oshima T, Kasuya Y, Terazawa E, Nagase K, Saitoh Y, Dohi S. The anxiolytic effects of the 5-hydroxytryptamine-1A agonist tandospirone before otolaryngologic surgery, 93:1214
- Oswald E, see Innerhofer P
- Owen H, see Plummer JL
- Ozaki CF, see Pivalizza EG
- Ozawa Y, see Oka T
- Pace K, see Joo HS
- Pagel PS, see Gare M
- Pahl J, see Procopio MA
- Paiste J, Bjerke RJ, Williams JP, Zenati MA, Nagy GE. Minimally invasive direct coronary artery bypass surgery under high thoracic epidural, 93:1486
- Pajk W, see Dünser MW
- Panchal S, Arria AM, Labhsetwar SA. Maternal mortality during hospital admission for delivery: a retrospective analysis using a state-maintained database, 93:134
- Parail A, see Gare M
- Parides MK, see Manspeizer HE
- Park H-S, see Chung C-J
- Park P-H, see Hwang J-H
- Parker GC, see Brown AR
- Parker JL, see Kirkbride DA
- Parker RK, see Connelly NR
- Pastor D, see Dzankic S
- Paut O, Calméjane C, Delorme J, Lacroix F, Camboulives J. EMLA versus nitrous oxide for venous cannulation in children, 93:590
- Pavlin DJ, Hong JY, Freund PR, Koerschgen ME, Bower JO, Bowdle TA. The effect of bispectral index monitoring on end-tidal gas concentration and recovery duration after outpatient anesthesia, 93:613
- Pawar DK, see Subramaniam B
- Peachey T, see Wilkes NJ
- Peloquin C, see Wang S-M
- Peng PWH, see Chan VWS
- Pennefather SH, see Scawn NDA
- Peray PA, see Lefrant J-Y
- Perks WJ, see Joo HS
- Peterson C, see Lurie KG
- Peterson MGE, see Della Valle AG
- Philip LA, see Eilers H
- Phillipov A, see Zohar E
- Picker O, Schindler AW, Scheeren TWL. Endogenous endothelin and vasopressin support blood pressure during epidural anesthesia in conscious dogs, 93:1580
- Pietin-Vialle C, see Vialle R
- Pietropaoli P, see Bilotta F
- Pinard A-M, see Roy J-S
- Pinardi G, see Miranda HF
- Piqué JM, see Agustí M
- Pitcock SJ, Rodriguez M, Wijidicks EFM. Rapid weaning from mechanical ventilator in acute cervical cord multiple sclerosis lesion after steroids, 93:1550
- Pivalizza EG, Abramson DC. Thromboelastography: another point of view (letter), 93:517
- Pivalizza EG, Raber MK, Ozaki CF, Lappin JA, Wood RP. Heparin effect after hepatic artery anastomosis during liver transplantation (letter), 93:802
- Plaud B, see Larijani GE
- Plummer JL, Owen H. Learning endotracheal intubation in a clinical skills learning center: a quantitative study, 93:656
- Polanowska-Grabowska RK, see Lo B
- Pollard J. Cardiac arrest during spinal anesthesia (letter, reply), 93:245
- Pollard JB, Brook MW, Shafer A. Patient threats present an ethical dilemma for the anesthesiologist, 93:1544
- Polson JS, see Barker SJ
- Ponte J. Neuromuscular blockers and awareness (letter), 93:1081
- Popovich MJ, see Waters JH
- Posner LP, see Moon PF
- Pouzeratte Y, Delay JM, Brunat G, Boccara G, Vergne C, Jaber S, Fabre JM,

- Colson P, Mann C. Patient-controlled epidural analgesia after abdominal surgery: ropivacaine versus bupivacaine, 93:1587
- Pratt SD, see Hess PE
- Preckel B, see Müllenheim J
- Preussler N-P, see Schwarzkopf K
- Prielipp RC, Wall MH, Groban L, Tobin JR, Fahey FH, Harkness BA, Stump DA, James RL, Cannon MA, Bennett J, Butterworth J. Reduced regional and global cerebral blood flow during fenoldopam-induced hypotension in volunteers, 93:45
- Pries AR, see Redlin M
- Prieto MA, see Sastre JA
- Procopio MA, Rassias AJ, DeLeo JA, Pahl J, Hildebrandt L, Yeager MP. The *in vivo* effects of general and epidural anesthesia on human immune function, 93:460
- Prough DS, see Abouleish AE; Tølløfsrud S
- Pühringer F, see Amann A; Brimacombe J; Keller C
- Puro PH, see Nelskylä KA
- Qayum A, see Despotis GJ
- Quon R, see Chen X
- Rabb MF, see Davis PJ; Galinkin J
- Raber MK, see Pivalizza EG
- Raemer DB, see Weinger MB
- Rafecas A, see Dalmau A
- Raghavendran S, Diwan R, Shah T, Vas L. Continuous caudal epidural analgesia for congenital lobar emphysema: a report of three cases, 93:348
- Rahimi-Danesh F, see De Wolf AM
- Rainer B, see Krismser AC
- Raitsiou B, see Baoraltaro A
- Raizada MK, see Wise-Faberowski L
- Rajek AM, see Greif R
- Rakotondriamihary S, see Iskandar H
- Ramanathan S, see Kaul B
- Ramayya GP, see Scott NB
- Rampil I. False negative BIS? Maybe, maybe not! (letter), 93:798
- Rana MV. Anesthesia Review: A Study Guide to Anesthesia, 5th Edition and Basics of Anesthesia, 4th Edition (book review), 93:1365
- Rassias AJ, see Procopio MA
- Rau J, Roizen MF, Doenicke AW, O'Connor MF, Strohschneider U. Propofol in an emulsion of long- and medium-chain triglycerides: the effect on pain, 93:382
- Raufhake C, see Berendes E
- Ravaska P, see Valanne JV
- Ray DAA, see Scott NB
- Redlin M, Werner J, Habazettl H, Griethe W, Kuppe H, Pries AR. Cariporide (HOE 642) attenuates leukocyte activation in ischemia and reperfusion, 93:1472
- Reed AP. *Practical Fiberoptic Intubation* (book review), 93:1629
- Reeves M, Lindholm DE, Myles PS, Fletcher H, Hunt JO. Adding ketamine to morphine for patient-controlled analgesia after major abdominal surgery: a double-blinded, randomized controlled trial, 93:116
- Rehak P, see Bergmann P
- Rehman I, see Kathirvel S
- Resende AC, see de Moura RS
- Reuben SS. Considerations in the use of COX-2 inhibitors in spinal fusion surgery (letter, reply), 93:803
- Riand N, see Weber A
- Riben CM, see Campbell DC
- Ricard J-D, Dreyfuss D. Cytokines during ventilator-induced lung injury: a word of caution (editorial), 93:251
- Richardson CA, see Talke PO
- Richter S, Olinger A, Hildebrandt U, Menger MD, Vollmar B. Loss of physiologic hepatic blood flow control ("hepatic arterial buffer response") during CO₂-pneumoperitoneum in the rat, 93:872
- Ricksten S-E, see Haraldsson Å
- Rieder J, see Amann A
- Rifai N, see McCann ME
- Rigler B, see Bergmann P
- Rinder CS, see Griffin MJ
- Rinder HM, see Griffin MJ
- Rios AAS, see de Moura RS
- Riou B, see Cittanova M-L
- Ripart J, see Cuvillon P; Lefrant J-Y
- Ripper R, see Hoffman WE
- Ritsch N, see Dünser MW
- Roberson DA, see Muangmingsuk V
- Roberts JS, see Vavilala MS
- Roberts SJ, see Ortolani O
- Robins B, Das AK. Anesthetic management of acquired tracheoesophageal fistula: a brief report, 93:903
- Robinson DL, Martin TW, Schmitz ML, Mayhew JF. Is fast-tracking for pediatric ambulatory surgery really beneficial? (letter), 93:1361
- Robson MJA, Alston RP, Deary IJ, Andrews PJD, Souter MJ. Jugular bulb oxyhemoglobin desaturation, S100 β , and neurologic and cognitive outcomes after coronary artery surgery, 93:839
- Rockoff MA, see Goobie SM
- Rodriguez M, see Pittock SJ
- Rodriguez-Sallaberry FE, see Stix MS
- Roizen MF, see O'Connor MF; Rau J
- Rolain RA, see Holman SJ
- Romana CN, see Mentzelopoulos SD
- Rooke GA, see Kharasch ED
- Rooney ME, see Campbell DC
- Rosa G, see Bilotta F
- Ross AK, Davis PJ, deL. Dear G, Ginsberg B, McGowan FX, Stiller RD, Henson LG, Huffman C, Muir KT. Pharmacokinetics of remifentanyl in anesthetized pediatric patients undergoing elective surgery or diagnostic procedures, 93:1393
- Ross WT, see Mathes DD
- Rossaint R, see de Rossi LW
- Roth SH, see Archer DP
- Rothstein P. Remifentanyl for neonates and infants: piano, piano con calma, 93:1370
- Rouet R, see Hanouz J-L
- Roy J-S, Girard F, Boudreault D, Pinard A-M, Ferraro P. The anesthetic management of a case of tracheogastric fistula, 93:1076
- Ruel M, see Choinière A; Nguyen A
- Rulands R, see Müllenheim J
- Russell GN, see Scawn NDA
- Saad-Eddin H, see Ezri T
- Sabaté A, see Dalmau A
- Saghaei M, Masoodifar M. The pressor response and airway effects of cricoid pressure during induction of general anesthesia, 93:787
- Saito Y, see Sakura S
- Saitoh Y, see Oshima T
- Sakabe T, see Oka S
- Sakamoto A, see Kawahara H
- Sakamoto K, see Ogata J
- Sakamoto M, see McCann ME
- Sakura S, Imamachi N, Toyota K, Shono A, Saito Y. Spinal anesthesia with tetracaine in 7.5% or 0.75% glucose in adolescents and adults, 93:77
- Saleem R, see Despotis GJ
- Salleras JP, see Ortolani O
- Sall/Ka B, see Ortolani O
- Salner E, see Innerhofer P
- Salonia-Ruzo P, see Della Valle AG
- Salvati EA, see Della Valle AG
- Samama C-M. Thromboelastography: another point of view (letter, reply), 93:517

- Samanani N, see Archer DP
 Samniah N, see Lurie KG
 Sandín SG, see Gálvez-Múgica MA
 Santos EJA, see de Moura RS
 Santos-Ampuero MA, see Gálvez-Múgica MA
 Sarjeant RM, see Manninen PH
 Sarna MC, see Hess PE
 Sartori E, Teppema LJ, Olivier C, Nieuwenhuijs D, Matthes HWD, Kieffer BL, Dahan A. The involvement of the μ -opioid receptor in ketamine-induced respiratory depression and antinociception, 93:1495
 Sasakuma F, see Nakagawa M
 Sasano H, Vesely AE, Iscoe S, Tesler JC, Fisher JA. A simple apparatus for accelerating recovery from inhaled volatile anesthetics, 93:1188
 Sassine A, see Lefrant J-Y
 Sastre JA, Prieto MA, Garzón JC, Muriel C. Left-sided cardiac gas embolism produced by hydrogen peroxide: intraoperative diagnosis using transesophageal echocardiography, 93:1132
 Sato M, see Tanaka M
 Sato N, see Tsuda A
 Sato S, see Ikeda T
 Sato Y, see Hirota K
 Satoh K-i, see Kuji A
 Satoh T, see Higuchi H
 Satoh Y, see Kuji A
 Sator-Katzenschlager S, Deusch E, Maier P, Spacek A, Kress HG. The long-term antinociceptive effect of intrathecal S(+)-ketamine in a patient with established morphine tolerance, 93:1032
 Savu C, see Cittanova M-L
 Scalfaro P, Sly PD, Sims C, Habre W. Salbutamol prevents the increase of respiratory resistance caused by tracheal intubation during sevoflurane anesthesia in asthmatic children, 93:898
 Scawn NDA, Pennefather SH, Soorae A, Wang JYY, Russell GN. Ipsilateral shoulder pain after thoracotomy with epidural analgesia: the influence of phrenic nerve infiltration with lidocaine, 93:260
 Schabel JE. Subarachnoid block for a patient with progressive chronic inflammatory demyelinating polyneuropathy, 93:1304
 Scheeren TWL, see Picker O
 Scheinin H, see Mildh LH
 Schily M, Koumoukelis H, Lerman J, Creighton RE. Can pediatric anesthesiologists detect an occluded tracheal tube in neonates?, 93:66
 Schindler AW, see Picker O
 Schlack W, see Müllenheim J
 Schmidt C, see Berendes E; Jahn UR
 Schmidt J, see Hemmerling TM
 Schmitz ML, see Robinson DL
 Schmitz W, see Hönemann CW
 Schneider J, see Heres EK
 Schobersberger W, see Innerhofer P
 Schoenwald P, see Waters JH
 Schreiber T, see Schwarzkopf K
 Schrickler T. A multimodal postoperative rehabilitation program in critically ill diabetic patients (letter), 93:1623
 see Lattermann R
 Schroeder DR, see Hebl JR; Nuttall GA
 Schroeder F, see Gottschalk A
 Schubert H, see Schwarzkopf K
 Schumacher MA, see Eilers H
 Schwarz SKW. A randomized controlled trial on local anesthetics in the wound: what do the numbers mean? (letter), 93:514
 Schwarzkopf K, Schreiber T, Bauer R, Schubert H, Preussler N-P, Gaser E, Klein U, Karzai W. The effects of increasing concentrations of isoflurane and desflurane on pulmonary perfusion and systemic oxygenation during one-lung ventilation in pigs, 93:1434
 Scott NB, Turfey DJ, Ray DAA, Nzewi O, Sutcliffe NP, Lal AB, Norrie J, Nagels WJB, Ramayya GP. A prospective randomized study of the potential benefits of thoracic epidural anesthesia and analgesia in patients undergoing coronary artery bypass grafting, 93:528
 Seal R, see Tsui BCH
 Sekiguchi M, see Nishio I
 Sennaraj B, see Subramaniam B
 Seno H, see He Y-L
 Sessler DI, see Akça O; Greif R; Ikeda T; Menigaux C; Mokhtarani M
 Sethna NF, see McCann ME
 Shafer A, see Pollard JB
 Shah T, see Raghavendran S
 Shapiro A, see Zohar E
 Shapiro WA, see Keltner JR
 Sharrock NE, see Della Valle AG
 Shaughnessy TE, see Mokhtarani M
 Shelley KH, see Awad AA
 Shen DD, see Bethune CR
 Shende D, see Madan R
 Shiga M, see Nishina K
 Shigematsu A, see Ogata J
 Shimada C, see Ikeda T
 Shimizu Y, see Shimokawa A
 Shimoji K, see Hayatsu K
 Shimokawa A, Tateyama S, Shimizu Y, Muramatsu I, Takasaki M. Anterior interosseous nerve palsy after cardiopulmonary resuscitation in a resuscitator with undiagnosed muscle anomaly, 93:290
 Shingu K. Clinical Monitoring: Practical Applications for Anesthesia and Critical Care (book review), 93:521
 Shono A, see Sakura S
 Showan AM. Day Care Anaesthesia (book review), 93:247
 Sierralta F, see Miranda HF
 Silverman DG, see Awad AA
 Sims C, see Scalfaro P
 Singelyn F. Extended femoral nerve sheath block after total hip arthroplasty (letter, reply), 93:804
 Singer P, see Cohen J
 Singh DK, see Ambesh SP
 Skjonsby B, see Andropoulos DB
 Skubas NJ, see Despotis GJ
 Skubas NJ, Barzilai B, Hogue CW Jr. Atrial fibrillation after coronary artery bypass graft surgery is unrelated to cardiac abnormalities detected by transesophageal echocardiography, 93:14
 Sladen RN, see Feit A
 Slatin H, see Oschatz E
 Sloninsky A, see Chen X
 Slooff MJH, see Hendriks HGD
 Sly PD, see Scalfaro P
 Smedby O, see Kjaastad Ø
 Smith BR, see Griffin MJ
 Smith G, see Ng A
 Smolsky SM, see Sprung J
 Solosko D, see Ben-David B
 Somboonviboon W, see Charuluxananan S
 Sonner J, see Zhang Y
 Soong Y, see Szeto HH
 Soorae A, see Scawn NDA
 Sorenson EJ, see Hebl JR
 Soriano C, see Godet G
 Soriano SG, see Goobie SM
 Souter MJ, see Robson MJA
 Spacek A, see Sator-Katzenschlager S
 Speer KP, see Klein SM
 Spence JD, see Badner NJ
 Spencker P, see Krismer AC
 Spengler RN, see Nader ND
 Splinter WM, see Neilipovitz DT
 Splinter WM, Isaac LA. The pharmacoeconomics of neuromuscular blocking drugs: a

- perioperative cost-minimization strategy in children, 93:339
- Sprung J, see Waters JH
- Sprung J, Ogletree-Hughes ML, McConnell BK, Zakhary DR, Smolsky SM, Moravec CS. The effects of propofol on the contractility of failing and nonfailing human heart muscles, 93:550
- Stabernack CR, see Zhang Y
- Stallinger A, Wenzel V, Oroszy S, Mayr VD, Idris AH, Lindner KH, Hörmann C. the effects of different mouth-to-mouth ventilation tidal volumes on gas exchange during simulated rescue breathing, 93:1265
- Stamer UM, Buderus S, Wetegrove S, Lentze MJ, Stüber F. Prolonged awakening and pulmonary edema after general anesthesia and naphazoline application in an infant, 93:1162
- Stamer UM, Stüber F. Analgesic efficacy of tramadol if coadministered with ondansetron (letter), 93:1626
- Standl T, see Gottschalk A
- Stayer SA, see Andropoulos DB
- Steele SM, see Klein SM
- Steen PA, see Strohmenger H-U
- Stein DJ, see Birnbach DJ
- Steinbok V, see Marino T
- Steinbrook RA, Bhavani-Shankar K. Hemodynamics during laparoscopic surgery in pregnancy, 93:1570
- Steinhübel B, see Zimmermann P
- Stephens R, see Wilkes NJ
- Sterz F, see Oschatz E
- Stevens RA, see Holman SJ
- Stewart GM, Kessel G. Comparing the articulating laryngoscope and external laryngeal manipulation (letter), 93:1078
- Stiller RD, see Ross AK
- Stix MS, see O'Connor CJ Jr
- Stix MS, Borromeo CJ. Rattling of unidirectional valves due to water obstructing the ventilator hose (letter), 93:802
- Stix MS, Rodriguez-Sallaberry FE, Cameron EV, Teague PD, O'Connor CJ Jr. Esophageal aspiration of air through the drain tube of the ProSeal laryngeal mask, 93:1354
- Stout RC, see Awad AA
- Strohmenger H-U, Ettestol T, Sunde K, Wenzel V, Mair M, Ulmer H, Lindner KH, Steen PA. The predictive value of ventricular fibrillation electrocardiogram signal frequency and amplitude variables in patients with out-of-hospital cardiac arrest, 93:1428
- Strohschneider U, see Rau J
- Stüber F, see Stamer M.; Stamer UM
- Stump DA, see Prielipp RC
- Subramaniam B, Subramaniam K, Pawar DK, Sennaraj B. Preoperative epidural ketamine in combination with morphine does not have a clinically relevant intra- and postoperative opioid-sparing effect, 93:1321
- Subramaniam K, see Subramaniam B
- Sukernik MR, Mets B, Bennett-Guerrero E. Patent foramen ovale and its significance in the perioperative period, 93:1137
- Sulkes J, see Cohen J
- Sullivan L, see McCann ME
- Sullivan LJ, see Davidson AJ
- Sullivan ME, see Milne B
- Sumners C, see Wise-Faberowski L
- Sunde K, see Strohmenger H-U
- Sutcliffe NP, see Scott NB
- Suttner S, see Lang K
- Szeto HH, Soong Y, Wu D, Fasolo J. Resensitization of blood pressure response to μ -opioid peptide agonists after acute desensitization, 93:581
- Szlam F, see Tsuda A
- Szmuk P, see Davis PJ; Ezri T; Galinkin J
- Taga K, see Hayatsu K
- Takahashi H, see Arakawa K
- Takahashi M, Kurokawa Y, Toyama H, Hasegawa R, Hashimoto Y. The successful management of thoracoscopic thoracic duct ligation in a compromised infant with targeted lobar deflation, 93:96
- Takahashi M. Selective bronchial blockage in small infants (letter, reply), 93:1625
- Takasaki M, see Shimokawa A
- Takashina M, see Hagihira S
- Takeda S, see Kawahara H
- Takenaka M, see Iida H
- Talke PO, Lobo EP, Brown R, Richardson CA. Clonidine-induced vasoconstriction in awake volunteers, 93:271
- Talwalker S, see Desjardins PJ
- Tamura H, see Ogata J
- Tan TK, see Manninen PH
- Tanaka E, see Inomata S
- Tanaka KA, see Tsuda A
- Tanaka M, see Nagasaki G
- Tanaka M, Nishikawa T. Rectal S(+)-ketamine for pediatric premedication (letter), 93:1363
- Tanaka M, Nishikawa T. T-wave amplitude as an indicator for detecting intravascular injection of epinephrine test dose in awake and anesthetized elderly patients, 93:1332
- Tanaka M, Sato M, Kimura T, Nishikawa T. The efficacy of simulated intravascular test dose in sedated patients, 93:1612
- Tang G-Z, see Deng X-M
- Tang J, see Chen X
- Tano T, see de Moura RS
- Tardiff BE, see Heres EK
- Tashiro C, see He Y-L
- Tateyama S, see Shimokawa A
- Taurà P, see Agustí M
- Teague PD, see Stix MS
- Tempe DK. Neuromuscular blockers and awareness (letter, reply), 93:1081
- Teppema LJ, see Sarton E
- Teppo A-M, see Laisalmi M
- Terazawa E, see Oshima T
- Tesler JC, see Sasano H
- Tewari P. A new grip to help during endotracheal intubation (letter), 93:244
- Thiebaut R, see Iskandar H
- Thompson JP. Clinical Anesthesia, 4th Edition (book review), 93:807
- Thorell A, see Hausel J
- Thouabtia E, see Cuivillon P
- Thrift B, see Wajon P
- Thys DM, see Aronson S; Birnbach DJ
- Tibble RK, Girling KJ, Mahajan RP. A comparison of the transient hyperemic response test and the static autoregulation test to assess graded impairment in cerebral autoregulation during propofol, desflurane, and nitrous oxide anesthesia, 93:171
- Tiefenthaler W, see Innerhofer P
- Tobias JD, see Berkenbosch JW; Johnson G
- Tobias JD. Caudal epidural block: a review of test dosing and recognition of systemic injection in children, 93:1156
- Tobias MD. Venous double cannulation: avoiding complications (letter, reply), 93:1080
- Tobin JR, see Prielipp RC
- Todd MM, Traynelis VC. Experimental cervical spine injury and airway management methods (letter), 93:799

- Tølløfsrud S, Elgjo GI, Prough DS, Williams CA, Traber DL, Kramer GC. The dynamics of vascular volume and fluid shifts of lactated Ringer's solution and hypertonic-saline-dextran solutions infused in normovolemic sheep, 93:823
- Tomita M, see Hayatsu K
- Tonosaki M, see Kotani N
- Toriyama S, see Ikeda T
- Torri G, see Casati A
- Toth G, see Horvath G
- Toyama H, see Takahashi M
- Toyooka H, see Fujii Y; Fukuda T; Inomata S
- Toyota K, see Sakura S
- Traber DL, see Tølløfsrud S
- Tracey JB, see Griffin MJ
- Traub RD, see Macario A
- Traynelis VC, see Todd MM
- Tremback TF, see Muangmingsuk V
- Trudell JR, see Zhang Y
- Tryba M, see Kulka PJ
- Tsai S-K, Chang C-I, Wang M-J, Chen S-J, Chiu I-S, Chen Y-S, Lue H-C. The assessment of the proximal left pulmonary artery by transesophageal echocardiography and computed tomography in neonates and infants: a case series, 93:594
- Tsai Y-C, Chu K-S. A comparison of tramadol, amitriptyline, and meperidine for postepidural anesthetic shivering in parturients, 93:1288
- Tsoukatos J, see Knab JH
- Tsubo T, see Hirota K
- Tsuda A, Tanaka KA, Huraux C, Szlam F, Sato N, Yamaguchi K, Levy JH. The *in vitro* reversal of histamine-induced vasodilation in the human internal mammary artery, 93:1453
- Tsui BCH, Seal R, Koller J, Entwistle L, Haugen R, Kearney R. Thoracic epidural analgesia via the caudal approach in pediatric patients undergoing fundoplication using nerve stimulation guidance, 93:1152
- Tsujimoto S, see He Y-L
- Tuman KJ, see O'Connor CJ
- Turfrey DJ, see Scott NB
- Uchida M, see Iida H
- Uemura A, see Fujii Y
- Ufer M, see Gottschalk A
- Ulmer H, see Dünser MW; Strohmenger H-U
- Ulrich B, see Gerig HJ
- Vafiadou M, see Baoraltaro A
- Valanne JV, Korhonen A-M, Jokela RM, Ravaska P, Korttila KK. Selective spinal anesthesia: a comparison of hyperbaric bupivacaine 4 mg versus 6 mg for outpatient knee arthroscopy, 93:1377
- Vallejo M, see Kaul B
- Vallot T, see Juvin P
- Valta P, see Laisalmi M
- Van Aken H, see Berendes E; Hönnemann CW; Jahn UR
- Van de Steen E, see Medel J
- van der Maaten JMAA, see Hendriks HGD
- van der Meer J, see Hendriks HGD
- Van Gessel E, see Weber A
- Vandeput D, see Hendrickx JFA
- Vas L, see Raghavendran S
- Vavilala MS, Roberts JS, Moore AE, Newell DW, Lam AM. The influence of inhaled nitric oxide on cerebral blood flow and metabolism in a child with traumatic brain injury, 93:351
- Velik-Salchner C, see Innerhofer P
- Vercauteren MP, Hans G, De Decker K, Adriaensen HA. Levobupivacaine combined with sufentanil and epinephrine for intrathecal labor analgesia: a comparison with racemic bupivacaine, 93:996
- Vergne C, see Pouzeratte Y
- Vesely AE, see Sasano H
- Veyrat E, see Cuvillon P
- Vialle R, Pietin-Vialle C, Cronier P, Brillu C, Villapadierna F, Mercier P. Anatomic relations between the cephalic vein and the sensory branches of the radial nerve: how can nerve lesions during vein puncture be prevented?, 93:1058
- Villapadierna F, see Vialle R
- Vipond AJ, see Janzen PRM
- Visconti C, see De Negri P
- Vloka JD, see Hadžić A
- Voelckel WG, see Lurie KG
- Vollmar B, see Richter S
- Vorghese ST, see Hannallah RS
- Vrinten DH, Adan RAH, Groen GJ, Gispén WH. Chronic blockade of melanocortin receptors alleviates allodynia in rats with neuropathic pain, 93:1572
- Wachter U, see Lattermann R
- Wagner RL, see Knab JH
- Wajon P, Gibson J, Calcroft R, Hughes C, Thrift B. Intraoperative plateletpheresis and autologous platelet gel do not reduce chest tube drainage or allogeneic blood transfusion after reoperative coronary artery bypass graft, 93:536
- Wall MH, see Prielipp RC
- Wallace MS, see Knab JH
- Walter M, see Berendes E
- Wang JYY, see Scawn NDA
- Wang M-J, see Tsai S-K
- Wang S-M, Peloquin C, Kain ZN. The use of auricular acupuncture to reduce preoperative anxiety, 93:1178
- Warltier DC, see Gare M
- Warner DO, see Warner ME
- Warner DS, see Klein SM
- Warner MA, see Warner ME
- Warner ME, Warner MA, Garrity JA, MacKenzie RA, Warner DO. The frequency of perioperative vision loss, 93:1417
- Warters RD, see Ezri T
- Wass CT, see Leonovitz BM
- Waterbolk TW, see Hendriks HGD
- Waters JH, Anthony DG, Gottlieb A, Sprung J. Bleeding in a patient receiving platelet aggregation inhibitors, 93:878
- Waters JH, Gottlieb A, Schoenwald P, Popovich MJ, Sprung J, Nelson DR. Normal saline versus lactated Ringer's solution for intraoperative fluid management in patients undergoing abdominal aortic aneurysm repair: an outcome study, 93:817
- Waters JH, Sprung J. Errors during intraoperative cell salvage because of inappropriate wash solutions, 93:1483
- Watremez C, see Godet G
- Waurick R, see Jahn UR
- Webb T, see Chen X
- Weber A, Fournier R, Van Gessel E, Riand N, Gamulin Z. Epinephrine does not prolong the analgesia of 20 mL ropivacaine 0.5% or 0.2% in a femoral three-in-one block, 93:1327
- Webster CS, see Merry AF
- Weinger MB, see Knab JH
- Weinger MB, Raemer DB, Barker SJ. A new *Anesthesia & Analgesia* section on technology, computing, and simulation (editorial), 93:1085
- Wender RH, see Chen X
- Wenzel V, see Krismer AC; Lurie KG; Stallinger A; Strohmenger H-U
- Wenzel V, Dörjes V, Lindner KH, Idris AH. Mouth-to-mouth ventilation during cardiopulmonary resuscitation: word of mouth in the

- street versus science, 93:4
- Werner J, see Redlin M
- Wetegrove S, see Stamer M.
- White PF, see Chen X; Coloma M; Kehlet H; Kim DW
- White PF, Coloma M. Esmolol is not an alternative to remifentanyl for fast-track outpatient gynecologic laparoscopic surgery (letter, reply), 93:242
- White W, see Klein SM
- Whitten CW, see Abouleish AE
- Wiedermann FJ, see Innerhofer P
- Wietschorke T, see Müllenheim J
- Wihaidi A, see Krismer AC
- Wijdsicks EFM, see Pittock SJ
- Wilkes NJ, Woolf R, Mutch M, Mallett SV, Peachey T, Stephens R, Mythen MG. The effects of balanced versus saline-based hetastarch and crystalloid solutions on acid-base and electrolyte status and gastric mucosal perfusion in elderly surgical patients, 93:811
- Williams CA, see Tølløfsrud S
- Williams GD, see Kirkbride DA
- Williams JP, see Paiste J
- Wilson JX, see Daskalopoulos R
- Wise-Faberowski L, Raizada MK, Sumners C. Oxygen and glucose deprivation-induced neuronal apoptosis is attenuated by halothane and isoflurane, 93:1281
- Wissel J, see Kirchmair L
- Wodey E, see Kiffer F
- Woehlick HJ. Carbon monoxide rebreathing during low flow anesthesia (letter), 93:516
- Wong C-S, see Hsu M-M
- Wong MMS, see Ngan Kee WD
- Wood RP, see Pivalizza EG
- Woolf R, see Wilkes NJ
- Wu D, see Szeto HH
- Wu S-S. Board Stiff Too: Preparing for the Anesthesia Orals (book review), 93:805
- Wu WW, see Zar HA
- Wunderbaldinger P, see Oschatz E
- Xiao W-J, see Deng X-M
- Xu K-L, see Deng X-M
- Yamaguchi K, see Tsuda A
- Yamakura T, see Hayatsu K; Zhang Y
- Yamamoto K, see Ohmura S
- Yamamuro M, Nakaho T, Okuda Y, Kitajima T. Regional anesthesia with the patient and anesthesiologist in the supine position (letter), 93:1362
- Yamasaki Y, see Inomata S
- Yamashita M, see Nakayama S
- Yarnell RW, see Marino T
- Yaster M, see Davis PJ; Galinkin J
- Yeager MP, see Procopio MA
- Yellon RF, see Fine GF
- Yeo K-H, see Chung C-J
- Yip RW, see Campbell DC
- Yli-Hankala AM, see Nelskylä KA
- Yoshioka H, see Hirota K
- Yoshitani K, Kawaguch M, Furuya H, Kurumatani N. Cerebral oxygenation and cognitive decline (letter, reply), 93:1628
- Yoshiya I, see Hagihira S
- Yuan S, see Leung JM
- Yvon A, see Hanouz J-L
- Zaier K, see Cittanova M-L
- Zakhary DR, see Sprung J
- Zar HA, Wu WW. The inability to detect expired carbon dioxide after endotracheal intubation as a result of one-way valve obstruction of the endotracheal tube, 93:971
- Zelikovski A, see Cohen J
- Zelman V, see Nemirovsky A
- Zenati MA, see Paiste J
- Zhang J-M, Homma Y, Ackerman WE, Brull SJ. Topical application of acidic bupivacaine to the lumbar ganglion induces mechanical hyperalgesia in the rat, 93:466
- Zhang Y, Stabernack CR, Dutton R, Sonner J, Trudell JR, Mihic SJ, Yamakura T, Harris RA, Gong D, Eger EI II. Luciferase as a model for the site of inhaled anesthetic action, 93:1246
- Zhao M, see Chen X
- Zhou J-X, Liu J. The effect of temperature on solubility of volatile anesthetics in human tissues, 93:234
- Zhou T, see Coloma M
- Zielinski T, see Lurie KG
- Zimmermann P, Steinhübel B, Greim CA. Facilitation of pulmonary artery catheter placement by transesophageal echocardiography after tricuspid valve surgery (letter), 93:242
- Zimpfer M, see Andel D
- Zohar E, see Fredman B
- Zohar E, Fredman B, Phillipov A, Jedeikin R, Shapiro A. The analgesic efficacy of patient-controlled bupivacaine wound instillation after total abdominal hysterectomy with bilateral salpingo-oophorectomy, 93:482
- Zornow MH, see Abouleish AE
- Zubicki A, see Cittanova M-L
- Zurakowski D, see Goobie SM

Subject Index

- Abdominal surgery**, see Surgery
- Academic medical centers**, economic impact of longer-than-average anesthesia times, 93:1537
- Acetaminophen**, see Analgesics
- Acid-base balance**
acidic bupivacaine and hyperalgesia, 93:466
colloids, crystalloids, mucosal perfusion, and the elderly, 93:811
- Acquired tracheoesophageal fistula**, see Complications
- Activated clotting time**, see Monitoring
- Acupuncture**, see Anesthetic techniques
- Acute respiratory distress syndrome**, see Complications
- Adolescents**, see Age factors
- Adrenergic receptors**, see Receptors
- ADU**, see Equipment, anesthesia machines
- Age factors**
adolescents, spinal anesthesia with tetracaine in 7.5% or 0.75% glucose, 93:77
elderly
acid-base and electrolyte status and gastric mucosal perfusion, balanced vs saline-based hetastarch and crystalloid solutions, 93:811
cognitive function after general anesthesia, desflurane vs sevoflurane, 93:1489
induction of anesthesia, propofol vs sevoflurane, ambulatory patients, 93:1185
preoperative laboratory testing, surgical patients, 93:301
routine laboratory testing (editorial), 93:249
test dose and T-wave, 93:1332
impact on prediction of laryngoscopy grade, 93:1073
- Agitation**, see Complications
- Airway**
compliance, detecting occluded tracheal tube, neonates, 93:66
devices, gastroesophageal reflux and aspiration of gastric contents, 93:494
difficult
incidence of class "zero" airway, 93:1073
vs difficult intubation (letter), 93:1624
effects of cricoid pressure during induction of general anesthesia, 93:787
management, methods, experimental cervical spine injury and (letter), 93:799
obstruction, fiberoptically-guided insertion of transtracheal catheters, 93:663
submandibular gland, shape, influence of LMA, 93:1069
techniques, LMA devices
esophageal sphincters and, 93:226
insertion, facilitation, use of remifentanyl, 83:359
ProSeal[®], esophageal aspiration of air through drain tube, 93:1354
ProSeal[®], vs classic, positive pressure ventilation, 93:1351
tracheal injury after emergent endotracheal intubation, 93:1270
- Alfentanil**, see Anesthetics, intravenous
- Allergy**, allergic rhinitis, propofol-induced bronchoconstriction, 93:645
- Allodynia**, see Pain
- Alternative medicine**, see Preoperative, evaluation
- Amantadine**, see Pharmacology
- Ambulatory anesthesia**, see Anesthesia
- Amino acids**, see Cerebrospinal fluid
- Aminophylline**, see Pharmacology
- Amitriptyline**, see Pharmacology
- Amsorb[®]**, see Carbon dioxide, absorbents
- Analgesics**
acetaminophen, infants (letter), 93:1626
alfentanil
liposome-formulated, disposition, role of drug-lipid interactions, 93:928
respiratory depressant effects, concentration-effect relationship, 93:939
buprenorphine, systemic, combination with spinal morphine, antinociceptive effect, 93:197
capsaicin cream, effects on prostaglandin-induced allodynia, 93:419
clonidine, midazolam and, synergistic interaction between, rats, 93:1025
fentanyl
liposome-formulated, disposition, role of drug-lipid interactions, 93:928
patch, use during treatment with warming blanket, opioid overdose, 93:647
respiratory depressant effects, concentration-effect relationship, 93:939
ketamine
morphine and, epidural, preemptive analgesia, 93:1321
morphine and, PCA after major abdominal surgery, 93:116
rectal S(+)-ketamine for pediatric premedication (letter), 93:1363
ketorolac, sevoflurane and, effect on renal glomerular and tubular function, 93:1210
midazolam, clonidine and, synergistic interaction between, rats, 93:1025
morphine
epidural, preemptive analgesia with, 93:1321
epidural, preoperative, effect on postoperative analgesia, children, 93:598
intraarticular, double-blinded study (letter), 93:1361
intraarticular, peripheral analgesic effects, systematic review, 93:761
intrathecal, -induced pruritus, after cesarean delivery, treatment, nalbuphine vs propofol, 93:162
intrathecal, postpartum tubal ligation postoperative analgesia, 93:1006
ketamine and, epidural, preemptive analgesia with, 93:1321
ketamine and, PCA after major abdominal surgery, 93:116
liposome-formulated, disposition, role of drug-lipid interactions, 93:928
spinal, combination with systemic morphine or buprenorphine, antinociceptive effect, 93:197
systemic, combination with spinal morphine, antinociceptive effect, 93:197
parecoxib sodium, preoperative, analgesic efficacy, 93:721
remifentanyl, esmolol as alternative to, fast-track outpatient gynecologic laparoscopic surgery (letter), 93:241
sufentanil
epidural, vs intravenous sufentanil, postoperative pain relief, 93:472
intravenous, vs epidural sufentanil, postoperative pain relief, 93:472
liposome-formulated, disposition, role of drug-lipid interactions, 93:928
PCEA after abdominal surgery, ropivacaine vs bupivacaine, 93:1587
subarachnoid, effect on success of external cephalic version, 93:410

Analgesics—continued

tramadol, ondansetron and,
coadministration, analgesic efficacy
(letter), 93:1626

Anaphylactoid reactions

after cisatracurium administration,
93:1257
reversal of histamine-induced
vasodilation, 93:1453

Anatomy

paravertebral, study for ultrasound-
guided posterior lumbar plexus
block, 93:477
posterior epidural space, catheter
placement by electrical stimulation
test, 93:1035
relations between cephalic vein and
sensory branches of radial nerve,
93:1058

Anesthesia

ambulatory
anxiolytic effects of music, 93:912
BIS decreases vomiting after
sevoflurane, 93:1165
choice of anesthesia, outcomes, and
cost, 93:1181
ear acupuncture for preoperative
anxiety, 93:1178
effect of noise on BIS, 93:1170
failure to bypass PACU after
laparoscopy, 93:112
induction of anesthesia, elderly
patients, 93:1185
local anesthesia for hernia repair,
93:1373
midazolam and small-dose ketamine
for sedation, 93:1174
minidose lidocaine-fentanyl spinal vs
MAC, 93:319
pediatric, fast-tracking (letter), 93:1361
propofol anesthesia, infants and
healthy children, 93:106
selective spinal anesthesia for knee
arthroscopy, 93:1377
supplemental oxygen during
transport, 93:917
timing of dolasetron and its
antiemetic efficacy, 93:906
cardiovascular
angioedema, CPB, and
thromboelastography, 93:1480
anterior interosseous nerve palsy after
CPR, 93:290
arterial and venous TEG® samples are
different, 93:277
 β -adrenergic agonists and liver blood
flow, 93:1121
baroreflex, isoflurane, and
sevoflurane, 93:1127

bleeding and platelet aggregation
inhibitors, 93:878
blindness and CPB, 93:1410
cibenzoline and K^+ channels, 93:282
clonidine-induced vasoconstriction,
93:271
coagulopathy during spinal surgery,
93:33
colloids, crystalloids, mucosal
perfusion, and the elderly, 93:811
 CO_2 -pneumoperitoneum and hepatic
blood flow, 93:872
coronary embolism, acute aortic
dissection, and intracoronary
thrombolysis, 93:56
crystalloid therapy and abdominal
aortic aneurysm, 93:817
deliberate hypotension and splanchnic
perfusion, 93:1116
desensitization of μ -opioid blood
pressure response, 93:581
direct myocardial effects of opioids,
93:543
ECG signal analysis during cardiac
arrest, 93:1428
effect of epidural analgesia on cardiac
morbidity, 93:853
evoked potentials and carotid
endarterectomy, 93:39
fenoldopam and cerebral blood flow,
93:45
heparin neutralization with
heparinase-I, 93:1446
Hextend®, hemorrhage, and heparin
activity, 93:1106
 H_2O_2 and air embolism, 93:1132
isoproterenol during hypothermia,
93:846
ketamine blocks late cardiac
preconditioning, 93:265
medical information, stress, and
cardiac surgery, 93:1094
microcirculation and resuscitation and
hemoglobin-200, 93:832
minimally invasive CABG and high
thoracic epidural, 93:1486
 Na^+ / H^+ exchanger blockade and
leukocyte activation, 93:1472
neurological outcome and cardiac
surgery, 93:839
opioids for fast-track cardiac
anesthesia, 93:859
oxygenation during one-lung
ventilation, 93:1434
patent foramen ovale, perioperative
period, 93:1137
perioperative aspirin therapy, 93:573
plasma modified ACT for hirudin
monitoring, 93:28

platelet effects of heparin and
protamine, 93:20
plateletpheresis and allogeneic blood
transfusion in redo CABG, 93:536
PMN leukocytes during
autotransfusion, 93:566
postoperative renal dysfunction,
93:1111
propofol, lipidemia, and respiratory
failure, 93:292
propofol and human myocardial
contractility, 93:550
pulmonary vasodilatory effects of
inhaled milrinone, 93:1439
pulse oximeter waveform analysis and
blood pressure, 93:1466
radiofrequency liver tumor ablation
complications, 93:587
remifentanyl analgesia in carotid
surgery, 93:1402
remifentanyl and cardiopulmonary
bypass, 93:1100
rFVIIa and cardiac surgery bleeding,
93:287
sedation and left ventricular diastolic
dysfunction, 93:865
systemic air embolism during wedge
resection of the lung, 93:1135
Takayasu's arteritis, 93:60
target-controlled infusion propofol vs
sevoflurane for carotid surgery,
93:560
TEE variables and postoperative atrial
fibrillation, 93:14
terlipressin and myocardial ischemia,
93:53
thoracic epidural, CABG, and
postoperative analgesia, 93:528
thoracic epidural analgesia and
tachyarrhythmias, 93:253
thoracotomy, shoulder pain, and
phrenic nerve block, 93:260
training and certification in TEE,
93:1422
vasopressin in septic and
postcardiotomy shock, 93:7
volume-dynamics of hyperosmotic-
hyperoncotic plasma expanders,
93:823
critical care and trauma
cisatracurium and acute respiratory
distress syndrome, 93:400
CPR, -associated adverse effects,
93:128
CPR, mouth-to-mouth resuscitation
during (editorial), 93:4
cytokines during ventilator-induced
lung injury (editorial), 93:251

- HES 130/0.4 and tissue oxygenation, 93:405
- influence of relaxants on cell proliferation, 93:690
- metabolic abnormalities in exertional heat stroke, 93:683
- natriuretic peptides in critically ill patients, 93:676
- oxidative stress status evaluation, 93:981
- respiratory failure in MS cervical lesion, 93:1550
- tidal volumes and rescue breathing, 93:1265
- tracheal extubation after abdominal aortic surgery, 93:1546
- tracheal injury and intubation, 93:1270
- neurosurgical
- brain arteriovenous shunting and sodium nitroprusside, 93:166
 - halothane/isoflurane and neuronal apoptosis, 93:1281
 - α -human atrial natriuretic peptide, milrinone, and cerebral circulation, 93:177
 - ketamine and cerebral arterioles, 93:697
 - local anesthetics and cerebral microcirculation, 93:1552
 - paraneoplastic syndromes associated with lung cancer, 93:1557
 - scalp nerve blocks in neurosurgery, 93:1272
 - transient hyperemic response test and cerebral autoregulation, 93:171
 - voluntary hyperventilation in neurosurgery, 93:1277
- obstetric
- anesthesia for triplets, 93:991
 - breakthrough pain during labor, 93:414
 - bupivacaine/fentanyl infusion, 93:1001
 - crystalloid bolus in spinal cesarean delivery, 93:703
 - early pregnancy and propofol, 93:1565
 - excitatory amino acids, nitric oxide, and prostaglandin E_2 in labor pain, 93:1293
 - fetal oxygen with polymerized hemoglobin, 93:142
 - flow-dependency of placental transfer of propofol, 93:151
 - hemodynamics in pregnancy laparoscopy, 93:1570
 - intrathecal levobupivacaine during labor, 93:996
 - maternal mortality, during hospital admission, 93:134
 - maternal mortality, United States (editorial), 93:1
 - neonatal sepsis evaluation, 93:986
 - neostigmine with bupivacaine, clonidine, and sufentanil, 93:1560
 - postpartum tubal ligation and postoperative analgesia, 93:1006
 - ritodrine and rebound hyperkalemia, 93:709
 - spinal analgesia and external cephalic version, 93:410
 - spinal anesthesia and chronic inflammatory demyelinating polyneuropathy, 93:1304
 - spinal ropivacaine for cesarean delivery, 93:157
 - tramadol, amitriptyline, and meperidine for shivering, 93:1288
 - treatment of intrathecal morphine-induced pruritus, 93:162
- pain medicine
- adrenergic modulation of diclofenac antinociception, 93:430
 - antinociceptive interactions of endomorphin-1, 93:1018
 - body temperature and diaphoresis disturbances, 93:1578
 - computer-based decision support for pain management, 93:712
 - effect of EP_1 receptor antagonist on chronic constriction injury, 93:1012
 - efficacy of preoperative parecoxib sodium, 93:721
 - hemorrhagic shock and analgesia, 93:424
 - interaction between neostigmine and GABA agonists, 93:1297
 - intrathecal $S(+)$ -ketamine, 93:1032
 - melanocortin-receptor blockade and neuropathic pain, 93:1572
 - midazolam and clonidine in analgesia, 93:1025
 - new section of journal (editorial), 93:526
 - PGE2 and NOS inhibition during strychnine allodynia, 93:728
 - prostaglandin-induced allodynia and capsaicin cream, 93:419
 - spinal anesthesia and chronic inflammatory demyelinating polyneuropathy, 93:1304
- pediatric
- acetaminophen analgesia, infants (letter), 93:1626
 - ambulatory surgery, fast-tracking (letter), 93:1361
 - anesthesia and naphazoline application, 93:1162
 - anesthesia for acquired tracheoesophageal fistula, 93:903
 - bispectral index, 93:326
 - calcium chloride protamine infusion, open heart patients, 93:92
 - caudal epidural for lobar emphysema, 93:348
 - caudals, test dose, and systemic injection, 93:1156
 - clonidine, lidocaine concentrations, and thoracic epidural, 93:1147
 - clonidine, sevoflurane, and agitation, 93:335
 - coagulopathy in neurosurgery, 93:887
 - detecting an occluded tracheal tube, neonates, 93:66
 - EMLA vs N_2O for venous cannulation, 93:590
 - endotracheal tubes, outer diameter (letter), 93:801
 - epidural ropivacaine-clonidine, 93:71
 - fentanyl, emergence agitation, and desflurane, 93:88
 - kinetics of epidural ropivacaine, 93:893
 - left paracarinal TEE for visualization of proximal left pulmonary artery, 93:594
 - lobar blockade for infant thoracoscopy, 93:96
 - management of preoperative anxiety, 93:98
 - mask induction, play stickers (letter), 93:1623
 - neuromuscular blocking drugs cost, 93:339
 - NO, CBF, and brain trauma, 93:351
 - pharmacokinetics of remifentanyl, 93:1393
 - positioning pediatric central venous catheters, 93:883
 - preoperative epidural morphine, 93:598
 - propofol anesthesia, 93:106
 - rectal $S(+)$ ketamine for premedication (letter), 93:1363
 - remifentanyl and pneumocardiograms in infants, 93:1387
 - remifentanyl anesthesia in infants, 93:1380
 - remifentanyl for neonates and infants (editorial), 93:1370
 - residual neuromuscular block after long-term vecuronium, 93:345
 - right internal jugular venography, 93:331
 - salbutamol, sevoflurane, and lung resistance, 93:898

Anesthesia—continued

- selective bronchial blockade, infants (letter), 93:1624
- spinal anesthesia in adolescents, 93:77
- sympatholytic effects of neuraxial opioids, 93:456
- thoracic anesthesia, high-frequency jet ventilation and (letter), 93:1362
- thoracic epidural under nerve stimulation guidance, 93:1152
- tranexamic acid for scoliosis surgery, 93:82
- regional
 - acidic bupivacaine and hyperalgesia, 93:466
 - amantadine and postoperative analgesia, 93:192
 - anesthesia and immune function, 93:460
 - blood pressure regulation during epidural anesthesia, 93:1580
 - bupivacaine-loaded microspheres and brachial plexus block, 93:447
 - clonidine with local anesthetic mixture for peribulbar block, 93:1593
 - epidural vs IV sufentanil, 93:466
 - epinephrine and tetracaine toxicity, 93:1050
 - femoral block, bacterial complication, 93:1045
 - fentanyl tolerance and ketamine, 93:213
 - inflatable axillary support device, 93:1338
 - IQB-9302, new local anesthetic, 93:1316
 - levobupivacaine 0.5% with or without epinephrine, 93:751
 - local anesthetic toxicity and resuscitation, 93:743
 - mechanism of action of clonidine on peripheral nerves, 93:771
 - modified approach for infraclavicular block, 93:436
 - MRI and supraclavicular lateral paravascular brachial plexus block, 93:442
 - new posterior sciatic block, 93:1040
 - opioid-induced hyperalgesia and incisional pain, 93:204
 - PCA wound instillation, 93:482
 - PCEA, ropivacaine vs bupivacaine, 93:1587
 - pioneers in epidural needle design, 93:215
 - prediction of successful epidural catheter by stimulation, 93:1035
 - preemptive analgesia with epidural morphine and ketamine, 93:1321

- 1% prilocaine vs 0.5% ropivacaine and axillary block, 93:187
- resuscitation during epidural anesthesia, 93:734
- "reverse" axis block for multiple arm fractures, 93:1618
- ropivacaine and bupivacaine cardiotoxicities, 93:1598
- ropivacaine with or without epinephrine, 93:1327
- single or multiple injections for femoral nerve block, 93:183
- spinal and systemic opioids, supraadditive interaction, 93:197
- sympatholytic effects of neuraxial opioids, 93:456
- systematic review of the intraarticular effects of morphine, 93:761
- tensile strength of epidural catheters, 93:210
- test dose and T-wave in the elderly, 93:1332
- test dose efficacy and sedation, 93:1612
- thoracic epidural anesthesia test dose, 93:749
- tizanidine for neuropathic pain, rats, 93:1310
- tizanidine for postoperative pain, rats, 93:1307
- ulnar nerve transposition under axillary blockade, 93:1606
- ultrasound and lumbar plexus block, 93:477

Anesthesia & Analgesia, see Publications**Anesthesia machines**, see Equipment**Anesthesiologists**

- business cards, physician recognition after general anesthesia, 93:1262
- ethical dilemma, patient threats, 93:1544
- measuring departmental clinical productivity, 93:309
- pain medicine and, new section of journal (editorial), 93:526
- pediatric, detection of occluded tracheal tube in neonates, 93:66
- perioperative physician and professionalism (editorial), 93:1088

Anesthetics, gases

- halogenated, *cis-trans* isomerism and anesthetic mechanisms, 93:922
- nitrous oxide (N₂O)
 - age, MAC, and MAC-awake, 93:947
 - B vitamins and, 93:1507
 - transient hyperemic response test and cerebral autoregulation, 93:171
 - vs EMLA cream, venous cannulation, children, 93:590

- xenon, lack of effect on human platelet function *in vivo*, 93:635

Anesthetics, intravenous

- alfentanil
 - in vitro* effects on isolated human right atria, 93:543
 - propofol/alfentanil, EEG burst suppression during, effect of esmolol, 93:1526
- dexmedetomidine, pharmacokinetics, volunteers with severe renal impairment, 93:1205
- etomidate, luciferase as model anesthetic site, 93:1246
- fentanyl
 - bupivacaine/fentanyl infusion, 93:1001
 - glucose metabolism and, 93:121
 - induced tolerance, reversal by administration of "small-dose" ketamine, 93:213
 - in vitro* effects on isolated human right atria, 93:543
 - minidose lidocaine-fentanyl spinal anesthesia, vs local anesthesia/propofol infusion, 93:319
 - reduction of emergence agitation associated with desflurane anesthesia, 93:88
 - vs remifentanyl, fast-track cardiac anesthesia, 93:859
 - vs sufentanil, fast-track cardiac anesthesia, 93:859
- ketamine
 - effects on cerebral arterioles, 93:697
 - effects on late cardiac preconditioning, 93:265
 - induced respiratory depression, involvement of μ -opioid receptor, 93:1495
 - small-dose, intraoperative, effect on postoperative analgesia, 93:606
 - small-dose, midazolam and, for sedation, 93:1174
 - small-dose, reversal of fentanyl-induced tolerance, 93:213
 - vs propofol, effect on magnitude of redistribution hypothermia, 93:934
- midazolam
 - effects on human opioid receptor binding and function, 93:354
 - glucose metabolism and, 93:121
 - sedation, left ventricular diastolic function, 93:865
 - sedative requirements during spinal anesthesia, effect of music, 93:912
 - small-dose ketamine and, for sedation, 93:1174

- nalbuphine, vs propofol, treatment of intrathecal morphine-induced pruritus, 93:162
- pentobarbital, small-dose, effect on synaptic transmission to hippocampus, rats, 93:1521
- propofol
- C₅₀ for loss of consciousness, early pregnancy, 93:1565
 - dose-range effects on contractility of fatigued diaphragm, dogs, 93:1194
 - effects on contractility of failing and nonfailing human heart muscles, 93:550
 - emulsion of long- and medium-chain triglycerides, injection pain, 93:382
 - induced bronchoconstriction, 93:645
 - infusion, with and without EDTA, maintenance anesthesia, 93:106
 - lipidemia and respiratory failure, 93:292
 - local anesthesia/propofol infusion, vs minidose lidocaine-fentanyl spinal anesthesia, 93:319
 - Na/H exchange in oxidative stress, 93:1199
 - oxidative stress status during exposure to, 93:981
 - placental transfer, effects of uterine and umbilical blood flows, 93:151
 - propofol/alfentanil, EEG burst suppression, effect of esmolol, 93:1526
 - propofol/isoflurane, vs sevoflurane, carotid surgery, 93:560
 - racial differences in anesthesia recovery, 93:1222
 - related cause of failure of fast-tracking after outpatient laparoscopy, 93:112
 - remifentanil-propofol, vs remifentanil, patient-controlled sedation for shock wave lithotripsy, 93:1227
 - sedation, BIS during, effect of noise, 93:1170
 - sedation, left ventricular diastolic function, 93:865
 - target-controlled infusion, vs sevoflurane, carotid surgery, 93:560
 - transient hyperemic response test and cerebral autoregulation, 93:171
 - use of remifentanil to facilitate LMA insertion, 83:359
 - vs ketamine, effect on magnitude of redistribution hypothermia, 93:934
 - vs nalbuphine, treatment of intrathecal morphine-induced pruritus, 93:162
- vs sevoflurane, induction of anesthesia, elderly ambulatory patients, 93:1185
- remifentanil
- administration, generalized tonic-clonic activity after, 93:1532
 - for neonates and infants (editorial), 93:1370
 - in vitro* effects on isolated human right atria, 93:543
 - pharmacokinetics, patients undergoing CABG with CPB, 83:1100
 - pharmacokinetics, pediatric patients undergoing elective surgery or diagnostic procedures, 93:1393
 - racial differences in anesthesia recovery, 93:1222
 - use to facilitate LMA insertion, 83:359
 - vs fentanyl, fast-track cardiac anesthesia, 93:859
 - vs halothane, neonates and infants undergoing pyloromyotomy, emergence and recovery profiles, 93:1380
 - vs halothane, neonates and infants undergoing pyloromyotomy, perioperative breathing patterns, 93:1387
 - vs remifentanil-propofol, patient-controlled sedation for shock wave lithotripsy, 93:1227
 - vs sufentanil, continuous recording of blood pressure, carotid surgery, 93:1402
 - vs sufentanil, fast-track cardiac anesthesia, 93:859
- sufentanil
- in vitro* effects on isolated human right atria, 93:543
 - vs fentanyl, fast-track cardiac anesthesia, 93:859
 - vs remifentanil, continuous recording of blood pressure, carotid surgery, 93:1402
 - vs remifentanil, fast-track cardiac anesthesia, 93:859
 - thiopental, effects on immune function, 93:460
- Anesthetics, local**
- bupivacaine
- acidic, topical application to lumbar ganglion, induction of mechanical hyperalgesia, rats, 93:466
 - bupivacaine/fentanyl infusion, 93:1001
 - effects on thromboxane-induced platelet aggregation, 93:1240
 - hyperbaric, 4 mg vs 6 mg, selective spinal anesthesia, outpatient knee arthroscopy, 93:1377
- hyperbaric, vs hyperbaric ropivacaine, spinal anesthesia, cesarean delivery, 93:157
- inhibitory effect on prostaglandin E₂ receptor functioning, mechanism of action, 93:628
- loaded microspheres, pharmacokinetics and pharmacodynamics, brachial plexus block, sheep, 93:447
- racemic, vs levobupivacaine combined with sufentanil and epinephrine, intrathecal labor analgesia, 93:996
- resuscitation during epidural anesthesia, 93:734
- stereoisomers, effects on cerebral pial arterioles, dogs, 93:1552
- systemic toxicity and resuscitation, rats, 93:743
- thoracic epidural, attenuation of supraventricular tachyarrhythmias after pulmonary resection, 93:253
- vs IQB-9302, ulnar nerve block induced by, 93:1316
- vs ropivacaine, electrophysiologic and hemodynamic effects, piglets, 93:1598
- vs ropivacaine, PCEA after abdominal surgery, 93:1587
- wound instillation, patient-controlled, analgesic efficacy after total abdominal hysterectomy with bilateral salpingo-oophorectomy, 93:482
- EMLA cream, vs N₂O, venous cannulation, children, 93:590
- IQB-9302, vs bupivacaine, ulnar nerve block induced by, 93:1316
- levobupivacaine
- 0.5%, with or without epinephrine, epidural anesthesia for lumbar spine surgery, 93:755
 - combined with sufentanil and epinephrine, vs racemic bupivacaine, intrathecal labor analgesia, 93:996
 - systemic toxicity and resuscitation, rats, 93:743
- lidocaine
- clonidine with, peribulbar block, 93:1593
 - concentrations, plasma, during continuous thoracic epidural anesthesia after clonidine premedication, 93:1147
 - effects on superoxide production and p47 phox translocation in opsonized zymosan-activated neutrophils, 93:1501

Anesthetics, local—continued

- effects on thromboxane-induced platelet aggregation, 93:1240
- inadvertent overdose via arterial flush apparatus, 93:1534
- minidose lidocaine-fentanyl spinal anesthesia, vs local anesthesia/propofol infusion, 93:319
- phrenic nerve infiltration, influence on ipsilateral shoulder pain after thoracotomy with epidural analgesia, 93:260
- thoracic epidural anesthesia test dose, 93:749
- mepivacaine, clonidine added to, enhancement of sensory blockade after midhumeral block, 93:771
- prilocaine, 1%, vs 0.5% ropivacaine, outpatient surgery under axillary brachial plexus block, 93:187
- ropivacaine
 - 0.5%, volume required for femoral nerve blockade, effects of single or multiple injections, 93:183
 - 0.5%, vs 1% prilocaine, outpatient surgery under axillary brachial plexus block, 93:187
- continuous intraarticular infusion, interscalene brachial plexus block, 93:601
- effects on thromboxane-induced platelet aggregation, 93:1240
- epidural, pharmacokinetics, infants and young children, 93:893
- hyperbaric, vs hyperbaric bupivacaine, spinal anesthesia, cesarean delivery, 93:157
- modified approach for infraclavicular block, 93:436
- new posterior sciatic block, 93:1040
- postoperative continuous epidural infusion, clonidine added to, dose-response relationship, children, 93:71
- stereoisomers, effects on cerebral pial arterioles, dogs, 93:1552
- systemic toxicity and resuscitation, rats, 93:743
- vs bupivacaine, electrophysiologic and hemodynamic effects, piglets, 93:1598
- vs bupivacaine, PCEA after abdominal surgery, 93:1587
- with or without epinephrine, femoral three-in-one block, 93:1327
- tetracaine
 - in 7.5% or 0.75% glucose, spinal anesthesia, adolescents and adults, 93:77

- intrathecal, effects of addition of epinephrine, 93:1050
- wound infiltration, randomized controlled trial (letter), 93:514

Anesthetics, volatile

- desflurane
 - age, MAC, and MAC-awake, 93:947
 - effects on pulmonary perfusion and systemic oxygenation during one-lung ventilation, pigs, 93:1434
 - emergence agitation associated with, incidence, effect of fentanyl, children, 93:88
 - oxidative stress status during exposure to, 93:981
 - related cause of failure of fast-tracking after outpatient laparoscopy, 93:112
 - solubility in human tissues, effect of temperature, 93:234
 - transient hyperemic response test and cerebral autoregulation, 93:171
 - vs sevoflurane, recovery of cognitive function after general anesthesia, elderly patients, 93:1489
- enflurane
 - age, MAC, and MAC-awake, 93:947
 - solubility in human tissues, effect of temperature, 93:234
- halothane
 - age, MAC, and MAC-awake, 93:947
 - attenuation of oxygen and glucose deprivation-induced neuronal apoptosis, 93:1281
 - solubility in human tissues, effect of temperature, 93:234
 - vs remifentanyl, neonates and infants undergoing pyloromyotomy, emergence and recovery profiles, 93:1380
 - vs remifentanyl, neonates and infants undergoing pyloromyotomy, perioperative breathing patterns, 93:1387
 - xenon and platelet function, 93:635
- isoflurane
 - age, MAC, and MAC-awake, 93:947
 - attenuation of oxygen and glucose deprivation-induced neuronal apoptosis, 93:1281
 - deliberate hypotension and splanchnic perfusion, 93:1116
 - effects on immune function, 93:460
 - effects on native and chimeric muscarinic acetylcholine receptors, role of protein kinase C, 93:375
 - effects on pulmonary perfusion and systemic oxygenation during one-lung ventilation, pigs, 93:1434
 - glucose metabolism and, 93:121
 - induced hypotension, vs sodium nitroprusside, effects on brain oxygenation and arteriovenous shunting, 93:166
 - long-duration low-flow, effects on postoperative renal and hepatic function, 93:1511
 - luciferase as model anesthetic site, 93:1246
 - prolonged CO formation in soda lime, 93:488
 - propofol/isoflurane, vs sevoflurane, carotid surgery, 93:560
 - recovery profile of baroreflex control of heart rate, 93:1127
 - simple apparatus for faster recovery, 93:1188
 - solubility in human tissues, effect of temperature, 93:234
- sevoflurane
 - age, MAC, and MAC-awake, 93:947
 - BIS in infants and children, 93:326
 - BIS monitoring in outpatients, 93:613
 - induced agitation, prevention, treatment with clonidine, children, 93:335
 - ketamine reduces redistribution hypothermia, 93:934
 - ketoalac and, effect on renal glomerular and tubular function, 93:1210
 - long-duration low-flow, effects on postoperative renal and hepatic function, 93:1511
 - oxidative stress status during exposure to, 93:981
 - recovery profile of baroreflex control of heart rate, 93:1127
 - related cause of failure of fast-tracking after outpatient laparoscopy, 93:112
 - salbutamol and lung resistance, 93:898
 - solubility in human tissues, effect of temperature, 93:234
 - titration using BIS decreases postoperative vomiting, 93:1165
 - vs desflurane, recovery of cognitive function after general anesthesia, elderly patients, 93:1489
 - vs propofol, induction of anesthesia, elderly ambulatory patients, 93:1185
 - vs target-controlled infusion propofol, carotid surgery, 93:560

Anesthetic techniques

- acupuncture, auricular, use to reduce preoperative anxiety, 93:1178
- axillary blockade, ulnar nerve transposition, 93:1606

- brachial plexus block
 - axillary, outpatient hand surgery, clinical outcome and cost analysis, 93:1181
 - axillary, 1% prilocaine vs 0.5% ropivacaine, outpatient-based surgery, 93:187
 - axillary, "reverse" axis block, patient with fractures of shoulder and elbow, 93:1618
 - infraclavicular, modified approach of Raj technique, 93:436
 - interscalene, local anesthetic, pain therapy with (letter), 93:1623
 - interscalene, "reverse" axis block, patient with fractures of shoulder and elbow, 93:1618
 - interscalene, with continuous intraarticular infusion of ropivacaine, 93:601
 - pharmacokinetics and pharmacodynamics of bupivacaine-loaded microspheres, sheep, 93:447
 - supraclavicular lateral paravascular approach (Moorthy's block), simulation study using MRI, 93:442
- caudal epidural
 - analgesia, continuous, congenital lobar emphysema, 93:348
 - test dosing and recognition of systemic injection, children, 93:1156
- combined spinal/epidural
 - intrathecal levobupivacaine during labor, 93:996
 - neostigmine with bupivacaine, clonidine, and sufentanil, 93:1560
- CO₂ pneumoperitoneum, hemodynamics in pregnancy laparoscopy, 93:1570
- cricoid pressure, pressor response and airway effects, 93:787
- deliberate hypotension
 - brain arteriovenous shunting with sodium nitroprusside, 93:166
 - influence on splanchnic perfusion balance, 93:1116
- electrical stimulation, guidance, thoracic epidural, 93:1152
- epidural
 - analgesia, CABG (editorial), 93:523
 - analgesia, effect on postoperative myocardial infarction, meta-analysis, 93:853
 - analgesia, ipsilateral shoulder pain after thoracotomy, 93:260
 - analgesia, labor, neonatal sepsis evaluation, 93:986
 - analgesia, labor, predictors of breakthrough pain during, 93:414
 - blood pressure regulation, conscious dogs, 93:1580
 - bupivacaine/fentanyl infusion, 93:1001
 - catheter placement at predicted site by electrical stimulation test, 93:1035
 - cesarean delivery, triplets, maternal and neonatal outcomes, 93:991
 - effects on immune function, 93:460
 - glucose metabolism and, 93:121
 - levobupivacaine 0.5% with or without epinephrine, lumbar spine surgery, 93:755
 - lipid-opioid interactions modulate drug distribution, 93:928
 - lumbar vs thoracic, effect on cardiopulmonary function, ovine pulmonary embolism, 93:1460
 - needle design, pioneers, 93:215
 - postanesthetic shivering, comparison of tramadol, amitriptyline, and meperidine, 93:1288
 - resuscitation during, efficacy of epinephrine or vasopressin, 93:734
 - ropivacaine, infants and young children, 93:893
 - ropivacaine, postoperative continuous infusion, clonidine added to, dose-response relationship, children, 93:71
 - tensile strength of catheters, 93:210
 - test dose, intravascular injection, T wave amplitude as indicator, 93:1332
 - test dose, simulated intravascular, efficacy in sedated patients, 93:1612
- fast-tracking
 - cardiac surgery, comparison of fentanyl, sufentanil, and remifentanyl, 93:859
 - failure to bypass PACU after laparoscopy, 93:112
 - pediatric ambulatory surgery (letter), 93:1361
- femoral nerve block
 - continuous, for postoperative analgesia, bacterial complications, 93:1045
 - extended, after total hip arthroplasty (letter), 93:804
 - three-in-one, ropivacaine with or without epinephrine, 93:1327
 - volume of 0.5% ropivacaine required, effects of single or multiple injections, 93:183
- general
 - cognitive function after, desflurane vs sevoflurane, elderly patients, 93:1489
 - effects on immune function, 93:460
 - induction, pressor response and airway effects of cricoid pressure, 93:787
 - optimizing anesthesia for inguinal herniorrhaphy (editorial), 93:1367
 - outpatient hand surgery, clinical outcome and cost analysis, 93:1181
 - supplemental oxygen during transport, 93:917
- intrathecal analgesia, effect on success of external cephalic version, 93:410
- intravenous regional, outpatient hand surgery, clinical outcome and cost analysis, 93:1181
- lumbar plexus block, posterior, ultrasound-guided, study of paravertebral anatomy, 93:477
- midhumeral block, enhancement of sensory blockade by clonidine added to mepivacaine, 93:771
- patient-controlled analgesia (PCA) after major abdominal surgery, ketamine and morphine vs morphine alone, 93:116
- epidural vs intravenous sufentanil, postoperative pain relief, 93:472
- wound instillation, bupivacaine, analgesic efficacy after total abdominal hysterectomy with bilateral salpingo-oophorectomy, 93:482
- patient-controlled epidural analgesia (PCEA), after abdominal surgery, ropivacaine vs bupivacaine, 93:1587
- peribulbar block, dose-response study of clonidine with local anesthetic mixture, 93:1593
- peripheral nerve block, complications related to, preventing (letter), 93:1080
- phrenic nerve infiltration, with lidocaine, influence on ipsilateral shoulder pain after thoracotomy with epidural analgesia, 93:260
- preemptive analgesia
 - continuous caudal epidural, congenital lobar emphysema, 93:348
 - preoperative epidural morphine, effect on postoperative analgesia, children, 93:598
 - with epidural morphine and ketamine, 93:1321
- rapid-sequence induction, voluntary hyperventilation before, failure to decrease postintubation PaCO₂, 93:1277
- scalp nerve block, effect on severity of pain after craniotomy, 93:1272

Anesthetic techniques—continued

sciatic nerve block, new posterior approach, 93:1040

spinal

antinociceptive interactions of endomorphin-1, rats, 93:1018
anxiolytic effects of music, 93:912
cardiac arrest during (letter), 93:245
cesarean delivery, effect of crystalloid bolus, 93:703

cesarean delivery, hyperbaric ropivacaine vs hyperbaric bupivacaine, 93:157

cesarean delivery, patient with progressive chronic inflammatory demyelinating polyneuropathy, 93:1304

cesarean delivery, triplets, maternal and neonatal outcomes, 93:991

epinephrine and tetracaine toxicity, 93:1050

ketamine, patient with established morphine tolerance, 93:1032

large-dose intrathecal opioids, effect on autonomic nervous system, 93:456

lipid-opioid interactions modulate drug distribution, 93:928

midazolam and clonidine in analgesia, 93:1025

minidose lidocaine-fentanyl spinal vs MAC, 93:319

morphine, systemic opioids and, supraadditive interaction, 93:197

opiate effects of benzodiazepines, 93:354

PGE2 and NOS inhibition during strychnine allodynia, 93:728

selective, hyperbaric bupivacaine 4 mg vs 6 mg, outpatient knee arthroscopy, 93:1377

tetracaine in 7.5% or 0.75% glucose, adolescents and adults, 93:77

target-controlled infusion

effect of noise on BIS during propofol sedation, 93:1170

propofol, vs sevoflurane, carotid surgery, 93:560

thoracic epidural

anesthesia and analgesia, for CABG, potential benefits, 93:528

bupivacaine, attenuation of supraventricular tachyarrhythmias after pulmonary resection, 93:253

high, minimally invasive direct CABG under, 93:1486

improvement of cardiopulmonary function, ovine pulmonary embolism, 93:1460

plasma lidocaine concentrations

during, after clonidine

premedication, 93:1147

test dose, lidocaine, 93:749

under nerve stimulation guidance, 93:1152

transdermal drug delivery, fentanyl

patch, patient using, overdose

during treatment with warming

blanket, 93:647

ulnar nerve block, IQB-9302 vs

bupivacaine, 93:1316

unmonitored local, hernia repair, 93:1367

wound instillation

local anesthetics, randomized

controlled trial (letter), 93:514

patient-controlled, bupivacaine,

analgesic efficacy after total

abdominal hysterectomy with

bilateral salpingo-oophorectomy,

93:482

Anesthetists, nurse, carpal tunnel

syndrome, 93:975

Angiotensin-converting enzyme

inhibitors, see Pharmacology

Antagonists, neuromuscular relaxants,

neostigmine, early or late reversal

of rapacuronium, 93:370

Antagonists, opioid, naloxone, opioid-

induced hyperalgesia and incisional

pain, 93:204

Anterior interosseous nerve palsy, see

Complications

Antibiotics, clindamycin, residual

neuromuscular block after long-

term vecuronium, 93:345

Antifibrinolytics, tranexamic acid,

prophylactic use, incidence of

arterial thrombosis, liver

transplantation (letter), 93:516

Antimicrobial agents, EDTA, propofol

anesthesia, infants and healthy

children, 93:106

Antinociception, see Pain

Anxiety

perioperative, anxiolytic effects of music,

93:912

preoperative

acute anxiolysis by tandospirone,

93:1214

management, children, 93:98

reduction, use of auricular

acupuncture, 93:1178

Aortic surgery, see Surgery, abdominal

Aortic valve prosthesis, mechanical

dysfunction associated with

biological glue (letter), 93:1627

Apgar scores, anesthesia for triplets,

93:991

Apoptosis, see Nerves

Arachnoiditis, see Complications

Arterial stimulation venous sampling, see

Monitoring

Arterial thrombosis, see Complications

Arteries

carotid, cibenzoline and K⁺ channels, 93:282

hepatic, anastomosis during liver transplantation, heparin effect after (letter), 93:802

internal mammary, reversal of histamine-induced vasodilation, 93:1453

left pulmonary, proximal, assessment by TEE and CT, neonates and infants, 93:594

Arteriovenous shunting, see Brain

Artificial intelligence, computer-based

decision support for pain

management, 93:712

Aspiration, see Complications; Lung

Aspirin, see Coagulation

Asthma, see Lungs

Atenolol, see Pharmacology

Atracurium, see Neuromuscular relaxants

Atrial fibrillation, see Heart

Atrial natriuretic peptide, see Peptides

Atrium, see Heart

Atropine, see Pharmacology

Autonomic nervous system, effect of

large-dose intrathecal opioids,

93:456

Awareness, see Complications

Axillary blockade, see Anesthetic

techniques

Baroreflex, see Sympathetic nervous

system

Barotrauma, see Complications

Benzodiazepines, effects on human opioid

receptor binding and function,

93:354

Bispectral index (BIS), see Monitoring,

electroencephalography

Bleeding, see Complications

Blindness

associated with severe preeclampsia/eclampsia (letter), 93:1081

frequency of perioperative vision loss, 93:1417

risk factors for ischemic optic neuropathy after CPB, 93:1410

Blood

arterial vs venous, TEG® variables

during cardiac surgery, 93:277

hemoglobin-based oxygen carrier

microcirculation, resuscitation, and

hemoglobin glutamer-200, 93:832

- restoration of fetal oxygen content
 - after maternal hemorrhage, pregnant sheep, 93:142
- hemoglobin M_{water} patient with, anesthetic management, 93:1192
- intraoperative cell salvage
 - errors because of inappropriate wash solutions, 93:1483
- leukocytes in salvaged washed autologous blood, safety, 93:566
- leukocytes
 - activation, Na^+/H^+ exchanger blockade and, 93:1472
 - in salvaged washed autologous blood, safety, 93:566
- loss, severe intractable, after valve repair, treatment, single dose of activated recombinant factor VII, 93:287
- transfusion
 - allogeneic, in reoperative CABG, plateletpheresis and, 93:536
 - autotransfusion, leukocytes in salvaged washed autologous blood, 93:566
 - coagulopathy during spinal surgery, 93:33
 - requirements, scoliosis surgery, randomized trial of tranexamic acid, 93:82
- Blood-brain barrier**, see Brain
- Blood flow**, see Brain; Liver; Umbilical cord; Uterus
- Blood pressure**
 - arterial, during spinal anesthesia for cesarean delivery, metaraminol infusion for maintenance, effect of crystalloid bolus, 93:703
 - effects of cricoid pressure during induction of general anesthesia, 93:787
 - hypotension
 - fenoldopam-induced, reduced regional and global CBF during, volunteers, 93:45
 - intraoperative, treatment, terlipressin, 93:53
 - isoflurane-induced, vs sodium nitroprusside, effects on brain oxygenation and arteriovenous shunting, 93:166
 - regulation, during epidural anesthesia, conscious dogs, 93:1580
 - response to μ -opioid peptide agonists, resensitization after acute desensitization, 93:581
- Blood pressure monitoring**, see Monitoring
- Body mass index**, impact on prediction of laryngoscopy grade, 93:1073
- Book and multimedia reviews**
 - Advanced Pediatric Life Support, the Practical Approach, 3rd Edition, 93:520
 - Anesthesia Review: A Study Guide to Anesthesia, 5th Edition and Basics of Anesthesia, 4th Edition, 93:1365
 - Board Too Stiff: Preparing for the Anesthesia Orals, 93:805
 - Careers in Anesthesiology, An Autobiographical Memoir, Volume V, 93:805
 - Careers in Anesthesiology, Autobiographical Memoirs, Volume 4, 93:520
 - Childbirth and Pain Relief, 93:805
 - Clinical Anesthesia, 4th Edition, 93:807
 - Clinical Monitoring: Practical Applications for Anesthesia and Critical Care, 93:521
 - Day Care Anaesthesia, 93:247
 - Manual of Pediatric Anesthesia, 5th edition, 93:1083
 - Molecular Bases of Anesthesia, 93:806
 - PACU and Anesthesia Management, Volume 12, Number 3 of *Problems in Anesthesia*, 93:247
 - Percutaneous Central Venous and Arterial Catheterization, 3rd edition, 93:1083
 - Peripheral Nerve Block: A Color Atlas, 93:1084
 - Practical Fiberoptic Intubation, 93:1629
 - A Practice of Anesthesia for Infants and Children, 3rd Edition, 93:1629
 - Preoperative Assessment, 93:1083
- Brachial plexus block**, see Anesthetic techniques
- Brain**
 - arteriovenous shunting, effects of sodium nitroprusside vs isoflurane-induced hypotension, 93:166
 - blood-brain barrier, disruption, effects of alpha-human atrial natriuretic peptide and milrinone on pial vessels during, rabbits, 93:177
 - blood flow
 - influence of inhaled NO, child with traumatic brain injury, 93:351
 - regional and global, reduced during fenoldopam-induced hypotension, 93:45
 - transient hyperemic response test and cerebral autoregulation, 93:171
 - cognitive function
 - decline, cerebral oxygenation and (letter), 93:1628
 - outcome after CABG, jugular bulb oxyhemoglobin desaturation and $S_{100\beta}$, 93:839
 - recovery, after general anesthesia, desflurane vs sevoflurane, elderly patients, 93:1489
 - hippocampus, synaptic transmission, effect of small-dose pentobarbital, rats, 93:1521
 - ischemia
 - evoked potentials and carotid endarterectomy, 93:39
 - halothane/isoflurane and neuronal apoptosis, 93:1281
 - microcirculation, differential effects of stereoisomers of ropivacaine and bupivacaine, dogs, 93:1552
 - oxygenation
 - cognitive decline and, 93:1628
 - effects of sodium nitroprusside vs isoflurane-induced hypotension, 93:166
 - subacute cerebellar degeneration, paraneoplastic, 93:1557
 - traumatic injury, CBF and metabolism, influence of inhaled NO, child, 93:351
 - vascular response, effects of ketamine, 93:697
- Brain natriuretic peptide**, see Peptides
- Bronchoconstriction**, see Complications; Lung
- Bronchoscopy**, see Surgery
- Bupivacaine**, see Anesthetics, local; Pharmacology
- Buprenorphine**, see Analgesics
- Business cards**, see Anesthesiologists
- Bupirone**, see Pharmacology
- Caffeine contracture**, see Tests
- Calcium**, see Ions
- Calcium chloride**, see Pharmacology
- Cancer**, see Lung
- Cannulation**, see Veins
- Capnography**, see Monitoring
- Capsaicin cream**, see Analgesics
- Carbohydrate drink**, see Preoperative
- Carbon dioxide**
 - absorbents
 - Amsorb®, vs soda lime, carbon dioxide absorption capacity, 93:221
 - sevoflurane degradation, long-duration low-flow sevoflurane, 93:1511
 - soda lime, dry, prolonged CO formation at low gas flow, 93:488
 - soda lime, vs Amsorb®, carbon dioxide absorption capacity, 93:221
 - expired, monitoring, complications, check-valve obstruction, 93:971

Carbon dioxide—continued

- hypercapnia, related to faulty co-axial breathing circuit, 93:973
- monitoring, $\text{PaCO}_2/\text{ETCO}_2$ ratio, origin (letter), 93:1625
- rebreathing
 - hypercapnia with co-axial breathing circuit, 93:973
 - prevention, use of nasal cannula, 93:667
- vascular response, ketamine and cerebral arterioles, 93:697

Carbon monoxide, see Gases, nonanesthetic**Cardiac arrest, see Complications; Heart****Cardiopulmonary resuscitation (CPR)**

- anterior interosseous nerve palsy after, resuscitator with undiagnosed muscle anomaly, 93:290
- delayed cardiopulmonary reaction to intravenous immunosuppressant, 93:1260
- during epidural anesthesia, efficacy of epinephrine or vasopressin, 93:734
- ECG signal analysis during cardiac arrest, 93:1428
- improving standard CPR with inspiratory impedance threshold valve, 93:649
- local anesthetic toxicity and resuscitation, 93:743
- mouth-to-mouth ventilation during (editorial), 93:4
- performed by bystanders, lack of increase in adverse effects as assessed by chest radiography, 93:128
- tidal volumes and rescue breathing, 93:1265

Cardiotoxicity, see Toxicity**Cardiovascular anesthesia, see Anesthesia****Cariporide, see Pharmacology****Carotid artery compression test, see Measurement techniques****Carotid endarterectomy, see Surgery****Carpal tunnel syndrome, see Complications****Cataract surgery, see Surgery****Catheters, see Equipment****Caudal epidural, see Anesthetic techniques****Cells, proliferation, influence of muscle relaxants, 93:690****Cerebral oximetry, see Measurement techniques****Cerebrospinal fluid (CSF)**

- amino acids, excitatory, in pregnant women, effect on labor pain, 93:1293

- glutamate concentrations, effect of addition of epinephrine to intrathecal tetracaine, 93:1050
- TNF- α concentrations, perioperative, effect of clonidine, 93:363

Cesarean delivery, see Surgery**C-Fos, see Proteins****Channels, potassium, ATP-sensitive, cibenzoline and, 93:282****Chest radiography, see Monitoring****Chest tube, see Equipment****Chronic inflammatory demyelinating polyneuropathy, see Complications****Cibenzoline, see Pharmacology****Circumcision, see Surgery****Cisatracurium, see Neuromuscular relaxants****Clindamycin, see Antibiotics****Clonidine, see Interactions, drug; Pharmacology; Receptors, α_2 -adrenergic, agonists****Coagulation**

- activated recombinant factor VII, for severe intractable bleeding after valve repair, 93:287
- analyzer, Thrombelastograph®, arterial and venous samples, 93:277
- aspirin, therapy, perioperative, effect in peripheral vascular surgery, 93:573
- autologous platelet gel, allogeneic blood transfusion after reoperative CABG, 93:536
- bleeding and platelet aggregation inhibitors, 93:878
- coagulopathy in pediatric neurosurgery, 93:887
- factor XI and factor XII, hemostatic analysis of patient with hereditary angioedema, 93:1480
- heparin
 - effect after hepatic artery anastomosis during liver transplantation (letter), 93:802
 - effects on platelet function, conditions of arterial shear stress, 93:20
 - Hextend®, hemorrhage, and heparin activity, 93:1106
 - induced thrombocytopenia, relationship between hirudin and ACT, 93:28
 - neutralization with heparinase-I, 93:1446
- hirudin, ACT and, relationship, patients with heparin-induced thrombocytopenia, 93:28
- platelets
 - aggregation, thromboxane-induced, local anesthetic actions, 93:1240

- function, conditions of arterial shear stress, effects of heparin, protamine, and heparin/protamine reversal, 93:20

- function, xenon and, 93:635

- plateletpheresis, allogeneic blood transfusion after reoperative CABG, 93:536

- vasopressin in septic and postcardiotomy shock, 93:7

protamine

- effects on platelet function, conditions of arterial shear stress, 93:20
- infusion, effect on hemodynamic stability of varying calcium chloride administration during, pediatric open-heart patients, 93:92
- tranexamic acid, to reduce blood transfusion for scoliosis surgery, randomized trial, 93:82

Coagulation tests, see Measurement techniques**Co-axial breathing circuit, see Equipment****Cognitive function, see Brain****Colforsin daropate hydrochloride, see Pharmacology****Colloids, see Fluid balance****Combined spinal/epidural, see Anesthetic techniques****Complications**

- acquired tracheoesophageal fistula, anesthetic management, 93:903
- acute respiratory distress syndrome, patients with, pharmacokinetics of cisatracurium, 93:400
- agitation, sevoflurane-induced, prevention, treatment with clonidine, children, 93:335
- anterior interosseous nerve palsy, after CPR in resuscitator with undiagnosed muscle anomaly, 93:290
- arachnoiditis, body temperature and diaphoresis disturbances, 93:1578
- arterial thrombosis, incidence, prophylactic use of tranexamic acid in liver transplantation (letter), 93:516
- aspiration
 - CPR resuscitation-associated adverse effects, 93:128
 - gastric contents, anesthetic practice, 93:494
 - mouth-to-mouth resuscitation during CPR (editorial), 93:4
 - of contaminating material, during jet ventilation for endolaryngeal procedures (letter), 93:1625
- awareness, intraoperative

- neuromuscular blockers and (letter), 93:1081
- unintended, false negative BIS (letter), 93:798
- barotrauma, during jet ventilation for endolaryngeal procedures (letter), 93:1625
- bleeding
 - effect of perioperative aspirin therapy in vascular surgery, 93:573
 - patient receiving platelet aggregation inhibitors, 93:878
- bronchoconstriction, propofol-induced, 93:645
- cardiac arrest, during spinal anesthesia (letter), 93:245
- carpal tunnel syndrome, in female nurse anesthetists vs OR nurses, 93:975
- cerebral ischemia, evoked potentials and carotid endarterectomy, 93:39
- chronic inflammatory demyelinating polyneuropathy, patient with, subarachnoid block, 93:1304
- cyanosis, anesthetic management of patient with hemoglobin M_{Iwate}, 93:1192
- diabetes, critically ill patients, multimodal postoperative rehabilitation program (letter), 93:1623
- eclampsia, blindness associated with (letter), 93:1081
- emergence agitation, associated with desflurane anesthesia, incidence, effect of fentanyl, children, 93:88
- gastric insufflation
 - CPR resuscitation-associated adverse effects, 93:128
 - cricoid pressure, pressor response and airway effects, 93:787
 - mouth-to-mouth resuscitation during CPR (editorial), 93:4
- hereditary angioedema, patient undergoing CABG, hemostatic analysis, 93:1480
- hiccups
 - after LMA insertion, atropine for treatment, 93:791
 - refractory postoperative, use of nefopam, 93:1358
- hyperbilirubinemia, cerebral oximetry and (letter), 93:245
- hyperchloremic metabolic acidosis colloids, crystalloids, mucosal perfusion, and the elderly, 93:811
- lactate vs chloride (editorial), 93:809
- hyperkalemia, rebound perioperative, after cessation of ritodrine for premature labor, 93:709
- hyperlipidemia, patient with, respiratory failure after pneumonectomy, 93:292
- hypotension, crystalloid bolus in spinal cesarean delivery, 93:703
- hypoxia, supplemental oxygen during transport, 93:917
- intravascular injection
 - caudal epidural block, children, 93:1156
 - epidural test dose, T-wave as indicator, elderly patients, 93:1332
 - lidocaine overdose via arterial flush apparatus, 93:1534
 - test dose efficacy and sedation, 93:1612
- ischemic optic neuropathy, after CPB, risk factors, 83:1410
- Lazarus syndrome, restoration of circulation after cessation of positive pressure ventilation (letter), 93:241
- multiple sclerosis (MS), cervical lesion, respiratory failure, 93:1550
- neuroma, radial nerve lesions during wrist vein puncture, 93:1058
- neuropathy, postoperative, ulnar nerve transposition, 93:1606
- obesity
 - gastric content volume, 93:1621
 - morbidity, central venous access (letter), 93:1363
- postcardiotomy shock, systemic hemodynamics, effects of vasopressin, retrospective analysis, 93:7
- preeclampsia, severe, blindness associated with (letter), 93:1081
- prolonged neuromuscular block, after long-term vecuronium, 93:345
- pruritus, intrathecal morphine-induced, after cesarean delivery, treatment, nalbuphine vs propofol, 93:162
- recurrent laryngeal nerve paralysis, thyroid surgery, 93:396
- renal failure, after radiofrequency liver ablation of metastatic carcinoma tumor, 93:587
- seizures, generalized tonic-clonic activity after remifentanyl administration, 93:1532
- septic shock, catecholamine-resistant, systemic hemodynamics, effects of vasopressin, retrospective analysis, 93:7
- shivering
 - postepidural anesthetic, comparison of tramadol, amitriptyline, and meperidine, 93:1288
 - postoperative, effects of buspirone and meperidine, 93:1233
- stridor, esophageal aspiration of air through drain tube of ProSeal[®] LMA, 93:1354
- stroke, patients with, somatosensory evoked potential monitoring during carotid endarterectomy, 93:39
- Takayasu's arteritis, anesthetic management, 93:60
- thrombocytopenia, heparin induced, patients with, undergoing cardiac surgery, implications of relationship between hirudin and ACT, 93:28
- tracheal injury, after emergent endotracheal intubation, 93:1270
- tracheogastric fistula, anesthetic management, 93:1076
- unconsciousness, anesthesia and naphazoline application, 93:1162
- Computed tomography**, see Imaging techniques
- Computer-assisted intravital microscopy study**, effects of hemoglobin glutamer-200 on microcirculation, canine hypovolemia model, 93:832
- Computer-based decision support**, management of chronic pain, 93:712
- Computer software**, practical issues in bispectral analysis of EEG signals, 93:966
- Congenital lobar emphysema**, see Lung
- Convulsants, gases, cis-trans isomerism and anesthetic mechanisms**, 93:922
- Coronary embolism**, see Embolism
- Corticosteroids**, respiratory failure in MS cervical lesion, 93:1550
- Cost analysis**, see Economics
- COX-2 inhibitors**, see Nonsteroidal antiinflammatory drugs
- Craniotomy**, see Surgery
- Cricoid pressure**, see Anesthetic techniques
- Critical care and trauma**, see Anesthesia
- Crystalloids**, see Fluid balance
- Cuffed oropharyngeal airway**, see Equipment
- Current perception thresholds**, see Measurement techniques
- Cyanosis**, see Complications
- Cytokines**, see Inflammation
- Deliberate hypotension**, see Anesthetic techniques
- Desflurane**, see Anesthetics, volatile
- Dexmedetomidine**, see Receptors, α_2 -adrenergic, agonists
- Diabetes**, see Complications
- Diaphragm**, see Muscles
- Diazepam**, see Pharmacology
- 1,2-Dichlorohexafluorocyclobutane**, see Nonimmobilizers

- Diclofenac**, see Nonsteroidal antiinflammatory drugs
- Dobutamine**, see Pharmacology
- Dolasetron**, see Pharmacology
- Dopamine**, see Pharmacology
- Dose-response**, see Pharmacodynamics
- Economics**
- cost analysis, anesthetic techniques for outpatient hand surgery, 93:1181
 - health systems research and academic anesthesiology finances in 2000, 93:294
 - business cards and rate of anesthesiologist recognition, 93:1262
 - carpal tunnel syndrome in anesthesiologists, 93:975
 - economic impact of longer-than-average anesthesia times, 93:1537
 - measurement of faculty clinical responsibility, 93:313
 - measuring departmental clinical productivity, 93:309
 - patients' willingness to pay for antiemetic (letter), 93:514
 - pharmacoeconomics of neuromuscular blocking drugs, 93:339
 - preoperative laboratory testing, geriatric surgical patients, 93:301
 - variability in surgeons' cases' profitability, 93:669
- EDTA**, see Antimicrobial agents
- Education**
- academic anesthesiology finances in 2000, 93:294
 - clinical skills learning center, learning of endotracheal intubation, 93:656
 - training and certification, perioperative TEE, 93:1422
- Elderly**, see Age factors
- Electrical stimulation**, see Anesthetic techniques
- Electrical stimulation test**, see Monitoring
- Electrocardiogram**, see Monitoring
- Electroencephalography**, see Monitoring
- Electromyography**, see Monitoring
- Embolism**
- air
 - patent foramen ovale, significance in perioperative period, 93:1137
 - systemic, during wedge resection of the lung, 93:1135
 - coronary, after repair of ascending aortic dissection, treatment, 93:56
 - left-sided cardiac gas, produced by H₂O₂, intraoperative diagnosis using TEE, 93:1132
 - pulmonary
 - effects of thoracic vs lumbar epidural anesthesia, sheep, 93:1460
 - tourniquet time and, knee arthroscopy, 93:776
- Emergence**, from anesthesia
- BIS in infants and children, 93:326
 - delirium, sevoflurane-induced, prevention, treatment with clonidine, children, 93:335
- Emergence agitation**, see Complications
- EMLA cream**, see Anesthetics, local
- Emulsion**, see Preservatives
- Endolaryngeal procedures**, see Surgery
- Endothelin, endogenous**, see Receptors
- Endotracheal tube**, see Equipment
- Enflurane**, see Anesthetics, volatile
- Enzymes**
- antioxidant, oxidative stress status evaluation, 93:981
 - heparinase-I, for heparin neutralization in coronary artery surgery, 93:1446
 - protein kinase C, role, effects of isoflurane on muscarinic acetylcholine receptors, 93:375
- Eosinophilic cationic protein**, see Monitoring
- Epidural**, see Anesthetic techniques
- Epinephrine**, see Pharmacology;
- Sympathetic nervous system
- Equipment**
- anesthesia machines
 - Anesthesia Delivery Unit (ADU), vaporizing unit, 93:391
 - automated recording, safety-oriented drug administration, 93:385
 - longevity of CO₂ absorbents, 93:221
 - prolonged CO formation in soda lime, 93:488
 - catheters
 - central venous, optimal length of insertion, pediatric patients, 93:883
 - epidural, placement at predicted site by electrical stimulation test, 93:1035
 - epidural, tensile strength, 93:210
 - epidural, thoracic, test dose of lidocaine, 93:749
 - femoral nerve block, bacterial complications, 93:1045
 - perforation, venous double cannulation, avoiding complications (letter), 93:1080
 - pulmonary artery, placement, after tricuspid valve surgery, facilitation by TEE (letter), 93:242
 - transtracheal, fiberoptically-guided insertion, 93:663
 - chest tube, drainage, after reoperative CABG, plateletpheresis and, 93:536
 - co-axial breathing circuit, faulty, hypercapnia related to, 93:973
 - cuffed oropharyngeal airway (COPA), gastroesophageal reflux and aspiration of gastric contents, 93:494
 - endotracheal tube
 - accidental dislodgment, prevention, use of bougie (letter), 93:1364
 - check-valve obstruction, 93:971
 - new grip (letter), 93:244
 - pediatric, advantage of outer diameter (letter), 93:801
 - esophageal-tracheal Combitube, gastroesophageal reflux and aspiration of gastric contents, 93:494
 - inflatable pillows, as axillary support devices during surgery, 93:1338
 - inspiratory impedance threshold valve, improving standard CPR with, 93:649
 - laryngeal mask airway (LMA)
 - classic vs ProSeal[®], positive pressure ventilation, 93:1351
 - esophageal sphincters and, 93:226
 - gastroesophageal reflux and aspiration of gastric contents, 93:494
 - influence on shape of submandibular gland, 93:1069
 - insertion, facilitation, use of remifentanyl, 93:359
 - insertion, hiccup after, atropine for treatment, 93:791
 - ProSeal[®], esophageal aspiration of air through drain tube, 93:1354
 - "soap bubbles" and "gauze thread" Drain Tube tests (letter), 93:1082
 - laryngeal tube, gastroesophageal reflux and aspiration of gastric contents, 93:494
 - laryngoscope, articulating, and external laryngeal manipulation (letter), 93:1078
 - masks, pediatric mask induction, use of play stickers (letter), 93:1623
 - nasal cannula, to prevent rebreathing for spontaneously breathing patients under surgical drapes, 93:667
 - needles
 - central venous access, morbidly obese patients (letter), 93:1363
 - epidural, design, pioneers, 93:215
 - nerve stimulators
 - excessive voltage output (letter), 93:515
 - single or multiple injections for femoral nerve block, 93:183
 - pulse oximeter, waveform analysis and blood pressure, 93:1466
 - Thrombelastograph[®]
 - bleeding and platelet aggregation inhibitors, 93:878

- coagulopathy in pediatric neurosurgery, 93:887
- hemostatic analysis of patient with hereditary angioedema, 93:1480
- variables, arterial and venous, during cardiac surgery, 93:277
- tourniquet, duration, and number of emboli, knee arthroscopy, 93:776
- tracheal tube, occluded, neonates, detection by pediatric anesthesiologists, 93:66
- vaporizers, ADU vaporizing unit, 93:391
- ventilators
 - hose, water obstructing, cause of rattling of unidirectional valves (letter), 93:802
 - induced lung injury, cytokines during (editorial), 93:251
 - warming blanket, treatment with, opioid overdose in patient using fentanyl patch, 93:647
- Esmolol**, see Pharmacology
- Esophageal-tracheal Combitube**, see Equipment
- Esophagus**, sphincter pressure, LMA devices and, 93:226
- Ethics**, harm to others, duty to warn, 93:1544
- Etomidate**, see Anesthetics, intravenous
- Evaluation**, see Preoperative
- Excitatory amino acids**, in CSF of pregnant women, effect on labor pain, 93:1293
- Exertional heat stroke**, see Temperature
- External cephalic version**, success, effect of intrathecal analgesia, 93:410
- Extubation**, immediate, safety after abdominal aortic surgery, 93:1546
- Eyes**, pupils, nalbuphine, atropine, and shivering, 93:620
- Faculty**, measurement of clinical responsibility, 93:313
- Fast-tracking**, see Anesthetic techniques
- Femoral nerve block**, see Anesthetic techniques
- Fenoldopam**, see Pharmacology
- Fentanyl**, see Anesthetics, intravenous
- Fetus**
 - oxygenation, after maternal hemorrhage, restoration with polymerized hemoglobin, pregnant sheep, 93:142
 - umbilical blood flow, effect on placental transfer of propofol, 93:151
- Fire**, see Operating rooms
- Fluid balance**
 - colloids vs crystalloids, tissue oxygen tension, major abdominal surgery, 93:405
 - crystalloids
 - balanced vs saline-based solutions, effects on acid-base and electrolyte status and gastric mucosal perfusion, elderly surgical patients, 93:811
 - bolus, in spinal cesarean delivery, 93:703
 - vs colloids, tissue oxygen tension, major abdominal surgery, 93:405
 - enhanced preoperative comfort (editorial), 93:1091
 - hetastarch, balanced vs saline-based solutions, effects on acid-base and electrolyte status and gastric mucosal perfusion, elderly surgical patients, 93:811
 - hypertonic-dextran-saline solutions, dynamics of vascular volume and fluid shifts, normovolemic sheep, 93:823
 - lactated Ringer's solution
 - dynamics of vascular volume and fluid shifts, normovolemic sheep, 93:823
 - vs normal saline, intraoperative fluid management, abdominal aortic aneurysm repair, 93:817
 - lactate vs chloride (editorial), 93:809
 - preoperative therapy, carbohydrate drink, reduction of preoperative discomfort, 93:1344
 - saline
 - based hetastarch and crystalloid solutions, effects on acid-base and electrolyte status and gastric mucosal perfusion, 93:811
 - normal, vs lactated Ringer's solution, intraoperative fluid management, abdominal aortic aneurysm repair, 93:817
- Ganglion**, lumbar, topical application of acidic bupivacaine, induction of mechanical hyperalgesia, rats, 93:466
- Gases, nonanesthetic**
 - carbon monoxide (CO)
 - formation in dry soda lime, prolonged at low gas flow, 93:488
 - rebreathing during low flow anesthesia (letter), 93:516
 - nitric oxide (NO)
 - in CSF of pregnant women, effect on labor pain, 93:1293
 - inhaled, influence on CBF and metabolism, child with traumatic brain injury, 93:351
 - synthase, inhibitors, effects on sedative effect of clonidine, 93:1217
 - synthetase, inhibition during strychnine-induced allodynia, 93:728
- Gastric insufflation**, see Complications
- Gastric tonometry**, see Measurement techniques
- Gastrointestinal tract**
 - aspiration, cricoid pressure, pressor response and airway effects, 93:787
 - gastroesophageal reflux, in anesthetic practice, 93:494
 - perfusion
 - colloids, crystalloids, mucosal perfusion, and the elderly, 93:811
 - lactate vs chloride (editorial), 93:809
 - splanchnic, influence of deliberate hypotension, 93:1116
 - residual gastric fluid volumes and gastric emptying, carbohydrate drink, reduction of preoperative discomfort, 93:1344
 - stomach, obesity and gastric fluid volume, 93:1621
- General anesthesia**, see Anesthetic techniques
- Glucose**, metabolism, anesthesia and, 93:121
- Glue**, biological, mechanical AVR dysfunction associated with (letter), 93:1627
- Gynecologic surgery**, see Surgery
- Halothane**, see Anesthetics, volatile
- Hand surgery**, see Surgery
- Heart**
 - antiarrhythmic drugs, cibenzoline, K⁺ channels and, 93:282
 - atrial fibrillation, postoperative, TEE variables and, 93:14
 - atrium, *in vitro* effects of opioids, 93:543
 - cardiac arrest
 - ECG signal analysis during, 93:1428
 - improving standard CPR with inspiratory impedance threshold valve, 93:649
 - lidocaine overdose via arterial flush apparatus, 93:1534
 - resuscitation during epidural anesthesia, 93:734
 - conduction, ropivacaine vs bupivacaine, piglets, 93:1598
 - congenital defects, left paracarinal TEE for visualization of proximal left pulmonary artery, 93:594
 - contractility
 - failing and nonfailing muscles, effects of propofol, 93:550
 - ropivacaine vs bupivacaine, piglets, 93:1598
 - excitability, ropivacaine vs bupivacaine, piglets, 93:1598

Heart—continued

- function, epidural anesthesia in
 - pulmonary embolism, 93:1460
- ischemia
 - cataract surgery patients (letter), 93:518
 - late preconditioning, effects of ketamine, 93:265
 - Na⁺/H⁺ exchanger blockade and leukocyte activation, 93:1472
 - terlipressin and, 93:53
- left ventricular diastolic dysfunction, sedation and, 93:865
- left ventricular pressure, isoproterenol during hypothermia, 93:846
- muscles, failing and nonfailing, contractility, effects of propofol, 93:550
- myocardial infarction
 - effect of perioperative aspirin therapy in vascular surgery, 93:573
 - postoperative, effect of epidural analgesia, meta-analysis, 93:853
- myofilament Ca²⁺ sensitivity, during hypothermia, effect of isoproterenol, isolated guinea pig beating hearts, 93:846
- patent foramen ovale, significance in perioperative period, 93:1137
- rate
 - effects of cricoid pressure during induction of general anesthesia, 93:787
 - isoproterenol during hypothermia, 93:846
- supraventricular tachyarrhythmias, after pulmonary resection, thoracic epidural bupivacaine and, 93:253
- ventricular fibrillation
 - ECG signal analysis during cardiac arrest, 93:1428
 - improving standard CPR with inspiratory impedance threshold valve, 93:649

Hemoglobin-based oxygen carrier, see Blood

Hemorrhage

- Hextend®, hemorrhage, and heparin activity, 93:1106
- maternal, fetal oxygen content after, restoration with polymerized bovine hemoglobin, pregnant sheep, 93:142
- microcirculation, resuscitation, and hemoglobin glutamer-200, 93:832
- shock, residual effects on pain reaction and C-fos expression, rats, 93:424

Heparin, see Coagulation

Hereditary angioedema, see Complications

Herniorrhaphy, see Surgery

Hetastarch, see Fluid balance

Hiccups, see Complications

Hippocampus, see Brain

Hirudin, see Coagulation

Histamine

- induced vasodilation, *in vitro* reversal, 93:1257
- release, anaphylactoid reactions to cisatracurium, 93:1257

History, anesthesia, pioneers in epidural needle design, 93:215

Homocysteine, see Metabolism

Hyperalgesia, see Pain

Hyperbilirubinemia, see Complications

Hypercapnia, see carbon dioxide

Hyperchloremic metabolic acidosis, see Complications

Hyperglycemic response, see Surgery

Hyperkalemia, see Complications

Hyperlipidemia, see Complications

Hyperventilation, see Ventilation

Hypotension, see Anesthetic techniques, deliberate hypotension; Blood pressure; Complications

Hypothermia, see Temperature

Hypoxemia, patent foramen ovale in perioperative period, 93:1137

Hypoxia, see Complications

Hysterectomy, see Surgery

Imaging techniques

- computed tomography (CT), assessment of proximal left pulmonary artery, 93:594
- magnetic resonance imaging (MRI)
 - sedation, toe test (letter), 93:241
 - simulation study, supraclavicular lateral paravascular brachial plexus block, 93:442
- venography, right internal jugular vein, 93:331
- video imaging, of larynx, need for careful evaluation (letter), 93:243

Immune system, function, *in vivo* effects of general and epidural anesthesia, 93:460

Immunosuppressants, thymoglobulin, delayed cardiopulmonary reaction after pancreas transplant, 93:1260

Impedance valve, see Equipment

Incisional pain, see Pain

Inflammation

- cytokines, during ventilator-induced lung injury (editorial), 93:251
- Na⁺/H⁺ exchanger blockade and leukocyte activation, 93:1472

Inflammatory pain, see Pain

Inflatable pillows, see Equipment

Injection pain, see Pain

Inspiratory impedance threshold valve, see Equipment

Insulinoma removal, see Surgery

Interactions, drug

- buprenorphine and morphine, 93:197
- clonidine and
 - lidocaine, 93:1147
 - midazolam, 93:1025
- lidocaine and clonidine, 93:1147
- midazolam and clonidine, 93:1025
- morphine and buprenorphine, 93:197

Intoxication, naphazoline, infant, 93:1162

Intravascular injection, see Complications

Intubation

- difficult, vs difficult airway (letter), 93:1624
- endobronchial, caudal epidural analgesia for congenital lobar emphysema, 93:348
- endotracheal
 - emergent, case of tracheal injury, 93:1270
 - failed, different rates, implication (letter), 93:241
 - graded intubating conditions (letter), 93:804
 - incidence of class "zero" airway, 93:1073
 - learning, clinical skills learning center, 93:656
 - muscle relaxant intubation dose reexamined, 93:954
 - new grip to help (letter), 93:244
 - precursorization and priming, theoretical analysis of safety and timing, 93:1253
 - salbutamol, sevoflurane, and lung resistance, 93:898
- intratracheal, fiberoptically-guided insertion of transtracheal catheters, 93:663

Ions

- calcium, propofol anesthesia, infants and healthy children, 93:106
- magnesium, propofol anesthesia, infants and healthy children, 93:106

IQB-9302, see Anesthetics, local

Ischemia, see Brain; Heart; Liver

Ischemic optic neuropathy, see Complications

Isoflurane, see Anesthetics, volatile

Isoproterenol, see Pharmacology

Jet ventilation, see Ventilation

Jugular bulb saturation, see Monitoring

- Ketamine**, see Analgesics; Anesthetics, intravenous; Receptors, NMDA, antagonists
- Ketorolac**, see Analgesics
- Kidney**
failure
after radiofrequency liver ablation of metastatic carcinoid tumor, 93:587
postoperative, angiotensin-inhibiting enzyme inhibitor and, 93:1111
function
glomerular and tubular, effect of ketorolac and sevoflurane anesthesia, 93:1210
impaired, dexmedetomidine pharmacokinetics, 93:1205
postoperative, long-duration low-flow sevoflurane and isoflurane effects, 93:1511
- Knee arthroscopy**, see Surgery
- Labetalol**, see Pharmacology
- Laboratory testing**, see Evaluation
- Labor pain**, see Pain
- Lactated Ringer's solution**, see Fluid balance
- Landirolol**, see Pharmacology
- Laparoscopic surgery**, see Surgery
- Laryngeal mask airway**, see Equipment
- Laryngeal tube**, see Equipment
- Laryngoscope**, see Equipment
- Larynx**, video imaging, need for careful evaluation (letter), 93:243
- Lazarus syndrome**, see Complications
- Leukocytes**, see Blood
- Levobupivacaine**, see Anesthetics, local
- Lidocaine**, see Anesthetics, intravenous
- Liposome encapsulation**, opioid analgesics, disposition, role of drug-lipid interactions, 93:928
- Liver**
blood flow
changes, induced by CO₂ laparoscopy, effects of vasoactive drugs, 93:1121
loss of control during CO₂-pneumoperitoneum, rats, 93:872
function, postoperative, long-duration low-flow sevoflurane and isoflurane effects, 93:1511
hepatic artery anastomosis, during liver transplantation, heparin effect after (letter), 93:802
ischemia, vasopressin in septic and postcardiotomy shock, 93:7
metastatic carcinoid tumor, acute renal failure after radiofrequency ablation, 93:587
- Liver transplantation**, see Surgery
- LMA**, see Equipment, laryngeal mask airway
- Luciferase**, see Proteins
- Lumbar plexus block**, see Anesthetic techniques
- Lung**
aspiration, LMA devices and esophageal sphincters, 93:226
asthma, sevoflurane, salbutamol, and lung resistance, 93:898
bronchoconstriction, methacholine-induced, comparison of relaxant effects of olprinone and aminophylline, dogs, 93:230
cancer, paraneoplastic syndromes associated with, 93:1557
congenital lobar emphysema, continuous caudal epidural analgesia, 93:348
injury
oxidative stress status evaluation, 93:981
ventilator-induced, cytokines during (editorial), 93:251
perfusion, during one-lung ventilation, effects of isoflurane and desflurane, pigs, 93:1434
pulmonary hypertension, vasodilatory effects of inhaled prostacyclin and inhaled milrinone, 93:1439
surgery, wedge resection, systemic air embolism during, 93:1135
- MAC**, see Potency, anesthetic, minimum alveolar concentration
- Magnesium**, see Ions
- Magnetic resonance imaging**, see Imaging techniques
- Magnetic resonance spectroscopy**, see Measurement techniques
- Malignant hyperthermia**, see Temperature
- Mallampati classification**, incidence of class "zero" airway, 93:1073
- Masks**, see Equipment
- Measurement techniques**
carotid artery compression test, assessment of cerebral autoregulation, 93:171
cerebral oximetry, hyperbilirubinemia and (letter), 93:245
coagulation tests, during spinal fusion and instrumentation, accuracy, 93:33
current perception thresholds, variation (letter), 93:1078
gastric tonometry
colloids, crystalloids, mucosal perfusion, and the elderly, 93:811
lactate vs chloride (editorial), 93:809
magnetic resonance spectroscopy, metabolic abnormalities in exertional heat stroke, 93:683
- photoelectric plethysmography, clonidine-induced vasoconstriction, awake volunteers, 93:271
Sonoclot®, bleeding and platelet aggregation inhibitors, 93:878
static autoregulation test, vs transient hyperemic response test, assessment of cerebral autoregulation, 93:171
tensile strength, epidural catheters, 93:210
thromboelastography
another point of view (letter), 93:517
arterial and venous TEG® variables during cardiac surgery, 93:277
bleeding and platelet aggregation inhibitors, 93:878
coagulopathy in pediatric neurosurgery, 93:887
hemostatic analysis of patient with hereditary angioedema, 93:1480
Hextend®, hemorrhage, and heparin activity, 93:1106
transient hyperemic response test, vs static autoregulation test, assessment of cerebral autoregulation, 93:171
- Mechanisms of anesthetic action**
cis-trans isomerism, 93:922
clonidine on peripheral nerves, 93:771
inhibitory effect of bupivacaine on PGE₂, 93:628
lidocaine on superoxide production in neutrophils, 93:1501
luciferase as model anesthetic site, 93:1246
- Medical information**, influence on perioperative course of stress, 93:1093
- Meperidine**, see Pharmacology
- Meta-analysis**, see Statistics
- Metabolism**
homocysteine, B vitamins and N₂O, 93:1507
residual neuromuscular block after long-term vecuronium, 93:345
- Metaraminol**, see Pharmacology
- Microcirculation**, effects of hemoglobin glutamer-200, canine hypovolemia model, 93:832
- Midazolam**, see Analgesics; Anesthetics, intravenous
- Midhumeral block**, see Anesthetic techniques
- Milrinone**, see Pharmacology
- Minimum alveolar concentration**, see Potency, anesthetic
- Mivacurium**, see Neuromuscular relaxants
- Monitoring**

Monitoring—continued

- activated clotting time (ACT), hirudin and, relationship, implications for patients with heparin-induced thrombocytopenia undergoing cardiac surgery, 93:28
- arterial stimulation venous sampling, complete resection of pancreatic insulinoma, 93:239
- blood pressure
 - continuous recording, carotid surgery, remifentanyl vs sufentanil analgesia, 93:1402
 - lidocaine overdose via arterial flush apparatus, 93:1534
 - pulse oximeter waveform analysis and, CABG patients, 93:1466
- capnography, animated website (letter), 93:1364
- carbon dioxide, PaCO₂/ETCO₂ ratio, origin (letter), 93:1625
- chest radiography, CPR resuscitation-associated adverse effects, 93:128
- coagulation analysis
 - arterial and venous TEG® variables during cardiac surgery, 93:277
 - rFVIIa and cardiac surgery bleeding, 93:287
- electrical stimulation test, placement of epidural catheter at predicted site, 93:1035
- electrocardiogram, signal analysis during cardiac arrest, 93:1428
- electroencephalography, bispectral index (BIS)
 - analysis, practical issues, 93:966
- burst suppression, promotion by esmolol, propofol/alfentanil anesthesia, 93:1526
- decreases vomiting after sevoflurane, 93:1165
- effect of noise during propofol sedation, 93:1170
- effect on end-tidal gas concentration and recovery duration after outpatient anesthesia, 93:613
- false negative (letter), 93:798
- infants and children, 93:326
- racial differences in anesthesia recovery, 93:1222
- electromyography, intraoperative recurrent laryngeal nerve monitoring, 93:396
- eosinophilic cationic protein, asthmatic children, 93:898
- expired CO₂, complications, check-valve obstruction, 93:971

- gastric tonometry, deliberate hypotension and splanchnic perfusion, 93:1116
- jugular bulb saturation, neurologic and cognitive outcomes after coronary artery surgery, 93:839
- pulse oximetry
 - anesthetic management of patient with hemoglobin M_{Iwate}, 93:1192
 - waveform analysis, blood pressure and, CABG patients, 93:1466
- somatosensory evoked potentials, during carotid endarterectomy, patients with stroke, 93:39
- transcranial Doppler ultrasound, transient hyperemic response test and cerebral autoregulation, 93:171
- transesophageal echocardiography (TEE)
 - assessment of proximal left pulmonary artery, neonates and infants, 93:594
 - diagnosis of mechanical aortic valve prosthesis dysfunction (letter), 93:1627
 - facilitation of pulmonary artery catheter placement after tricuspid valve surgery (letter), 93:242
 - intraoperative diagnosis of left-sided cardiac gas embolism produced by H₂O₂, 93:1132
 - perioperative, training and certification, 93:1422
 - tourniquet duration and number of emboli, 93:776
 - variables, and postoperative atrial fibrillation, 93:14
- transmitral and tissue Doppler transthoracic echocardiography, study of sedation and left ventricular diastolic function, 93:865
- ultrasound guidance, posterior lumbar plexus block, study of paravertebral anatomy, 93:477
- Moorthy's block**, see Anesthetic techniques, brachial plexus block
- Morphine**, see Analgesics; Tolerance
- Mortality**, maternal
 - during hospital admission, 93:134
 - United States (editorial), 93:1
- Multiple sclerosis**, see Complications
- Muscarinic receptors**, see Receptors
- Muscles**
 - anomaly, resuscitator with, anterior interosseous nerve palsy after CPR, 93:290
 - biopsy specimens, prolonging viability in malignant hyperthermia tests, 93:781

- diaphragm, fatigued, contractility, dose-range effects of propofol, dogs, 93:1194
- energetics, metabolic abnormalities in exertional heat stroke, 93:683
- heart, failing and nonfailing, contractility, effects of propofol, 93:550
- psoas, ultrasound and lumbar plexus block, 93:477
- Music**, effect on sedative requirements during spinal anesthesia, 93:912
- Myocardial infarction**, see Heart
- Nalbuphine**, see Anesthetics, intravenous; Pharmacology
- Naloxone**, see Antagonists, opioid
- Naphazoline**, see Intoxication
- Nasal cannula**, see Equipment
- Natriuretic peptides**, see Peptides
- Nausea**, see Vomiting, nausea and, postoperative
- Needles**, see Equipment
- Nefopam**, see Pharmacology
- Neostigmine**, see Antagonists, neuromuscular relaxants; Pharmacology
- Nephrotoxicity**, see Toxicity
- Nerve injury**, femoral block, bacterial complications, 93:1045
- Nerves**
 - apoptosis, oxygen and glucose deprivation-induced, attenuation by halothane and isoflurane, 93:1281
 - peripheral, mechanism of action of clonidine, 93:771
 - radial, sensory branches, cephalic vein and, anatomic relations between, 93:1058
 - sciatic, chronic constriction injury, effect of EP₁ receptor antagonist, rats, 93:1012
 - spinal, dorsal root ganglion, topical application of acidic bupivacaine, induction of mechanical hyperalgesia, rats, 93:466
- Nerve stimulators**, see Equipment
- Neuroma**, see Complications
- Neuromuscular relaxants**
 - atracurium, influence on proliferation of two human cell lines *in vitro*, 93:690
 - awareness and (letter), 93:1081
 - cisatracurium
 - administration, anaphylactoid reactions after, 93:1257
 - influence on proliferation of two human cell lines *in vitro*, 93:690
 - pharmacokinetics, patients with acute respiratory distress syndrome, 93:400

- mivacurium, influence on proliferation of two human cell lines *in vitro*, 93:690
- pharmacoeconomics, perioperative cost-minimization strategy, children, 93:339
- rapacuronium
after early or late reversal with neostigmine, 93:370
recommended endotracheal intubating dose, reexamination, 93:954
- rocuronium
precuarization and priming, theoretical analysis of safety and timing, 93:1253
recommended endotracheal intubating dose, reexamination, 93:954
- vecuronium
administration, long-term, unmasked residual neuromuscular block after, 93:345
precuarization and priming, theoretical analysis of safety and timing, 93:1253
- Neuropathic pain**, see Pain
- Neuropathy**, see Complications
- Neurosurgical anesthesia**, see Anesthesia
- Neurotoxicity**, see Toxicity
- Neutrophils**
function, altering, comparison of atenolol, labetalol, esmolol, and landiolol, 93:641
opsonized zymosan-activated, superoxide production and p47 phox translocation, effects of lidocaine, 93:1501
- Nitric oxide**, see Gases, nonanesthetic
- Nitroglycerin**, see Pharmacology
- Nitrous oxide**, see Anesthetics, gases
- NMDA receptors**, see Receptors
- Nonimmobilizers**
1,2-dichloroethylene, *cis-trans* isomers, convulsant and anesthetic properties, 93:922
1,2-dichlorohexafluorocyclobutane, *cis-trans* isomers, convulsant and anesthetic properties, 93:922
- Nonsteroidal antiinflammatory drugs**
COX-2 inhibitors
efficacy of preoperative parecoxib sodium, 93:721
use in spinal fusion surgery (letter), 93:803
diclofenac, antinociception, adrenergic modulation, isobolographic analysis, 93:430
ketorolac, sevoflurane and, effect on renal glomerular and tubular function, 93:1210
- Nurse anesthesia**, see Occupational hazards
- Obesity**, see Complications
- Obstetric anesthesia**, see Anesthesia
- Occupational hazards**, nurse anesthesia, carpal tunnel syndrome, 93:975
- Olprinone**, see Pharmacology
- Ondansetron**, see Pharmacology
- One-lung ventilation**, see Ventilation
- Open heart surgery**, see Surgery, cardiac
- Operating rooms (OR)**
economic impact of longer-than-average anesthesia times, 93:1537
fire, case report and laboratory study, 93:960
management
measurement of faculty clinical responsibility, 93:313
measuring departmental clinical productivity, 93:309
variability in surgeons' cases' profitability, 93:669
nurses, carpal tunnel syndrome, 93:975
- Opioid receptors**, see Receptors
- Opioids**
direct myocardial effects, 93:543
-induced hyperalgesia, incisional pain and, 93:204
large-dose intrathecal, effect on autonomic nervous system, 93:456
liposome-formulated, disposition, role of drug-lipid interactions, 93:928
overdose, patient using fentanyl patch during treatment with warming blanket, 93:647
spinal and systemic, supraadditive interaction, 93:197
- Oral surgery**, see Surgery
- Outcomes**, maternal, anesthesia for triplets, 93:991
- Outcomes**, postoperative
length of stay, opioids for fast-track cardiac anesthesia, 93:859
neurologic, after CABG, jugular bulb oxyhemoglobin desaturation and S100 β , 93:839
risk factors
preoperative laboratory testing, geriatric surgical patients, 93:301
routine laboratory testing in the elderly (editorial), 93:249
- Overdose**
lidocaine, via arterial flush apparatus, 93:1534
opioid, patient using fentanyl patch during treatment with warming blanket, 93:647
- Oxygen**
fetal, content, after maternal hemorrhage, restoration with polymerized hemoglobin, pregnant sheep, 93:142
nasal cannula, vs room air, during transport after general anesthesia, 93:917
tension, tissue, colloids vs crystalloids, major abdominal surgery, 93:405
tidal volumes and rescue breathing, 93:1265
- Oxygenation**
cerebral
cognitive decline and (letter), 93:1628
effects of sodium nitroprusside vs isoflurane-induced hypotension, 93:166
microcirculation, resuscitation, and hemoglobin glutamer-200, 93:832
systemic, during one-lung ventilation, effects of isoflurane and desflurane, pigs, 93:1434
- Pain**
acute, midazolam and clonidine in analgesia, 93:1025
allodynia
chronic melanocortin-receptor blockade and, rats, 93:1572
effect of EP₁ receptor antagonist on chronic constriction injury, rats, 93:1012
interaction between neostigmine and GABA agonists, 93:1297
prostaglandin-induced, effects of capsaicin cream, 93:419
strychnine-induced, spinal PGE₂ release and NOS inhibition during, 93:728
antinociception
diclofenac, adrenergic modulation, isobolographic analysis, 93:430
interactions of endomorphin-1 with dexmedetomidine and/or S(+)-ketamine, rats, 93:1018
intrathecal S(+)-ketamine, 93:1032
ketamine-induced, involvement of μ -opioid receptor, 93:1495
spinal and systemic opioids, supraadditive interaction, 93:197
breakthrough, during labor epidural analgesia, predictors, 93:414
chronic
carpal tunnel syndrome in nurse anesthetists and OR nurses, 93:975
constriction injury, effect of EP₁ receptor antagonist, 93:1012
management, use of computer-based decision support system, 93:712
hyperalgesia

Pain—continued

- effect of EP₁ receptor antagonist on chronic constriction injury, rats, 93:1012
- mechanical, induced by topical application of acidic bupivacaine to lumbar ganglion, rats, 93:466
- opioid-induced, incisional pain and, 93:204
- thermal, effect of tizanidine, experimental mononeuropathy, rats, 93:1310
- incisional, opioid-induced hyperalgesia and, 93:204
- inflammatory, midazolam and clonidine in analgesia, 93:1025
- injection, propofol in emulsion of long- and medium-chain triglycerides, 93:382
- labor, effect of excitatory amino acids, NO, and prostaglandin E₂ in CSF, 93:1293
- neuropathic
 - carpal tunnel syndrome in nurse anesthetists and OR nurses, 93:975
 - chronic melanocortin-receptor blockade and, rats, 93:1572
 - experimental neuropathy, effect of tizanidine, rats, 93:1310
 - interaction between neostigmine and GABA agonists, 93:1297
- perception, central TNF- α , effect of clonidine, 93:363
- postoperative
 - abdominal hysterectomy, amantadine and postoperative analgesia, 93:192
 - abdominal hysterectomy, with bilateral salpingo-oophorectomy, analgesic efficacy of patient-controlled bupivacaine wound instillation, 93:482
 - abdominal surgery, PCEA after, ropivacaine vs bupivacaine, 93:1587
 - CABG, epidural analgesia (editorial), 93:523
 - CABG, thoracic epidural analgesia, potential benefits, 93:528
 - craniotomy, effect of scalp nerve blocks, 93:1272
 - epidural ropivacaine and clonidine, children, 93:71
 - experimental, effect of tizanidine, rats, 93:1307
 - knee arthroscopy, effect of intraoperative small-dose ketamine, 93:606
 - oral surgery, efficacy of preoperative parecoxib sodium, 93:721

- postpartum tubal ligation, intrathecal morphine, 93:1006
- relief, epidural vs intravenous sufentanil, 93:472
- reaction, residual effects of hemorrhagic shock, rats, 93:424
- shoulder, ipsilateral, after thoracotomy with epidural analgesia, 93:260
- therapy, with interscalene local anesthetic (letter), 93:1623

Pancreas transplant, see Surgery**Parecoxib sodium, see Analgesics****Patent foramen ovale, see Heart****Patient-controlled analgesia (PCA), see Anesthetic techniques****Patient-controlled epidural analgesia (PCEA), see Anesthetic techniques****Patient satisfaction, see Quality of care****Pediatric anesthesia, see Anesthesia****Pentobarbital, see Anesthetics, intravenous****Peptides, natriuretic**

- atrial
 - differential secretion in critically ill patients, 93:676
 - effect on pial vessels during blood-brain barrier disruption, rabbits, 93:177
 - brain, differential secretion in critically ill patients, 93:676

Peribulbar block, see Anesthetic techniques**Peripheral nerve block, see Anesthetic techniques****Personnel**

- measurement of faculty clinical responsibility, 93:313
- measuring departmental clinical productivity, 93:309

Pharmacodynamics

- bupivacaine-loaded microspheres, brachial plexus block, sheep, 93:447
- desensitization of μ -opioid blood pressure response, 93:581
- dose-response
 - epidural ropivacaine and clonidine, children, 93:71
 - potency of alfentanil and fentanyl, 93:939
- duration of action, ropivacaine with or without epinephrine, 93:1327

Pharmacokinetics

- bupivacaine-loaded microspheres, brachial plexus block model, sheep, 93:447
- cisatracurium, patients with acute respiratory distress syndrome, 93:400

- desensitization of μ -opioid blood pressure response, 93:581
- dexmedetomidine, volunteers with severe renal impairment, 93:1205
- remifentanyl
 - elective surgery or diagnostic procedures, pediatric patients, 93:1393
 - neonates and infants (editorial), 93:1370
- patients undergoing CABG with CPB, 83:1100
- ropivacaine, epidural, infants and young children, 93:893

Pharmacology

- amantadine, postoperative analgesia and, women undergoing abdominal hysterectomy, 93:192
- aminophylline, vs olprinone, relaxant effects on methacholine-induced bronchoconstriction, dogs, 93:230
- amitriptyline, postepidural anesthetic shivering, parturients, 93:1288
- angiotensin-inhibiting enzyme inhibitor, impairment of renal function, 93:1111
- atenolol, effect on human neutrophil functions, 93:641
- atropine
 - for treatment of hiccup after LMA insertion, 93:791
 - lack of antishivering activity, 93:620
- bupivacaine, neostigmine combined with bupivacaine, clonidine, and sufentanil for spinal labor analgesia, 93:1560
- buspirone, meperidine and, synergistic reduction of shivering threshold, 93:1233
- calcium chloride, administration, varying, during protamine infusion, effect on hemodynamic stability, pediatric open-heart patients, 93:92
- cariporide, Na⁺/H⁺ exchanger blockade and leukocyte activation, 93:1472
- cibenzoline, K⁺ channels and, 93:282
- clonidine
 - added to postoperative continuous epidural infusion of ropivacaine, dose-response relationship, children, 93:71
 - effect on plasma and CSF concentrations of TNF- α , perioperative period, 93:363
 - induced vasoconstriction, awake volunteers, 93:271
 - mechanism of action on peripheral nerves, 93:771

- neostigmine combined with
bupivacaine, clonidine, and
sufentanil for spinal labor analgesia,
93:1560
- prevention of sevoflurane-induced
agitation, children, 93:335
- with local anesthetic mixture,
peribulbar block, dose-response
study, 93:1593
- colforsin daropate hydrochloride,
preoperative use, patient with
severe cardiac function scheduled
for Y-graft replacement (letter),
93:1079
- diazepam, anxiolytic effects before
otolaryngologic surgery, 93:1214
- dobutamine, β -adrenergic agonists and
liver blood flow, 93:1121
- dolasetron, administration, effect of
timing on efficacy as prophylactic
antiemetic, ambulatory setting,
93:906
- dopamine
agonists, fenoldopam, -induced
hypotension, reduced regional and
global cerebral blood flow during,
volunteers, 93:45
- β -adrenergic agonists and liver blood
flow, 93:1121
- epinephrine
efficacy for resuscitation during
epidural anesthesia, 93:734
- levobupivacaine 0.5% with, epidural
anesthesia for lumbar spine surgery,
93:755
- ropivacaine with, femoral three-in-one
block, 93:1327
- tetracaine toxicity and, 93:1050
- esmolol
alternative to remifentanyl, fast-track
outpatient gynecologic laparoscopic
surgery (letter), 93:241
- deliberate hypotension and splanchnic
perfusion, 93:1116
- effect on human neutrophil functions,
93:641
- promotion of EEG burst suppression
during propofol/alfentanil
anesthesia, 93:1526
- fenoldopam, -induced hypotension,
reduced regional and global
cerebral blood flow during,
volunteers, 93:45
- isoproterenol, enhancement of Ca^{2+}
sensitivity during hypothermia,
isolated guinea pig beating hearts,
93:846
- labetalol, effect on human neutrophil
functions, 93:641
- landiolol, effect on human neutrophil
functions, 93:641
- meperidine
antishivering activity, 93:620
- buspirone and, synergistic reduction
of shivering threshold, 93:1233
- for postepidural anesthetic shivering,
parturients, 93:1288
- metaraminol, infusion, maintenance of
arterial blood pressure, spinal
anesthesia for cesarean delivery,
93:703
- milrinone
effect on pial vessels during blood-
brain barrier disruption, rabbits,
93:177
- inhaled, additive pulmonary
vasodilatory effects, postcardiac
surgical patients with pulmonary
hypertension, 93:1439
- nalbuphine, lack of antishivering
activity, 93:620
- nefopam, refractory postoperative
hiccups, 93:1358
- neostigmine
combined with bupivacaine, clonidine,
and sufentanil for spinal labor
analgesia, 93:1560
- intrathecal, GABA agonists and,
interaction between, nerve ligation
injury, rats, 93:1297
- nitroglycerin, deliberate hypotension
and splanchnic perfusion, 93:1116
- olprinone, vs aminophylline, relaxant
effects on methacholine-induced
bronchoconstriction, dogs, 93:230
- ondansetron, tramadol and
coadministration, analgesic efficacy
(letter), 93:1626
- prostacyclin, inhaled, additive
pulmonary vasodilatory effects,
postcardiac surgical patients with
pulmonary hypertension, 93:1439
- ritodrine, premature labor, rebound
perioperative hyperkalemia after
cessation, 93:709
- salbutamol, prevention of increase of
respiratory resistance caused by
tracheal intubation during
sevoflurane anesthesia, asthmatic
children, 93:898
- sodium nitroprusside, vs isoflurane-
induced hypotension, effects on
brain oxygenation and
arteriovenous shunting, 93:166
- sufentanil, neostigmine combined with
bupivacaine, clonidine, and
sufentanil for spinal labor analgesia,
93:1560
- tandospirone, anxiolytic effects before
otolaryngologic surgery, 93:1214
- terlipressin, for treating intraoperative
hypotension, 93:53
- tramadol, postepidural anesthetic
shivering, parturients, 93:1288
- vasopressin
effects on systemic hemodynamics,
septic shock and postcardiotomy
shock, 93:7
- efficacy for resuscitation during
epidural anesthesia, 93:734
- endogenous, blood pressure
regulation during epidural
anesthesia, dogs, 93:1580
- reversal of histamine-induced
relaxation, 93:1453
- Photoelectric plethysmography**, see Meas-
urement techniques
- Physicians**, primary care, management of
chronic pain, use of computer-based
decision support system, 93:712
- Placenta**, transfer of propofol during *in*
vitro perfusion, effects of uterine
and umbilical blood flows, 93:151
- Plastic surgery**, see Surgery
- Platelets**, see Coagulation
- Pneumectomy**, see Surgery
- PONV**, see Vomiting, nausea and,
postoperative
- Position**
lateral decubitus, inflatable pillows as
axillary support devices during
surgery, 93:1338
- supine, patient and anesthesiologist,
regional anesthesia (letter), 93:1362
- Postanesthesia care unit (PACU)**
failure to bypass after laparoscopy,
93:112
- hand surgery, comparative study of
anesthetic techniques, 93:1181
- room air vs nasal cannula oxygen
during transport after general
anesthesia, 93:917
- Postcardiotomy shock**, see Complications
- Postpartum tubal ligation**, see Surgery
- Potassium**, see Channels; Complications,
hyperkalemia
- Potency, anesthetic**
 C_{50} for loss of consciousness, propofol,
early pregnancy, 93:1565
- minimum alveolar concentration (MAC)
age, MAC, and MAC-awake, 93:947
- luciferase as model anesthetic site,
93:1246
- minidose lidocaine-fentanyl spinal vs
MAC, 93:319
- Preeclampsia**, see Complications

- Preemptive analgesia**, see Anesthetic techniques
- Preoperative**
- anxiety
 - acute anxiolysis by tandospirone, 93:1214
 - management, children, 93:98
 - reduction, use of auricular acupuncture, 93:1178
 - carbohydrate drink
 - enhanced comfort (editorial), 93:1091
 - reduction of discomfort, elective surgery patients, 93:1344
 - evaluation
 - alternative medicine in surgical patients, 93:1062
 - laboratory testing, geriatric surgical patients, 93:301
 - laboratory testing, routine, in the elderly (editorial), 93:249
- Preservatives**, emulsion, long- and medium-chain triglycerides, propofol preparation, effect on injection pain, 93:382
- Prilocaine**, see Anesthetics, local
- Prolonged neuromuscular block**, see Complications
- Propofol**, see Anesthetics, intravenous
- Prostacyclin**, see Pharmacology
- Prostaglandin E₂ receptors**, see Receptors
- Prostaglandins**
- induced allodynia, effects of capsaicin cream, 93:419
 - prostaglandin E₂
 - in CSF of pregnant women, effect on labor pain, 93:1293
 - spinal, release during strychnine-induced allodynia, 93:728
- Protamine**, see Coagulation
- Protein kinase C**, see Enzymes
- Proteins**
- c-Fos, expression, residual effects of hemorrhagic shock, rats, 93:424
 - luciferase, as model for site of inhaled anesthetic action, 93:1246
- Pruritus**, see Complications
- Psoas muscle**, see Muscles
- Publications**, *Anesthesia & Analgesia*, new sections
- pain medicine (editorial), 93:526
 - technology, computing, and simulation (editorial), 93:1085
- Pulmonary embolism**, see Embolism
- Pulmonary resection**, see Surgery
- Pulse oximetry**, see Monitoring
- Pyloromyotomy**, see Surgery
- Quality of care**, patient satisfaction
- business cards and physician recognition after general anesthesia, 93:1262
 - local anesthesia for hernia repair, 93:1373
 - optimizing anesthesia for inguinal herniorrhaphy (editorial), 93:1367
- Racial differences**, recovery from intravenous anesthesia with propofol and remifentanyl, 93:1222
- Radiofrequency ablation**, see Surgery, laparoscopic
- Rapacuronium**, see Neuromuscular relaxants
- Rapid-sequence induction**, see Anesthetic techniques
- Receptors**
- α_2 -adrenergic, agonists
 - clonidine, -induced vasoconstriction, awake volunteers, 93:271
 - clonidine, sedative effect, effect of NO synthase inhibitors, 93:1217
 - dexmedetomidine, antinociceptive interactions of endomorphin-1, rats, 93:1018
 - tizanidine, effect on experimental postoperative pain, rats, 93:1307
 - tizanidine, effect on thermal hyperalgesia, experimental mononeuropathy, rats, 93:1310
 - β -adrenergic, antagonists, effects on human neutrophil functions, 93:641
 - endothelin, blood pressure regulation during epidural anesthesia, conscious dogs, 93:1580
- GABA**
- agonists, intrathecal neostigmine and, interaction between, nerve ligation injury, rats, 93:1297
 - pentobarbital and synaptic hippocampal transmission, rats, 93:1521
- melanocortin**, chronic blockade, alleviation of allodynia, neuropathic pain, rats, 93:1572
- muscarinic**, effects of isoflurane, role of protein kinase C, 93:375
- NMDA**
- antagonists, amantadine, postoperative analgesia and, 93:192
 - antagonists, ketamine, antinociceptive interactions of endomorphin-1, rats, 93:1018
 - antagonists, ketamine, epidural morphine and, preemptive analgesia, 93:1321
 - pentobarbital and synaptic hippocampal transmission, rats, 93:1521
- opioid**
- binding and function, effects of benzodiazepines, 93:354
 - μ -opioid, agonists, endomorphin-1, antinociceptive interactions with dexmedetomidine and/or S(+)-ketamine, rats, 93:1018
 - μ -opioid, blood pressure response, desensitization, 93:581
 - μ -opioid, involvement in ketamine-induced respiratory depression and antinociception, 93:1495
- prostaglandin E₂**
- functioning, inhibitory effect of bupivacaine, mechanism of action, 93:628
 - subtype EP₁, antagonist (ONO-8711) effect on chronic constriction injury, rats, 93:1012
 - vasopressin, blood pressure regulation during epidural anesthesia, conscious dogs, 93:1580
- Recovery**
- accelerating, from inhaled volatile anesthetics, simple apparatus, 93:1188
 - duration, after outpatient anesthesia, effect of BIS monitoring, 93:613
 - neuromuscular block, rapacuronium after early or late reversal with neostigmine, 93:370
- profiles**
- remifentanyl vs halothane, neonates and infants undergoing pyloromyotomy, 93:1380
 - target-controlled infusion propofol vs sevoflurane, 93:560
 - racial differences, intravenous anesthesia with propofol and remifentanyl, 93:1222
- Recurrent laryngeal nerve paralysis**, see Complications
- Regional anesthesia**, see Anesthesia
- Rehabilitation**, postoperative, multimodal program, critically ill diabetic patients (letter), 93:1623
- Remifentanyl**, see Analgesics; Anesthetics, intravenous
- Renal failure**, see Complications
- Respiration**, prolonged CO formation in soda lime, 93:488
- Respiratory depression**, see Ventilation
- Resuscitation**
- Hextend®, hemorrhage, and heparin activity, 93:1106
 - microcirculation, resuscitation, and hemoglobin glutamer-200, 93:832
 - volume-dynamics of hyperosmotic-hyperoncotic plasma expanders, 93:823

Right internal jugular vein, see Veins
Ritodrine, see Pharmacology
Rocuronium, see Neuromuscular relaxants
Ropivacaine, see Anesthetics, local

Safety

leukocytes in salvaged washed autologous blood, 93:566
precurarization and priming, theoretical analysis, 93:1253
tracheal extubation after abdominal aortic surgery, 93:1546

Safety systems, integrated drug administration and automated anesthesia record system, 93:385

Salbutamol, see Pharmacology

Saline, see Fluid balance

Scalp nerve block, see Anesthetic techniques

Sciatic nerve, see Nerves

Sciatic nerve block, see Anesthetic techniques

Scoliosis, see Surgery, spine

Sedation

anxiolytic effects of music, 93:912
conscious, with midazolam or propofol, left ventricular diastolic dysfunction, 93:865
during MRI, toe test (letter), 93:241
effects of NO synthase inhibitors on sedative effect of clonidine, 93:1217
ethical dilemma, patient threats, 93:1544
patient-controlled, shock wave lithotripsy, remifentanyl vs remifentanyl-propofol, 93:1227
propofol
BIS during, effect of noise, 93:1170
left ventricular diastolic function, 93:865

Seizures, see Complications

Selective bronchial blockade, see Anesthetic techniques

Sepsis

femoral block, bacterial complications, 93:1045
neonatal, evaluation rate, epidural labor analgesia and, 93:986

Septic shock, see Complications

Sevoflurane, see Anesthetics, volatile

Shivering, see Complications;
Temperature, hypothermia

Shock

hemorrhagic, residual effects on pain reaction and C-fos expression, rats, 93:424
septic and postcardiotomy, systemic hemodynamics, effects of vasopressin, 93:7

Shock wave lithotripsy, see Surgery

Shoulder pain, see Pain

Society for Pediatric Anesthesia

fourteenth annual meeting (October 13, 2000), 93:793

Soda lime, see Carbon dioxide, absorbents

Sodium nitroprusside, see Pharmacology

Solubility, tissue/gas partition coefficient, volatile anesthetics, effect of temperature, 93:234

Somatosensory evoked potentials, see Monitoring

Spinal anesthesia, see Anesthetic techniques

Spinal cord

demyelinating disease, respiratory failure in MS cervical lesion, 93:1550
melanocortin, chronic blockade, alleviation of allodynia, neuropathic pain, rats, 93:1572
prostaglandin-induced allodynia and capsaicin cream, 93:419

Spinal nerve, see Nerves

Spinal surgery, see Surgery

Spine, cervical spine motion, experimental, airway management methods (letter), 93:799

Static autoregulation test, see Measurement techniques

Statistics

bispectral analysis, practical issues, 93:966
interaction between neostigmine and GABA agonists, 93:1297
learning endotracheal intubation, 93:656
meta-analysis, effect of epidural analgesia on postoperative myocardial infarction, 93:853
state-maintained database, maternal mortality during hospital admission, 93:134
United States (editorial), 93:1

Stress

-induced analgesia, hemorrhagic shock and, 93:424
perioperative course, influence of medical information, cardiac surgery patients, 93:1093

Stridor, see Complications

Stroke, see Complications

Submandibular gland, see Airway

Sufentanil, see Analgesics; Anesthetics, intravenous

Supraventricular tachyarrhythmias, see Heart

Surgery

abdominal
aortic, intraoperative fluid management, normal saline vs lactated Ringer's solution, 93:817

aortic, postoperative renal function, impairment by angiotensin-inhibiting enzyme inhibitors, 93:1111

aortic, safety of immediate tracheal extubation after, 93:1546

hysterectomy, amantadine and postoperative analgesia, 93:192
hysterectomy, with bilateral salpingo-oophorectomy, postoperative analgesic efficacy of PCA bupivacaine wound instillation, 93:482

major, adding ketamine to morphine for postoperative PCA, 93:116
major, colloids vs crystalloids and tissue oxygen tension, 93:405
PCEA after, ropivacaine vs bupivacaine, 93:1587

bronchoscopy, anesthesia and naphazoline application, 93:1162
cardiac

arterial and venous TEG® variables, 93:277

fast-track anesthesia, comparison of fentanyl, sufentanil, and remifentanyl, 93:859

heparin-induced thrombocytopenia, patients with, implications of relationship between hirudin and ACT, 93:28

open-heart, protamine infusion, effect on hemodynamic stability of varying calcium chloride administration during, pediatric patients, 93:92

postcardiotomy shock, systemic hemodynamics, effects of vasopressin, 93:7

stress, perioperative course, influence of medical information, 93:1093

valve repair, severe intractable bleeding after, treatment, single dose of activated recombinant factor VII, 93:287

cardiopulmonary bypass (CPB)

CABG with, pharmacokinetics of remifentanyl, 83:1100

coronary embolism, acute aortic dissection, and intracoronary thrombolysis, 93:56

heparin neutralization with heparinase-I, 93:1446

risk factors for ischemic optic neuropathy after, 83:1410

carotid endarterectomy

continuous recording of blood pressure, remifentanyl vs sufentanil analgesia, 93:1402

Surgery—continued

- somatosensory evoked potential monitoring, patients with stroke, 93:39
- target-controlled infusion propofol vs sevoflurane, 93:560
- cataract, patients, myocardial ischemia, 93:518
- cesarean delivery
 - intrathecal morphine-induced pruritus, treatment, nalbuphine vs propofol, 93:162
 - spinal anesthesia, effect of crystalloid bolus, 93:703
 - spinal anesthesia, hyperbaric ropivacaine vs hyperbaric bupivacaine, 93:157
 - spinal anesthesia, patient with chronic inflammatory demyelinating polyneuropathy, 93:1304
 - spinal anesthesia, vs epidural anesthesia, for triplets, maternal and neonatal outcomes, 93:991
- circumcision
 - BIS in infants and children, 93:326
 - sevoflurane-induced agitation, prevention, treatment with clonidine, children, 93:335
- coronary artery bypass graft (CABG)
 - atrial fibrillation, postoperative, TEE variables and, 93:14
- epidural anesthesia and analgesia (editorial), 93:523
- hemostatic analysis, patient with hereditary angioedema, 93:1480
- minimally invasive direct, under high thoracic epidural, 93:1486
- neurologic and cognitive outcomes, jugular bulb oxyhemoglobin desaturation and S100 β , 93:839
- reoperative, plateletpheresis and allogeneic blood transfusion, 93:536
- thoracic epidural anesthesia and analgesia, potential benefits, 93:528
- with CPB, pharmacokinetics of remifentanyl, 83:1100
- craniotomy, postoperative pain, severity, effect of scalp nerve blocks, 92:1272
- endolaryngeal procedures, jet ventilation during, risk of barotrauma or aspiration of contaminating material (letter), 93:1625
- esophageal, tracheogastric fistula, anesthetic management, 93:1076
- gynecologic, laparoscopic, fast-track outpatient, esmolol as alternative to remifentanyl (letter), 93:241
- hand, comparative study of anesthetic techniques, 93:1181
- herniorrhaphy, inguinal
 - optimizing anesthesia (editorial), 93:1367
 - unmonitored local anesthetic, 93:1373
- hyperglycemic response, effect of anesthesia, 93:121
- hysterectomy, abdominal
 - amantadine and postoperative analgesia, 93:192
 - with bilateral salpingo-oophorectomy, postoperative analgesic efficacy of PCA bupivacaine wound instillation, 93:482
- insulinoma removal, intraoperative calcium stimulation test, 93:239
- knee arthroscopy
 - minidose lidocaine-fentanyl spinal anesthesia vs local anesthesia/propofol infusion, 93:319
 - postoperative analgesia, effect of intraoperative small-dose ketamine, 93:606
 - selective spinal anesthesia, hyperbaric bupivacaine 4 mg vs 6 mg, 93:1377
 - tourniquet duration and number of emboli, 93:776
- laparoscopic
 - CO₂-induced hepatic blood flow changes, effects of vasoactive drugs, 93:1121
 - CO₂, pneumoperitoneum and hepatic blood flow rats, 93:872
 - fast-track outpatient gynecologic, esmolol as alternative to remifentanyl (letter), 93:241
 - in pregnancy, hemodynamics, 93:1570
 - outpatient fast-tracking after, reasons for failure after propofol, sevoflurane, and desflurane anesthesia, 93:112
 - radiofrequency ablation, of metastatic carcinoid tumor, acute renal failure after, 93:587
- liver transplantation
 - hepatic artery anastomosis during, heparin effect after (letter), 93:802
 - incidence of arterial thrombosis, prophylactic use of tranexamic acid and (letter), 93:516
- lung, wedge resection, systemic air embolism during, 93:1135
- oral, efficacy of preoperative parecoxib sodium, 93:721
- pancreas transplant, delayed cardiopulmonary reaction to intravenous immunosuppressant, 93:1260
- plastic, midazolam and small-dose ketamine for sedation and analgesia, 93:1174
- pneumonecstomy, respiratory failure after, patient with unknown hyperlipidemia, 93:292
- postpartum tubal ligation, postoperative analgesia, intrathecal morphine, 93:1006
- pulmonary resection, supraventricular tachyarrhythmias, postoperative, thoracic epidural bupivacaine and, 93:253
- pyloromyotomy, remifentanyl vs halothane, infants
 - emergence and recovery profiles, 93:1380
 - perioperative breathing patterns, 93:1387
- shock-wave lithotripsy, patient-controlled sedation, remifentanyl vs remifentanyl-propofol, 93:1227
- spinal
 - frequency of perioperative vision loss, 93:1417
 - fusion, accuracy of coagulation tests during, 93:33
 - fusion, considerations in use of COX-2 inhibitors (letter), 93:803
 - lumbar spine, comparison of epidural levobupivacaine 0.5% with or without epinephrine, 93:755
 - scoliosis, tranexamic acid to reduce blood transfusion, randomized trial, 93:82
- thoracic, anesthesia, pediatric, high-frequency jet ventilation and (letter), 93:1362
- thoracoscopic, thoracic duct ligation, compromised infant, management with targeted lobar deflation, 93:96
- thoracotomy, with epidural analgesia, ipsilateral shoulder pain after, 93:260
- thyroid, intraoperative monitoring of recurrent laryngeal nerve, 93:396
- total hip arthroplasty
 - extended femoral nerve sheath block after (letter), 93:804
 - inflatable pillows as axillary support devices, 93:1338
- tricuspid valve, pulmonary artery catheter placement after, facilitation by TEE (letter), 93:242
- ulnar nerve transposition, regional anesthesia and risk of postoperative neuropathy, 93:1606
- vascular, effect of perioperative aspirin therapy, 93:573

Sympathetic nervous system

- adrenergic modulation of diclofenac antinociception, 93:430
 - baroreflex, isoflurane, and sevoflurane, 93:1127
 - central TNF- α , effect of clonidine, 93:363
 - epinephrine, test dose, intravascular injection
 - simulated, efficacy in sedated patients, 93:1612
 - T-wave as indicator, elderly patients, 93:1332
 - sympatholytic effects of neuraxial opioids, 93:456
 - vasoconstriction, clonidine-induced, awake volunteers, 93:271
- Syndromes**, paraneoplastic, Lambert-Eaton Myasthenic Syndrome, 93:1557

Takayasu's arteritis, see Complications

Tandospirone, see Pharmacology

Target-controlled infusion, see Anesthetic techniques

Technology, computing, and simulation

- ADU vaporizer performance, 93:391
 - check-valve obstruction, 93:971
 - faster recovery from anesthesia, 93:1188
 - fire in the operating room, 93:960
 - guided transtracheal catheterization, 93:663
 - hypercapnia with co-axial breathing circuit, 93:973
 - improving standard CPR and inspiratory impedance threshold valve, 93:649
 - intraoperative recurrent laryngeal nerve monitoring, 93:396
 - learning endotracheal intubation, 93:656
 - lidocaine overdose via arterial flush apparatus, 93:1534
 - nasal cannula to prevent rebreathing, 93:667
 - new section of journal (editorial), 93:1085
 - patient with hemoglobin M_{Iwate}, 93:1188
 - practice in bispectral analysis, 93:966
 - safety-oriented drug administration, 93:385
- TEE**, see Monitoring, transesophageal echocardiography
- Temperature**
- body temperature disturbances, patient with arachnoiditis, 93:1578
 - exertional heat stroke, malignant hyperthermia and, similarities between, 93:683
 - hyperthermia, neonatal sepsis evaluation, 93:986
 - hypothermia

- effect on solubility of volatile anesthetics in human tissues, 93:234
 - myofilament Ca²⁺ sensitivity during, effect of isoproterenol, isolated guinea pig beating hearts, 93:846
 - redistribution, magnitude, effect of induction of anesthesia with ketamine, 93:934
 - shivering, lack of antishivering activity of nalbuphine and atropine, 93:620
 - shivering, threshold, reduction, effects of buspirone and meperidine, 93:1233
 - treatment with warming blanket, opioid overdose in patient using fentanyl patch, 93:647
 - malignant hyperthermia
 - external heat stroke and, similarities between, 93:683
 - testing, prolonging viability of swine muscle biopsy specimens, 93:781
- Tensile strength**, see Measurement techniques
- Terlipressin**, see Pharmacology
- Tests**
- caffeine contracture, prolonging viability of swine muscle biopsy specimens, 93:781
 - Mini-Mental State (MMS), cognitive function after general anesthesia, elderly patients, 93:1489

Tetracaine, see Anesthetics, local

Thiopental, see Anesthetics, intravenous

Thoracoscopic surgery, see Surgery

Thoracotomy, see Surgery

Thrombelastograph®, see Equipment

Thrombocytopenia, see Complications

Thromboelastography, see Measurement techniques

- Thrombolysis**, intracoronary, and intraaortic balloon counterpulsation, treatment of coronary embolism after ascending aortic dissection, 93:56

Thymoglobulin, see Immunosuppressants

Thyroid surgery, see Surgery

Tizanidine, see Receptors, α_2 -adrenergic, agonists

Tolerance

- desensitization of μ -opioid blood pressure response, 93:581
- fentanyl-induced, reversal by administration of "small-dose" ketamine, 93:213
- morphine, long-term antinociceptive effect of intrathecal S(+)-ketamine, 93:1032

Total hip arthroplasty, see Surgery

Tourniquet, see Equipment

Toxicity

- cardiotoxicity, ropivacaine vs bupivacaine, piglets, 93:1598
- nephrotoxicity, Compound A, long-duration low-flow sevoflurane, 93:1511
- neurotoxicity, addition of epinephrine to intrathecal tetracaine, 93:1050
- systemic, local anesthetics, resuscitation and, rats, 93:447

Tracheal injury, see Complications

Tracheogastric fistula, see Complications

Tramadol, see Analgesics; Pharmacology

Tranexamic acid, see Antifibrinolytics; Coagulation

Transcranial Doppler ultrasound, see Monitoring

Transdermal drug delivery, see Anesthetic techniques

Transesophageal echocardiography, see Monitoring

Transfusion, see Blood

Transient hyperemic response test, see Measurement techniques

Transport, after general anesthesia, room air vs nasal cannula oxygen, 93:917

Traumatic injury, see Brain

Tricuspid valve surgery, see Surgery

- Tumor**, metastatic carcinoid, acute renal failure after radiofrequency liver ablation, 93:587

Tumor necrosis factor (TNF)- α , see Cerebrospinal fluid

Ulnar nerve block, see Anesthetic techniques

Ulnar nerve transposition, see Surgery

Ultrasound guidance, see Monitoring

- Umbilical cord**, blood flow, effect on placental transfer of propofol, 93:151

Unconsciousness, see Complications

Uterus, blood flow, effect on placental transfer of propofol, 93:151

Valve repair, see Surgery, cardiac

Vaporizers, see Equipment

Vascular surgery, see Surgery

Vasoconstriction, clonidine-induced, awake volunteers, 93:271

Vasodilation, cibenzoline and K⁺ channels, 93:282

Vasopressin, see Pharmacology

Vecuronium, see Neuromuscular relaxants

Veins

- cannulation
- double, avoiding complications (letter), 93:1080
- EMLA vs N₂O, children, 93:590

Veins—continued

radial nerve lesions during wrist vein puncture, 93:1058

right internal jugular, venography, infants and children, 93:331

Venography, see Imaging techniques**Ventilation**

apnea, postoperative, remifentanyl and pneumocardiograms in infants, 93:1387

detecting occluded tracheal tube in neonates, 93:66

diaphragmatic fatigue, propofol and, dogs, 93:1194

hyperpnea, faster recovery from anesthesia, 93:1188

hyperventilation, voluntary, before rapid-sequence induction, failure to decrease postintubation PaCO₂, 93:1277

jet

for endolaryngeal procedures, risk of barotrauma or aspiration of contaminating material (letter), 93:1362

high-frequency, pediatric thoracic anesthesia (letter), 93:1362

mechanical

cytokines during ventilator-induced injury (editorial), 93:251

opioids for fast-track cardiac

anesthesia, 93:859

weaning, respiratory failure in MS cervical lesion, 93:1550

mouth-to-mouth

during CPR (editorial), 93:4

tidal volumes and rescue breathing, 93:1265

one-lung

acquired tracheoesophageal fistula, 93:903

lobar blockade for infant

thoracoscopy, 93:96

oxygenation during, effects of isoflurane and desflurane, pigs, 93:1434

positive pressure

cessation, restoration of circulation after, case of "Lazarus syndrome" (letter), 93:241

LMA devices and esophageal sphincters, 93:226

with ProSeal vs classic LMA, 93:1351

respiratory depression

effects of alfentanil and fentanyl, concentration-effect relationship, 93:939

ketamine-induced, involvement of μ -opioid receptor, 93:1495

respiratory failure

after pneumonectomy, patient with

unknown hyperlipidemia, 93:292

patient with MS, rapid weaning from mechanical ventilator after steroids, 93:1550

Ventilators, see Equipment**Ventricular fibrillation, see Heart****Video imaging, see Imaging techniques**

Vitamin B, preoperative oral, prevention of N₂O-induced postoperative plasma homocysteine increases, 93:1507

Vitamin E, propofol and Na/H exchange in oxidative stress, 93:1199

Vomiting, nausea and, postoperative (PONV)

female patients (letter), 93:518

patients' willingness to pay for antiemetic (letter), 93:514

sevoflurane titration using BIS, 93:1165

timing of dolasetron and antiemetic efficacy, 93:906

Warming blanket, see Equipment

Website, animated (letter), 93:1364

Wound instillation, see Anesthetic techniques**Xenon, see Anesthetics, gases**

